

MONTHLY NOTICES

OF THE

ROYAL ASTRONOMICAL SOCIETY

CONTAINING

PAPERS PUBLISHED IN THE PERIOD
1986 NOVEMBER TO DECEMBER

VOL. 223

(INCORPORATING ANNUAL INDEX
VOLS 218-223)

EDITORIAL BOARD

DR M. J. BARLOW, DEPARTMENT OF PHYSICS AND ASTRONOMY, UNIVERSITY COLLEGE, LONDON

DR M. G. EDMUNDS, DEPARTMENT OF APPLIED MATHEMATICS AND ASTRONOMY, CARDIFF

PROFESSOR A. C. FABIAN, INSTITUTE OF ASTRONOMY, CAMBRIDGE

DR D. R. FLOWER, DEPARTMENT OF PHYSICS, UNIVERSITY OF DURHAM

DR J. R. SHAKESHAFT, MULLARD RADIO ASTRONOMY OBSERVATORY, CAMBRIDGE

DR R. S. STOBIE, ROYAL OBSERVATORY, EDINBURGH

PROFESSOR R. J. TAYLER, UNIVERSITY OF SUSSEX ASTRONOMY CENTRE

PROFESSOR P. M. WILLIAMS, ROYAL OBSERVATORY, EDINBURGH

Published for the Royal Astronomical Society by
Blackwell Scientific Publications
Oxford London Edinburgh Boston Palo Alto Melbourne



AUTHOR INDEX

- Achterberg, A., Blandford, R.D. Transmission and damping of hydromagnetic waves behind a strong shock front: implications for cosmic ray acceleration, 218, 551
- Adams, N.G. *see* Knight, J.S.
- Adams, N.G. *see* Millar, T.J.
- Adamson, A.J. *see* Bell, S.A.
- Adamson, A.J. *see* McFarlane, T.M.
- Ade, P.A.R. *see* Gear, W.K.
- Ade, P.A.R. *see* Richardson, K.J.
- Aggarwal, K.M. Excitation rate coefficients for optically allowed transitions in C-like ions, 218, 123
- Agrawal, P.C., Rao, A.R., Sreekantan, B.V. Study of quiescent state X-ray emission from flare stars, 219, 225
- Agrawal, P.C., Rao, A.R., Riegler, G.R. Detection of an X-ray flare in the RS CVn binary Sigma Coronae Borealis, 219, 777
- Aikman, G.C.L. *see* Hilditch, R.W.
- Aitken, D.K., Roche, P.F., Bailey, J.A., Briggs, G.P., Hough, J.H., Thomas, J.A. Infrared spectropolarimetry of the Galactic Centre: magnetic alignment in the discrete sources, 218, 363
- Aitken, D.K. *see* Glasse, A.C.H.
- Aitken, D.K. *see* Roche, P.F.
- Albinson, J.S., Tuffs, R.J., Swinbank, E., Gull, S.F. Neutral hydrogen towards 3C 10, the remnant of Tycho's supernova, 219, 427
- Albinson, J.S. *see* Mitchell, R.M.
- Alexander, J.B. On the interpretation of Strömgren photometry, 220, 473
- Allan, P.M. *see* Meaburn, J.
- Allen, D.A. An infrared image of the Hourglass region of M 8, 219, 35p
- Allen, D.A. *see* Graham, J.R.
- Allen, D.A. *see* Norris, R.P.
- Allen, D.A. *see* Roche, P.F.
- Allen, D. *see* Hough, J.H.
- Alpar, M.A. Model QPO power spectra: signatures of angular position and radial velocity of clumps in the boundary layer, 223, 469
- Appleton, P.N., Foster, P.A., Davies, R.D. The apparent counter-rotation of the outer H I emission surrounding M51, 221, 393
- Argyle, R.W. *see* Murray, C.A.
- Amaud, K.A., Gilmore, G. Mass-to-light ratios in elliptical galaxies, 220, 759
- Amaud, K.A. *see* Fabian, A.C.
- Amaud, K.A. *see* Thomas, P.A.
- Arquilla R., Leahy, D.A., Kwok, S. CO observations of sources from *IRAS* Circular No. 9, 220, 125
- Ashley, M.C.B. *see* Nelson, G.J.
- Athanassoula, E., Sellwood, J.A. Bi-symmetric instabilities of the Kuz'min/Toomre disc, 221, 213
- Athanassoula, E. *see* Sellwood, J.A.
- Atherton, P.D. *see* Reay, N.K.
- Atherton, P.D. *see* Teuben, P.J.
- Avery, L.W. *see* Richardson, K.J.
- Axon, D.J. *see* Berriman, G.
- Axon, D.J. *see* Brindle, C.
- Axon, D.J. *see* Hough, J.H.
- Axon, D.J. *see* Sparks, W.B.
- Axon, D.J. *see* Taylor, K.
- Axon, D.J. *see* Whittle, M.
- Baart, E.E., Cohen, R.J., Davies, R.D., Norris, R.P., Rowland, P.R. MERLIN observations of OH outflow in W75N, 219, 145
- Babu G.S.D. *see* Shylaja, B.S.
- Bailey, J. *see* Berriman, G.
- Bailey, J. *see* Berriman, G.
- Bailey, J. *see* Hough, J.H.
- Bailey, J. *see* Sparks, W.B.
- Bailey, J.A. *see* Aitken, D.K.
- Bailey, J.A. *see* Brindle, C.
- Bailey, J.A. *see* Roche, P.F.
- Bailey, M.E. The mean energy transfer rate to comets in the Oort cloud and implications for cometary origins, 218, 1
- Balachandran, S., Lambert, D.L., Tomkin, J., Parthasarathy, M. The chemical composition of algal systems - III. Beta Lyrae-nucleosynthesis revealed, 219, 479
- Balona, L.A. Mode identification from line profile variations, 219, 111
- Balona, L.A., Engelbrecht, C.A. The nature of Be stars: periodic variables in the cluster NGC 3766, 219, 131
- Balona, L.A. Mode identification from line profile variations - II. A quantitative least-squares algorithm, 220, 647
- Balona, L.A., Laing, J.D. HR 3562 and 3600: two short-period B-type variables, 223, 621
- Balona, L.A. *see* Engelbrecht, C.A.
- Barlow, M.J., Morgan, B.L., Standley, C., Vine, H. The determination of the mass of a Magellanic Cloud planetary nebula by speckle interferometry, 223, 151
- Barnes III, T.G. *see* Moffett, T.J.
- Barr, P. *EXOSAT* observations of the Seyfert galaxy NGC 7469; rapid hard X-ray variability and a soft X-ray excess, 223, 29p
- Barrow, J.D., Galloway, G.J., Tipler, F.J. The closed-universe recollapse conjecture 223, 835
- Barrow, J.D. *see* Ling, E.N.
- Barrow, J.D. *see* Subramanian, K.
- Bartholomew, M. *see* Leggett, S.K.
- Bassani, L. *see* Coe, M.J.
- Bastien, P., Menard, F., Nadeau, R. Linear polarization observations of P/Halley, 223, 827

Author index

- Bates, B., Halliwell, D.R. Discrete absorption components in spectra of mass-losing stars: an analytical model for the trajectories of gas parcels and streams, 223, 673
- Bath, G.T., Clarke, C.J., Mantle, V.J. The light-curve properties of mass-transfer events in cataclysmic variables, 221, 269
- Bean, A.J. *see* Peterson, B.A.
- Beard, S.M., Cooke, J.A., Emerson, D., MacGillivray, H.T., Kelly, B.D. Machine measurements of the objective-prism spectra of faint galaxies - II. Interactive redshift measurements, 219, 251
- Beard, S.M. *see* Cooke, J.A.
- Bebbington, D.H.O. A radio search for primordial pancakes, 218, 577
- Bell, S.A., Hilditch, R.W., Adamson, A.J. A photometric and spectroscopic study of the early-type binary AH Cephei, 223, 513 and on microfiche 223/1
- Bell, S.A. *see* McFarlane, T.M.
- Bell, S.A. *see* Malcolm, G.J.
- Beltrametti, M. *see* Swarup, G.
- Bergeron, J., D'Odorico, S. Ionization state of the absorption systems in the BL Lac object 0215+015 and properties of low-excitation absorbers, 220, 833
- Berriman, G., Kenyon, S., Bailey, J. An infrared and visual study of the structure and variability of the cataclysmic binary V2051 Ophiuchi, 222, 871
- Berriman, G., Bailey, J., Axon, D.J., Hough, J.H. The origin of the visual and infrared pulsations in the intermediate polar FO Aqr (H2215-086), 223, 449
- Berriman, G. *see* Wood, J.
- Bhatt, H.C., Williams, I.P. The mass distribution of dark clouds in external galaxies, 219, 217
- Bhatt, H.C. Large dust grains in the dark cloud B5 222, 383
- Birney, J., May, A. The spheroids of galaxies before and after disc formation, 218, 743
- Birney, J. *see* May, A.
- Birkinshaw, M. A deep survey of Abell 2218 at 408 and 1407 MHz; 5C 20, 222, 731 and on microfiche
- Bishop, I.S. *see* Stobie, R.S.
- Black, C.A. *see* Caldwell, J.A.R.
- Blackwell D.E., Booth, A.J., Menon, S.L.R., Petford, A.D. Measurement of relative oscillator strengths for Ti I-IV. Transitions from levels of excitation energy between 1.42 and 2.31 eV, 220, 289
- Blackwell, D.E., Booth, A.J., Menon, S.L.R., Petford, A.D. Measurement of relative oscillator strengths for Cr I lines - II. Measures for transitions from levels with excitation energy 2.54-3.46 eV, 220, 303
- Blackwell, D.E., Booth, A.J., Haddock, D.J., Petford, A.D., Leggett, S.K. Measurement of the oscillator strengths of very weak Fe I lines, 220, 549
- Blackwell, D.E., Booth, A.J., Petford, A.D., Leggett, S.K., Mountain, C.M., Selby, M.J. The infrared flux method and its use for study of α Boo, μ Her and β Dra; relation to the Vega 1.2- μm infrared excess, 221, 427
- Blades, J.C. *see* Monk, A.S.
- Blades, J.C. *see* Morton, D.C.
- Blaes, O.M., Glatzel, W. On the stability of incompressible constant angular momentum cylinders, 220, 253
- Blandford, R.D. *see* Achterberg, A.
- Blandford, R.D. *see* Fabian, A.C.
- Blandford, R. *see* Romani, R.W.
- Bodenheimer, P. *see* Tenorio-Tagle, G.
- Boehlau, E. *see* Duley, W.W.
- Boksenberg, A. *see* Caloi, V.
- Boksenberg, A. *see* Snijders, M.A.J.
- Bond, J.R. *see* Efstathiou, G.
- Bonnet-Bidaud, J.-M. *see* Mukai, K.
- Bonnet-Bidaud, J.-M. *see* Osborne, J.P.
- Bonnor, W.B., Ellis, G.F.R. Observational homogeneity of the Universe, 218, 605
- Booler, R.V. *see* Unger, S.W.
- Booth, A.J. *see* Blackwell, D.E.
- Booth, A.J. *see* Blackwell, D.E.
- Booth, L. *see* Corbet, R.H.D.
- Bowyer, S. *see* Osborne, J.P.
- Boyle, C.B., Walker, I.W. Numerical simulation of mass transfer in eccentric orbit binary systems, 222, 559
- Bracewell, R.N., Williams, G.E. Hilbert transform analysis of the Elatina varve record of solar activity, 223, 457
- Branduardi-Raymont, G. *see* Corbet, R.H.D.
- Branduardi-Raymont, G. *see* White, N.E.
- Breedon, L.M., Turner, M.J.L., King, A.R., Courvoisier, T.J.-L. EXOSAT measurements of the quiescent X-ray spectrum of the burster 2S1636 - 536: evidence for Comptonization in a hot corona, 218, 487
- Bridle, A.H. *see* Sanders, R.H.
- Briggs, G.P. *see* Aitken, D.K.
- Brindle, C., Hough, J.H., Bailey, J.A., Axon, D.J., Hyland, A.R. Simultaneous optical and infrared polarization measurements of blazars, 221, 739
- Brinkmann, W. *see* Watson, M.G.
- Bromage, G.E., Phillips, K.J.H., Dufton, P.L., Kingston, A.E. Flares on dMe stars: IUE and optical observations of AT Mic, and comparison of far-ultraviolet stellar and solar flares, 220, 1021
- Brosch, N. *see* Scarrott, S.M.
- Brown, A. *see* Jordan, C.
- Brown, A. *see* Smale, A.P.
- Brown, L.M.J., Robson, E.I., Gear, W.K., Crosthwaite, R.P., McHardy, I.M., Hanson, C.G., Geldzahler, B.J., Webb, J.R. The spectral shape and variability of the blazar 3C 446, 219, 671
- Brown, P.J.F., Dufton, P.L., Lennon, D.J., Keenan, F.P. The chemical composition of six southern clusters and associations, 220, 1003
- Brown, P.J.F. *see* Dufton, P.L.
- Brown, P.J.F. *see* Lennon, D.J.
- Brown, R.D., Rice, E.H.N. Galactochemistry - I.

- Influence of initial conditions on predicted abundances, 223, 405
- Brown, R.D., Rice, E.H.N. Galactochemistry - II. Interstellar deuterium chemistry, 223, 429
- Browne, I.W.A., Perley, R.A. Extended radio emission round core-dominated quasars - constraints on relativistic beaming models 222, 149
- Browne, I.W.A. *see* Shone, D.L.
- Burgess, P. *see* Harrison, B.
- Burton, M.G., Geballe, T.R. Observations of an extremely broad molecular hydrogen S(1) line profile, 223, 13p
- Burton, M.G. *see* Hough, J.H.
- Butler, C.J. *see* Doyle, J.G.
- Byrd, G.G., Saarinen, S., Valtonen, M.J. Dynamical friction on a satellite of a disc galaxy, 220, 619
- Byrne, P.B. *see* Doyle, J.G.
- Caldwell, J.A.R., Coulson, I.M. The geometry and distance of the Magellanic Clouds from Cepheid variables, 218, 223
- Caldwell, J.A.R., Coulson, I.M., Spencer Jones, J.H., Black, C.A., Feast, M.W. Velocities and radii of five Magellanic Cloud Cepheids, 220, 671
- Caloi, V., Castellani, V., Danziger, J., Gilmozzi, R., Cannon, R.D., Hill, P.W., Boksenberg, A. Optical and UV spectroscopy of blue horizontal branch stars in the globular cluster NGC 6752, 222, 55
- Campbell, A., Terlevich, R., Melnick, J. The stellar populations and evolution of H II galaxies - I. High signal-to-noise optical spectroscopy 223, 811
- Campbell, C.G. The attainment of synchronism in the presence of accretion in the AM Herculis binaries, 219, 589
- Campbell, C.G., Papaloizou, J.C.B. Stellar oscillations in the presence of a magnetic field, 220, 577
- Campbell, C.G. Accretion torques due to three-dimensional channelled flows in magnetic cataclysmic variables, 221, 599
- Cannon, R.D. *see* Caloi, V.
- Carnochan, D.J. The variation of interstellar extinction in the ultraviolet, 219, 903
- Carrie, D.R. *see* Downes, A.J.B.
- Carr, D.M. *see* Hilditch, R.W.
- Casali, M.M., Near-infrared observations of Bok globules, 223, 341
- Castellani, V. *see* Caloi, V.
- Caswell, J.L. *see* Roger, R.S.
- Catchpole, R. *see* Whitelock, P.
- Cawson, M.G.M. *see* Phillips, S.
- Cawthorne, T.V., Scheuer, P.A.G., Morison, I., Muxlow, T.W.B. A sample of powerful radio sources for VLBI studies, 219, 883
- Cawthorne, T.V., Scheuer, P.A.G., Morison, I., Muxlow, T.W.B. Erratum: A sample of powerful radio sources for VLBI studies, 222, 895
- Channugam, G. *see* Frank, J.
- Chapman, J.M., Cohen, R.J. MERLIN observations of the circumstellar envelope of VX Sagittarius, 220, 513
- Chapman, J.M. *see* Unger, S.W.
- Charles, P.A. *see* Corbet, R.H.D.
- Charles, P.A. *see* Mukai, K.
- Charles, P.A. *see* Osborne, J.P.
- Charles, P.A. *see* Smale, A.P.
- Chellathurai, V. *see* Dadhich, N.
- Chester, T. *see* Rowan-Robinson, M.
- Chiappetti, L. *see* Osborne, J.P.
- Chieffi, A. *see* Tomambè, A.
- Chotóniewski, J. New method for the determination of the luminosity function of galaxies, 222, 1
- Christensen, P.R. *see* Sommer-Larsen, J.
- Clarke, B.G. *see* Sanders, R.H.
- Clarke, C.J. *see* Bath, G.T.
- Clarke, J.T. *see* Osborne, J.P.
- Clayton, C.A. The velocity structure of the core of the giant H II region NGC 3603, 219, 895
- Clegg, R.E.S., Harrington, J.P., Storey, P.J. Ne III charge-exchange lines in the planetary nebula NGC 3918, 221, 61p
- Clowes, R.G. *see* Wolstencroft, R.D.
- Clowes, R.G. Automated quasar detection in the SGP field: a clustering study, 218, 139
- Coates, D.W. *see* Imlis, J.L.
- Codina, S.J. *see* de Freitas Pacheco, J.A.
- Coe, M.J., Dean, A.J., Sembay, S., Ferrari-Toniolo, M., Persi, P., Spinoglio, L., Bassani, L., Elsmore, B. Far-infrared observations of the quasar 0241+62, 220, 781
- Cohen, R.J. *see* Baart, E.E.
- Cohen, R.J. *see* Chapman, J.M.
- Cohen, R.J. *see* Rowland, P.R.
- Cohen, R.J. *see* Unger, S.W.
- Coles, P. The spatial correlations of Abell clusters, 222, 9p
- Connell, A.J. The origin of the Tharsis region of Mars, 222, 569
- Conway, R.G., Davis, R.J., Padin, S. Microwave measurements of the outer planets, 219, 31p
- Cooke, J.A., Beard, S.M., Emerson, D., Kelly, B.D., MacGillivray, H.T. Machine measurements of the objective-prism spectra of faint galaxies - I. Plate measurements and initial data reduction, 219, 241
- Cooke, J.A. *see* Beard, S.M.
- Corben, P.M. *see* Murray, C.A.
- Corbet, R.H.D. The three types of high-mass X-ray pulsator, 220, 1047
- Corbet, R.H.D., Smale, A.P., Menzies, J.W., Branduardi-Raymont, G., Charles, P.A., Mason, K.O., Booth, L. Long-term and periodic variability of 4U 1258-61 (GX304-1), 221, 961
- Corbet, R.H.D., Thorstensen, J.R., Charles, P.A., Menzies, J.W., Naylor, T., Smale, A.P. The orbital period of the optical/X-ray burster X1735-444 (V926 Sco), 222, 15p
- Corbet, R.H.D. *see* Mukai, K.

Author index

- Corbet, R.H.D. *see* Smale, A.P.
- Cordey, R.A. Radio sources in giant E and S0 galaxies, 219, 575
- Cornwell, T.J. *see* Saikia, D.J.
- Couchman, H.M.P., Rees, M.J. Pregalactic evolution in cosmologies with cold dark matter, 221, 53
- Coulson, I.M. *see* Caldwell, J.A.R.
- Courvoisier, T.J.-L. *see* Breedon, L.M.
- Cowling, S.A. *see* Subramanian, K.
- Crawford, C.S. *see* Wood, J.
- Crawford, J., Rowan-Robinson, M. Models for *IRAS* observations of compact galactic H II regions, 221, 923
- Cropper, M., Menzies, J.W., Tapia, S. E1405 - 451: three seasons of polarimetry and photometry, 218, 201
- Cropper, M., Warner, B. Polarimetry of VV Puppis, 220, 633
- Cropper, M. Polarization observations of DQ Her stars and other cataclysmic variables, 222, 225
- Cropper, M. Polarimetry of ST LMi(CW1103+254), 222, 853
- Crosthwaite, R.P. *see* Brown, L.M.J.
- Cuellar, L. *see* Fabian, A.C.
- Culhane, J.L. *see* Pounds, K.A.
- Cunningham, C.T. *see* Richardson, K.J.
- Currie, M.J. *see* Dickens, R.J.
- Currie, M.J. *see* Lucey, J.R.
- Czemy, M., King, A.R. Non-synchronous secondaries in cataclysmic variables, 221, 55p
- Dadhich, N., Chellathurai, V. On gravitational field energy of a charged black hole, 220, 535
- Dalgarno, A. *see* Pineau des Forêts, G.
- Danziger, I.J. *see* Wall, J.V.
- Danziger, J. *see* Caloi, V.
- Das, M.K. *see* Tavakol, R.K.
- Davies, J.K. Are the *IRAS*-detected Apollo asteroids extinct comets?, 221, 19p
- Davies, R.D. *see* Appleton, P.N.
- Davies, R.D. *see* Baart, E.E.
- Davies, R.J. *see* Conway, R.G.
- Dean, A.J. *see* Coe, M.J.
- de Felice, F., Yu, Y. Mass shedding and partition of the a/m ratio between core and envelope in gravitational collapse, 220, 737
- de Freitas Pacheco, J.A., Codina, S.J., Viadana, L. New colour and Zanstra temperatures for 15 central stars of planetary nebulae, 220, 107
- de Kool, M. *see* Livio, M.
- de Kool, M. *see* Soker, N.
- de Korte, P.A.J. *see* Pounds, K.A.
- Denby, B., Taylor, K.N.R. A neutral hydrogen bipole associated with UW CMa, 221, 707
- de Oliveira, A.K.G., Pacheco, J.A. de F., Santos, N.O. More about collapse of a radiating star, 220, 405
- del Olmo, A. *see* Perea, J.
- de Zeeuw, T., Peletier, R., Franx, M. Mass models with Stückel potentials, 221, 1001
- Dickens, R.J., Currie, M.J., Lucey, J.R. The Centaurus cluster of galaxies - I. The data, 220, 679
- Dickens, R.J. *see* Lucey, J.R.
- Dickens, R.J. *see* Penny, A.J.
- Disney, M.J. *see* Philipps, S.
- Disney, M. *see* Philipps, S.
- Dodd, R.J. *see* Parker, Q.A.
- D'Odorico, S. *see* Bergerson, J.
- Dollfus, A. *see* Geake, J.E.
- Dopita, M. *see* Gondhalekar, P.M.
- Dorschner, J., Friedemann, C., Gurtler, J., Henning, Th., Wagner, H. Amorphous bronzite - a silicate of astronomical importance, 218, 37p
- Downes, A.J.B., Pauls, T., Salter, C.J. The supernova remnant W50 at 5 GHz, 218, 393
- Downes, A.J.B., Peacock, J.A., Savage, A., Carrie, D.R. The Parkes selected regions: powerful radio galaxies and quasars at high redshifts, 218, 31
- Doyle, J.G., Byrne, P.B., Menzies, J.W. Optical photometry and spectroscopy for five dwarf M stars, 220, 223
- Doyle, J.G., Butler, C.J., Haisch, B.M., Rodono, M. Simultaneous X-ray and optical monitoring of the flare star YZ CMi, 223, 1p
- Draine, B.T. Multicomponent, reacting MHD flows, 220, 133
- Drew, J.E. On spectral line formation in winds from extended continuum sources, 218, 41p
- Drury, L.O'C., Falle, S.A.E.G. On the stability of shocks modified by particle acceleration, 223, 353
- Dufton, P.L., Brown, P.J.F., Lennon, D.J., Lynas-Gray, A.E. Non-LTE calculations of Al III line strengths in early-type stars, 222, 713 and on microfiche
- Dufton, P.L. *see* Bromage, G.E.
- Dufton, P.L. *see* Brown, P.J.F.
- Dufton, P.L. *see* Johnson, C.T.
- Dufton, P.L. *see* Keenan, F.P.
- Dufton, P.L. *see* Lennon, D.J.
- Duley, W.W., Williams, D.A. PAH molecules and carbon dust in interstellar clouds, 219, 859
- Duley, W.W., Bochlau, E. A laboratory simulation of grain destruction in interstellar shocks, 221, 659
- Duley, W.W., Williams, D.A. The formation of interstellar H₂ on amorphous silicate grains, 223, 177
- Duncan, W.D. *see* Gear, W.K.
- Dworetzky, M.M., Moon, T.T. On the surface gravities of Am stars, 220, 787
- Dyson, J.E. *see* Hartquist, T.W.
- Dyson, J.E. *see* Taylor, K.
- Edmunds, M.G., George, G.H., Philipps, S. Curvature effects on tests for quasar alignment, 219, 865
- Efstathiou, G., Bond, J.R. Isocurvature cold dark matter fluctuations, 218, 103
- Efstathiou, G. *see* Peterson, B.A.

- Eggleton, P.P., Verbunt, F. Triple star evolution and the formation of short-period, low-mass X-ray binaries, 220, 13p
- Einasto, J., Klypin, A.A., Saar, E. Structure of superclusters and supercluster formation - V. Spatial correlation and voids, 219, 457
- Einasto, J. *see* Tago, E.
- Eker, Z. Spectral-line variations in Sigma Geminorum, 221, 947
- Elford, W.G. *see* Steel, D.I.
- Ellis, G.F.R. *see* Bonnor, W.B.
- Ellis, R.S. *see* Gondhalekar, P.M.
- Ellis, R.S. *see* Mobasher, B.
- Ellis, R.S. *see* Peterson, B.A.
- Elsmore, B. *see* Coe, M.J.
- Elsworth, Y., James, J.F. The flicker spectrum of YZ Cancri, 220, 895
- Emerson, D. *see* Beard, S.M.
- Emerson, D. *see* Cooke, J.A.
- Engelbrecht, C.A., Balona, L.A. A β Cephei variable in an eclipsing binary in the cluster NGC 3293, 219, 449
- Engelbrecht, C.A. Mode identification of Beta Cephei stars in NGC 3293, 223, 189
- Engelbrecht, C.A. *see* Balona, L.A.
- Evans, A. *see* Mitchell, R.M.
- Evans, A. EXAFS studies of interstellar dust, 223, 219
- Fabian, A.C., Guilbert, P.W., Arnaud, K.A., Shafer, R.A., Tennant, A.F., Ward, M.J. Some implications of excess soft X-ray emission from Seyfert 1 galaxies, 218, 457
- Fabian, A.C., Blandford, R.D., Guilbert, P.W., Phinney, E.S., Cuellar, L. Pair-induced spectral changes and variability in compact X-ray sources, 221, 931
- Fabian, A.C., Thomas, P.A., Fall, S.M., White III, R.E. A lower limit to the binding mass of early-type galaxies, 221, 1049
- Fabian, A.C. *see* Foster, A.J.
- Fabian, A.C. *see* Guilbert, P.W.
- Fabian, A.C. *see* Tennant, A.F.
- Fabian, A.C. *see* Thomas, P.A.
- Fairall, A.P. Some new bright southern Seyfert galaxies, 218, 453
- Fairclough, J.H. New ultra-luminous galaxies, 219, 1p
- Fairclough, J. *see* Rowan-Robinson, M.
- Fall, S.M. *see* Fabian, A.C.
- Falle, S.A.E.G. *see* Drury, L.O'C.
- Feast, M.W. *see* Caldwell, J.A.R.
- Feast, M. *see* Whitelock, P.
- Feigelson, E.D. *see* Kembhavi, A.
- Femley, J.A. *see* Longmore, A.J.
- Ferrari-Toniolo, M. *see* Coe, M.J.
- Few, J.M.A., Madore, B.F. Ring galaxies - II. Classification and statistics, 222, 673 and on microfiche
- Finn, L.S. *g*-modes of non-radially pulsating relativistic stars: the slow-motion formalism, 222, 393
- Flin, P., Godlowski, W. The orientation of galaxies in the Local Supercluster, 222, 525
- Flower, D.R., Pineau-des-Forêts, G., Hartquist, T.W. Theoretical studies of interstellar molecular shocks - II. Molecular hydrogen cooling and rotational level populations, 218, 729
- Flower, D.R., Pineau des Forêts, G. Multicomponent reacting MHD flows - a reply, 220, 149
- Flower, D.R. *see* Pineau des Forêts, G.
- Fong, R. *see* Peterson, B.A.
- Forman, W. *see* Thomas, P.A.
- Forster, J.R. *see* Gardner, F.F.
- Fosbury, R.A.E. *see* Tadhunter, C.N.
- Fosbury, R.A.E. *see* Wilkinson, A.
- Fosbury, R.A.E. *see* Wilkinson, A.
- Foster, A.J., Ross, R.R., Fabian, A.C. Neutron star model atmospheres - a comparison with MXB 1728-34, 221, 409
- Foster, P.A. *see* Appleton, P.N.
- Frenk, C.S. *see* Ling, E.N.
- Frank, J., Chanmugam, G. The evolution of polar caps in magnetic cataclysmic variables, 219, 597
- Frank, J. *see* Robertson, J.A.
- Franx, M. *see* Zeeuw, T.
- Freeman, C.G. *see* Knight, J.S.
- Friedemann, C. *see* Dorschner, J.
- Galloway, G.J. *see* Barrow, J.D.
- Garden, R., Geballe, T.R., Gatley, I., Nadeau, D. An extremely luminous bipolar H₂ flow in the DR21 star-forming region, 220, 203
- Garden, R. *see* Nagata, T.
- Garden, R.P., Geballe, T.R. Infrared recombination line profiles: a diagnostic probe of the velocity field in the S106 stellar wind, 220, 611
- Garden, R.P. *see* Hough, J.H.
- Gardner, F.F., Whiteoak, J.B., Forster, J.R., Pankonin, V. Characteristic of the H₂CO maser emission in Sgr B2, 218, 385
- Gardner, F.F., Whiteoak, J.B. Observations of 1.4-GHz H I and 1.667-GHz OH transitions in NGC 5793, a spiral galaxy with a very luminous radio nucleus, 221, 537
- Gardner, F.F. *see* Norris, R.P.
- Gardner F.F. *see* Whiteoak, J.B.
- Gatley, I. *see* Nagata, T.
- Gatley, I., Jones, T.J., Hyland, A.R., Wade, R., Geballe, T.R., Krisciunas, K. The spatial distribution and velocity field of the molecular hydrogen line emission from the centre of the Galaxy, 222, 299
- Gatley, I. *see* Garden, R.
- Gatley, I. *see* Hough, J.H.
- Gatley, I. *see* Jones, T.J.
- Geake, J.E., Dollfus, A. Planetary surface texture and albedo from parameter plots of optical polarization, 218, 75
- Gear, W.K., Gee, G., Robson, E.I., Ade, P.A.R.,

Author index

- Duncan, W.D. Submillimetre observations of a disc around the embedded source GL 490, 219, 835
- Gear, W.K., Gee, G., Robson, E.I., Ade, P.A.R., Duncan, W.D. Submillimetre continuum observations of NGC 253, 219, 19p
- Gear, W.K. *see* Brown, L.M.J.
- Geballe, T.R. *see* Burton, M.G.
- Geballe, T.R. *see* Garden, R.
- Geballe, T.R. *see* Garden, R.P.
- Geballe, T.R. *see* Gatley, I.
- Gee, G. *see* Richardson, K.J.
- Geldzahler, B.J. *see* Brown, L.M.J.
- George, G.H. *see* Edmunds, M.G.
- George, I.M. *see* Warwick, R.S.
- Gerhard, O.E. The dynamical influence of the nucleus on the bulge of M31, 219, 373
- Gerhard, O.E. Stochastic stellar orbits in galaxies – II. Melnikov's method in $n \geq 3$ dimensions, 222, 287
- Gerhard, O.E., Vietri, M. The peculiar shape of the inner galactic rotation curve, 223, 377
- Gieren, W.P. Cepheid radii and masses from the surface-brightness method, 222, 251
- Giles, A.B. High-resolution mapping of the nucleus of NGC 5128 (Cen A) at J/H and K , 218, 615
- Gilmore, G. *see* Arnaud, K.A.
- Gilmozzi, R. *see* Caloi, V.
- Giovannelli, F., Polcaro, V.F. A relationship between the X-ray luminosity and redshift of extragalactic objects, 222, 619
- Glass, I.S. Variations of the Seyfert galaxy Fairall 9, 219, 5p
- Glass, I.S. *IRAS* sources in the Sgr I window, 221, 879
- Glasse, A.C.H., Towson, W.A., Aitken, D.K., Roche, P.F. High-resolution infrared spectroscopy: a search for the 11.52- μ m graphite feature, 220, 185
- Glatzel, W. *see* Blaes, O.M.
- Gledhill, T.M., Warren-Smith, R.F., Scarrott, S.M. Structure of the Haro 6-5 complex, 223, 867
- Glencross, W.M. *see* Lightfoot, J.F.
- Godowski, W. *see* Flin, P.
- Goldreich, P., Goodman, J., Narayan, R. The stability of accretion tori – I. Long-wavelength modes of slender tori, 221, 339
- Gondhalekar, P.M., Morgan, D.H., Dopita, M., Ellis, R.S. The extremely low dust content of blue compact galaxies: results of *IRAS* observations, 219, 505
- Gondhalekar, P.M., O'Brien, P., Wilson, R. Ultraviolet spectra of quasars in the redshift interval 0.3 to 2.0, 222, 71
- Goodman, J. *see* Goldreich, P.
- Goraya, P.S. Ultraviolet and infrared excess emission in Be stars, 222, 121
- Gottelman, S.T., Hawarden, T.G. Optical and high-resolution H I observations of the massive and unusual lenticular galaxy NGC 5084, 219, 759
- Gottwald, M., White, N.E., Stella, L. A search for X-ray periodicities from 4U 1700-37, 222, 21p
- Graham, D.A. *see* Harrison, B.
- Graham, D.A. *see* Saikia, D.J.
- Graham, J.R., Meikle, W.P.S., Allen, D.A., Longmore, A.J., Williams, P.M. Discovery of a large mass of iron in a type I supernova, 218, 93
- Graham, J.R. Peculiar infrared and optical behaviour in Type I supernovae and the origin of the 1.2 μ m feature, 220, 27p
- Graham, J.R., Meikle, W.P.S. Analysis of the infrared echo of supernova 1982e in NGC 1332, 221, 789
- Green, D.A. Observations of 3C 58 at 151 and 2695 MHz, 218, 533
- Green, D.A. G70.68+1.20: a thermal source, not a supernova remnant, 219, 39p
- Green, D.A. Observations of IC 443 at 151 and 1419 MHz, 221, 473
- Griffin, M.J. *see* Richardson, K.J.
- Griffin, R.F. Photoelectric radial velocities, Paper XIII. 406 ninth-magnitude K0 stars in the Clube Selected Areas, 219, 95
- Grimley, P.L. *see* Philipps, S.
- Grogan, R.J.-M. *see* McGee, R.X.
- Guilbert, P.W. Compton heating and cooling in thermal electron gases, 218, 171
- Guilbert, P.W., Fabian, A.C. A hot intergalactic medium? 220, 439
- Guilbert, P.W. *see* Fabian, A.C.
- Güll, S.F. *see* Albinson, J.S.
- Gurtler, J. *see* Dorschner, J.
- Guthrie, B.N.G. Orbital inclinations of late B-type spectroscopic binaries, 220, 559
- Hachisu, I. *see* Sawada, K.
- Haddock, D.J. *see* Blackwell, D.E.
- Haisch, B.M. *see* Doyle, J.G.
- Halliwell, D.R. *see* Bates, B.
- Hameury, J.-M., King, A.R., Lasota, J.-P. Accretion flows in the non-synchronous magnetic cataclysmic variables, 218, 695
- Hanawa, T. Dynamical instability of a homocentric rotating torus and an upper limit on the growth rate, 223, 859
- Haniff, C.A. *see* Whittle, M.
- Hanson, C.G. *see* Brown, L.M.J.
- Harrington, J.P. *see* Clegg, R.E.S.
- Harris, A.W., Mas Hesse, J.M. Interstellar zinc revisited: possible depletion in high-density sight-lines, 220, 271
- Harris, S. *see* Rowan-Robinson, M.
- Harrison, B., Pedlar, A., Unger, S.W., Burgess, P., Graham, D.A., Preuss, E. The parsec-scale structure of the radio nucleus of NGC 4151, 218, 775
- Harrison, B.A. *see* Unger, S.W.
- Harrison, B.A. *see* Whittle, M.
- Hartquist, T.W., Dyson, J.E., Pettini, M., Smith, L.J. Mass-loaded astronomical flows – I. General principles and their application to RCW 58, 221, 715

- Hartquist, T.W. *see* Flower, D.R.
Hartquist, T.W. *see* Pineau des Forêts, G.
Harvey, P.M. *see* Jones, T.J.
Hasan, S.S. Oscillatory motions in intense flux tubes, 219, 357
Hasegawa, T. *see* Hough, J.H.
Hasinger, G. *see* White, N.E.
Hatta, N. *see* Yabushita, S.
Hawarden, T.G., Mountain, C.M., Leggett, S.K., Puxley, P.J. Enhanced star formation – the importance of bars in spiral galaxies, 221, 41P
Hawarden, T.G. *see* Gottesman, S.T.
Hawarden, T.G. *see* Unger, S.W.
Hawkes, R.L. *see* Jones, J.
Hawkins, M.R.S. On the nature of objects detected as faint long-term variables, 219, 417
Hawkins, M.R.S. On the nature of the missing mass in the solar neighbourhood 223, 845
Hayashi, M. *see* Hough, J.H.
Haynes, R.F. *see* McGee, R.X.
Haynes, R.F. *see* Milne, D.K.
Hazard, C., Morton, D.C., McMahon, R.G., Sargent, W.L.W., Terlevich, R. High-redshift QSOs selected from IIIa-J objective prism plates of the UK Schmidt Telescope, 223, 87
He, X.-T., Impey, C.D. Emission-line galaxies in the Virgo region, 221, 727
He, X.-T. *see* Impey, C.D.
Healy, A.P. *see* Huggins, P.J.
Heavens, A.F. *see* More, J.G.
Heise, J. *see* Mazeh, T.
Henning, Th. *see* Dorschner, J.
Hénon, M. *see* Tremaine, S.
Henry, J.P. *see* Osborne, J.P.
Herbst, E., Leung, C.M. Synthesis of complex molecules in dense interstellar clouds via gas-phase chemistry: model update and sensitivity analysis, 222, 689 and on microfiche
Hibbert, A. *see* Keenan, F.P.
Hilditch, R.W., King, D.J. Contact and near-contact binary systems – IV. RT Scl and AQ Tuc, 223, 581
Hilditch, R.W., Skillen, I., Carr, D.M., Aikman, G.C.L. The triple system DM Persei, 222, 167
Hilditch, R.W. *see* Bell, S.A.
Hilditch, R.W. *see* McFarlane, T.M.
Hilditch, R.W. *see* McFarlane, T.M.
Hilditch, R.W. *see* McFarlane, T.M.
Hill, G.J. *see* Osborne, J.P.
Hill, P.W. *see* Caloi, V.
Hill, P.W. *see* Jeffery, C.S.
Hill, P.W. *see* Parker, Q.A.
Hiltner, W.A. *see* Williams, G.A.
Ho, C. Motion of relativistic charges in an increasing magnetic field, 221, 523
Höflich, P., Lowe, R.P., Moorhead, J., Scholz, M., Wehlau, W., Wehrse, R. Interpretation of $\Delta v = 2$ carbon monoxide lines in the spectrum of α Her, 220, 377
Hogan, C.J. Gravitational radiation from cosmological phase transitions, 218, 629
Hogan, C. *see* Salmon, J.
Home, K., Verbunt, F., Schneider, D.P. A spectroscopic study of the X-ray binary V1727 Cygni, 218, 63
Home, K., Marsh, T.R. Emission line formation in accretion discs, 218, 761
Home, K., Wade, R.A., Szkody, P. A dynamical model for the dwarf nova AH Herculis, 219, 791
Home, K. *see* Wood, J.
Hough, J.H., Axon, D.J., Burton, M.G., Gatley, I., Sato, S., Bailey, J., McCaughrean, M.J., McLean, I.S., Nagata, T., Allen, D., Garden, R.P., Hasegawa, T., Hayashi, M., Kaifu, N., Morimoto, M., Walther, D. Infrared polarization in OMC-1 – discovery of a molecular hydrogen reflection nebula, 222, 629
Hough, J.H. *see* Aitken, D.K.
Hough, J.H. *see* Berriman, G.
Hough, J.H. *see* Brindle, C.
Hough, J.H. *see* Nagata, T.
Hough, J.H. *see* Sparks, W.B.
Howarth, I.D., Phillips, A.P. The ultraviolet spectrum and interstellar environment of HD 50896, 222, 809
Howell, S.B. *see* Wamock III, A.
Huggins, P.J., Healy, A.P. CO in the planetary nebulae NGC 2346 and 6720, 220, 33P
Hughes, S. *see* Taylor, K.
Humphries, C.M. *see* Napier, W.M.
Hunter, C. On similarity solutions for the condensation of isothermal spherical gas clouds, 223, 391
Hyland, A.R. *see* Brindle, C.
Hyland, A.R. *see* Gatley, I.
Hyland, A.R. *see* Jones, T.J.
Hyland, A.R. *see* Nelson, G.J.
Impey, C.D., He, X.-T. Quasars and the Virgo cluster, 221, 897
Impey, C.D. *see* He, X.-T.
Inaguchi, T., Matsuda, T., Shima, E. The rocket effect on a gravitating mass-losing object, 223, 129
Inaguchi, T. *see* Shima, E.
Innis, J.L., Thompson, K., Coates, D.W. On the evolutionary status of the active chromosphere stars AB Doradus (HD 36705) and PZ Telescopium (HD 174429), 223, 183
Ishibashi, S. *see* Noguchi, M.
Ishii, H. *see* Kumai, Y.
Jain, R. A new approach for predicting proton events from solar flares 223, 877
James, J.F. *see* Elsworth, Y.
James, S.D. *see* Roche, P.F.
Jameson, R.F. *see* Longmore, A.J.
Jameson, R.F. *see* Longmore, A.J.
Jaroszynski, M. Oscillations of thick accretion discs, 220, 869

Author index

- Jeffery, C.S., Hill, P.W. The pulsating extreme helium star BD+13°3224 (V652 Her) – III. The radial velocity curve, 221, 975
- Johns, T.C., Nelson, A.H. Global simulations of gas flow in disc galaxies – I. Response to a spiral density wave, 220, 165
- Johnson, C.T., Kingston, A.E., Dufton, P.L. Atomic data for the S r' 10.5- μ m fine structure transition, 220, 155
- Johnson, C.T. *see* Keenan, F.P.
- Johnstone, R.M., Penston, M.V. A search for magnetic fields in the T Tauri stars GW Ori, CoD-347151, and RU Lup, 219, 927
- Jonas, J.L. Low-latitude radio continuum structure in the fourth galactic quadrant, 219, 1
- Jones, A.P., Williams, D.A. Electric charge on ionic grains, 219, 441
- Jones, C. *see* Thomas, P.A.
- Jones, J. The effect of gravitational perturbations on the evolution of the Taurid meteor stream complex, 221, 257
- Jones, J., Hawkes, R.L. The structure of the Geminid meteor stream – II. The combined action of the cometary ejection process and gravitational perturbations, 223, 479
- Jones, P.B. Properties of condensed matter in very strong magnetic fields, 218, 477
- Jones, P.B. Pair creation in radio pulsars: the return-current mode changes and normal-null transitions, 222, 577
- Jones, T.J., Hyland, A.R., Straw, S., Harvey, P.M., Wilking, B.A., Joy, M., Gatley, I., Thomas, J.A. Star formation in the Magellanic Clouds – III. IR observations of giant H II regions, 219, 603
- Jones, T.J. *see* Gatley, I.
- Jordan, C., Brown, A., Walter, F.M., Linsky, J.L. The outer atmosphere of Procyon (α CMi F51V – V): evidence of supergranulation or active regions, 218, 465
- Jordan, C. *see* Smale, A.P.
- Joshi, U.C. *see* Sagar, R.
- Joy, M. *see* Jones, T.J.
- Judge, P.G. Constraints on the outer atmospheric structure of late-type giant stars with *IUE*: methods and application to Arcturus (α Boo K2III), 221, 119
- Judge, P.G. Constraints on the outer atmospheric structure of late-type giant stars with *IUE*: application to α Tau (K5III) and β Gru (M5III), 223, 239
- Kaburaki, O. Structure of magneto-Keplerian discs: an analytical solution for thin accretion discs threaded by stellar magnetic fields, 220, 321
- Kadama, H. *see* Suto, Y.
- Kahn, S. *see* Osborne, J.P.
- Kaifu, N. *see* Hough, J.H.
- Kaiser, N. A sparse-sampling strategy for the estimation of large-scale clustering from redshift surveys, 219, 785
- Kaiser, N. Evolution and clustering of rich clusters, 222, 323
- Kalafi, M. *see* Wolstencroft, R.D.
- Kalinkov, M., Kuneva, I. Space distribution of nearby superclusters of galaxies, 218, 49p
- Kawara, K. *see* Nakajima, T.
- Keenan, F.P., Kingston, A.E. An approximate calculation of the effect of opacity on Si III emission line ratios near the solar limb, 220, 493
- Keenan, F.P., Lennon, D.J., Johnson, C.T., Kingston, A.E. Fine-structure population ratios for the 2^2 ground state of C II, 220, 571
- Keenan, F.P., Dufton, P.L., Hibbert, A., Murray, M.J. The variation of interstellar element abundances with hydrogen density, 222, 143
- Keenan, F.P. *see* Brown, P.J.F.
- Kelly, B.D. *see* Beard, S.M.
- Kelly, B.D. *see* Cooke, J.A.
- Kembhavi, A., Feigelson, E.D., Singh, K.P. X-ray and radio core emission in radio quasars, 220, 51
- Kenyon, S. *see* Berriman, G.
- Kerr, F.J., Lynden-Bell, D. Review of galactic constants, 221, 1023
- Kesteven, M.J. *see* Milne, D.K.
- Kibblewhite, G.J. *see* Phillips, S.
- Kieboom, K. *see* Mazeh, T.
- Kilkenny, D., Lydon, J. Analysis of five high-latitude blue stars, 218, 279
- Kilkenny, D., Menzies, J.W. Four-colour observations of primary and secondary *uvby* standards, 222, 373
- King, A.R., Smith, M.D. The time-dependent collapse of a radiatively cooling corona, 222, 201
- King, A.R. *see* Breedon, L.M.
- King, A.R. *see* Czerny, M.
- King, A.R. *see* Hameury, J.-M.
- King, A.R. *see* McFarlane, T.M.
- King, A.R. *see* Watson, M.G.
- King, A.R. *see* Williams, G.A.
- King, D.J. Optical polarization in the spiral galaxy NGC 7331, 220, 485
- King, D.J. *see* Hilditch, R.W.
- King, D.J. *see* McFarlane, T.M.
- King, D.L. *see* Stobie, R.S.
- Kingston, A.E. *see* Bromage, G.E.
- Kingston, A.E. *see* Johnson, C.T.
- Kingston, A.E. *see* Keenan, F.P.
- Klypin, A.A. *see* Einasto, J.
- Knight, J.S., Freeman, C.G., McEwan, M.J., Smith, S.C., Adams, N.G., Smith, D. Production and loss of H₂ N in interstellar clouds: some relevant laboratory measurements, 219, 89
- Kochhar, R.K. *see* Sunder, G.S.
- Koen, C. Angular momentum transport in the magnetospheres of cataclysmic variable accretion discs, 223, 529
- Kreidl, T.J., Kurtz, D.W. Frequency analysis of the 5.65-min oscillations in the rapidly oscillating Ap star HD 134214, 220, 313
- Krisciunas, K. *see* Gatley, I.

- Krishnamohan, S. Evidence for a high-density electron layer from the spatial distribution of pulsars, 220, 119
- Kulkarni, V.K. *see* Saikia, D.J.
- Kumai, Y., Taniguchi, Y., Ishii, H. Disc galaxies and their environments; the relative populations of subclasses of ordinary and barred spiral galaxies in the various environments, 223, 139
- Kumar, S. Twisted accretion discs - II. Variation in density distribution and application to interacting binaries, 223, 225
- Kumor-Obryk, B. *see* Zawislak-Raczka, J.
- Kuneva, I. *see* Kalinkov, M.
- Kurtz, D.W., Shibahashi, H. An analysis of the l -1 dipole oscillation in HR 3831 (HD 83368), 223, 557
- Kurtz, D.W. *see* Kreidl, T.J.
- Kwok, S. *see* Arquilla, R.
- Lago, M.T.V.T. *see* Sá, C.
- Lahav, O. Cooling of Population III objects in a pressure supported collapse, 220, 259
- Laing, J.D. *see* Balona, L.A.
- Lambert, D.L. *see* Balachandran, S.
- Landecker, T.L. *see* Routledge, D.
- Laney, C.D., Stobie, R.S. Infrared photometry of Magellanic Cloud Cepheids. Intrinsic properties of Cepheids and the spatial structure of the Clouds, 222, 449
- Langmeier, A. *see* Sztajno, M.
- Large, M.I. *see* Vaughan, A.E.
- Larson, R.B. Bimodal star formation and remnant-dominated galactic models, 218, 409
- Lasota, J.-P. *see* Hameury, J.-M.
- Lawrence, A., Walker, D., Rowan-Robinson, M., Leech, K.J., Penston, M.V. Studies of *IRAS* sources at high galactic latitudes - II. Results from a redshift survey at $l > 60^\circ$: distribution in depth, luminosity function and physical nature of *IRAS* galaxies, 219, 687
- Leahy, D.A., Naranan, S., Singh, K.P. An X-ray study of the Monoceros supernova remnant, 220, 501
- Leahy, D.A. *see* Arquilla, R.
- Leahy, J.P., Pooley, G.G., Riley, J.M. The polarization of classical double radio sources, 222, 753
- Lee, U., Saio, H. Overstable convective modes in uniformly rotating massive main-sequence stars, 221, 365
- Leech, K.J. *see* Lawrence, A.
- Leggett, S.K., Bartholomew, M., Mountain, C.M., Selby, M.J. Narrow-band 1 to 5- μ m photometry of A-type stars, 223, 443
- Leggett, S.K. *see* Blackwell, D.E.
- Leggett, S.K. *see* Hawarden, T.G.
- Leggett, S.K. *see* Wolstencroft, R.D.
- Lennon, D.J., Lynas-Gray, A.E., Brown, P.J.F., Dufton, P.L. Non-LTE calculations of silicon-line strengths in B-type stars, 222, 719 and on microfiche
- Lennon, D.J. *see* Brown, P.J.F.
- Lennon, D.J. *see* Dufton, P.L.
- Lennon, D.J. *see* Keenan, F.P.
- Leung, C.M. *see* Herbst, E.
- Levshakov, S.A. *see* Urpin, V.A.
- Lewin, M. *see* van Paradijs, J.
- Lewin, W.H.G. *see* Sztajno, M.
- Lewin, W.H.G. *see* Vacca, W.D.
- Lightfoot, J.F., Glencross, W.M. Molecular hydrogen mapping of Herbig-Haro 7-11; a filamentary bullet?, 221, 993
- Lightfoot, J.F., Glencross, W.M. A protostellar jet model for Herbig-Haro 2, 221, 47p
- Lin, D.N.C. *see* Tenorio-Tagle, G.
- Lindinger, W. *see* Millar, T.J.
- Ling, E.N., Frenk, C.S., Barrow, J.D. Uncertainties in the cluster-cluster correlation function, 223, 21p
- Linsky, J.L. *see* Jordan, C.
- Lipari, S.L., Sisteró, R.F. FT Lupi: *UBV* photometry and synthetic solution, 220, 883
- Little, A.G. The late *see* Roger, R.S.
- Livio, M., Soker, N., de Kool, M., Savonije, G.J. On accretion of angular momentum from an inhomogeneous medium, 218, 593
- Livio, M., Soker, N., de Kool, M., Savonije, G.J. Accretion from an inhomogeneous medium - III. General case and observational consequences, 222, 235
- Livio, M. *see* Soker, N.
- Lloyd Evans, T. The RCB star RY Sagittarii as a pulsating star, 219, 191
- Lloyd Evans, T. The low-luminosity J-type carbon stars, 220, 723
- Lock, T.D. *see* Rowan-Robinson, M.
- Longair, M.S. *see* Peacock, J.A.
- Longmore, A.J., Fernley, J.A., Jameson, R.F. RR Lyrae stars in globular clusters: better distances from infrared measurements, 220, 279
- Longmore, A.J., Robson, E.I., Jameson, R.F. Molecular hydrogen in S106, 221, 589
- Longmore, A.J. *see* Graham, J.R.
- Lowe, R.P. *see* Höflich, P.
- Lucey, J.R., Currie, M.J., Dickens, R.J. The Centaurus cluster of galaxies - II. The bimodal velocity structure, 221, 453
- Lucey, J.R. A more precise L - σ distance indicator, 222, 417
- Lucey, J.R., Currie, M.J., Dickens, R.J. The Centaurus cluster of galaxies - III. Its structure and the distribution of the different galaxy types, 222, 427
- Lucey, J.R. *see* Dickens, R.J.
- Lydon, J. *see* Kilkenny, D.
- Lynas-Gray, A.E. *see* Dufton, P.L.
- Lynas-Gray, A.E. *see* Lennon, D.J.
- Lynden-Bell, D. Field energy of a charged black hole, 221, 25p
- Lynden-Bell, D. *see* Kerr, F.J.
- Lynden-Bell, D. *see* Tremaine, S.

Author index

- McCaughrean, M.J. *see* Hough, J.H.
- McDowell, J.C. The light from Population III stars 223, 763
- McEwan, M.J. *see* Knight, J.S.
- McFarlane, T.M., King, D.J., Hilditch, R.W. Contact and near-contact binary systems – III. The semi-detached system YY Ceti, 218, 159
- McFarlane, T.M., Hilditch, R.W., King, D.J. Contact and near-contact binary systems – V. RV Corvi, 223, 595
- McFarlane, T.M., Bell, S.A., Adamson, A.J., Hilditch, R.W. Contact and near-contact binary systems – VI. The semi-detached system CX Aquarii, 223, 607
- McGee, R.X., Haynes, R.F., Grogan, R.J.-M., Malin, D. Infrared cirrus and H I in directions near the LMC, 221, 543
- McHardy, I.M. *see* Brown, L.M.J.
- McHardy, I. *see* Warwick, R.S.
- McLean, I.S. *see* Hough, J.H.
- McMahon, R.G. *see* Hazard, C.
- MacGillivray, H.T. *see* Beard, S.M.
- MacGillivray, H.T. *see* Cooke, J.A.
- MacGillivray, H.T. *see* Parker, Q.A.
- MacGillivray, H.T. *see* Wolstencroft, R.D.
- Mack, P. *see* Smale, A.P.
- Mack, P. *see* Walker, A.R.
- Madore B.F. *see* Few, J.M.A.
- Makishima, K. *see* Matsuoka, M.
- Malaney, R.A. Neutron synthesis in AGB and post-AGB stars of low mass, 223, 683
- Malaney, R.A. Heavy-element synthesis in AGB and post-AGB stars of low mass, 223, 709
- Malcolm, G.J., Bell, S.A. Evidence for pulsation in the hydrogen-deficient binary Upsilon Sagittarii, 222, 543
- Malin, D. *see* McGee, R.X.
- Malkan, M.A. *see* Patnaik, A.R.
- Mallik, S.V. Expanding chromospheres of late G and K supergiants, 222, 307
- Mandrini, C.H., Niemela, V.S. On the visual binary ν Carinae, 223, 79
- Mantle, V.J. *see* Bath, G.T.
- Manzo, G. *see* White, N.E.
- Maraschi, L. *see* Mukai, K.
- Maraschi, L. *see* Osborne, J.P.
- Mardaljevic, J., Raine, D.J., Smith, M.D. Narrow line profiles and interacting gas flows in active galaxies, 218, 651
- Marsh, T.R. *see* Home, K.
- Martin, B. *see* Wickramasinghe, D.T.
- Masegosa, J., Moles, M., Penston, M.V. *IUE* observations of the highly luminous Seyfert galaxy ESO 113 - 1G45 (Fairall 9), 218, 541
- Mas Hesse, J.M. *see* Harris, A.W.
- Mason, K.O. *see* Corbet, R.H.D.
- Mason, K.O. *see* White, N.E.
- Matsuda, T. *see* Inaguchi, T.
- Matsuda, T. *see* Sawada, K.
- Matsuda, T. *see* Shima, E.
- Matsuoka, M., Takano, S., Makishima, K. Observation of an iron K X-ray line from SS433, 222, 605
- Matteucci, F. Some considerations on the origin of nitrogen, 221, 911
- Matteucci, F. *see* Tornambè, A.
- May, A., Binney, J. Solar-neighbourhood observations and the structure of the Galaxy, 221, 857
- May, A., Binney, J. Testing the stability of stellar systems, 221, 13p
- May, A. *see* Binney, J.
- Mazeh, T., Kieboom, K., Heise, J. A photometric study of AM Herculis in the normal and reversed soft X-ray modes, 221, 513
- Meabum, J., Walsh, J.R. The discovery of high-speed ionized knots in the H II regions M16 (NGC 6611) and the Rosette nebula (NGC 2237–2246), 220, 745
- Meabum, J., Allan, P.M. Expanding shells in the filamentary edge of the young supernova remnant RCW 103, 222, 593
- Meabum, J. *see* Walsh, J.R.
- Meabum, J. Young-star formation in the Magellanic H I bridge, 223, 317
- Meikle, W.P.S. *see* Graham, J.R.
- Meikle, W.P.S. *see* Graham, J.R.
- Melnick, J. *see* Campbell, A.
- Ménard, F. *see* Bastien, P.
- Menon, S.L.R. *see* Blackwell, D.E.
- Menzies, J.W. *see* Corbet, R.H.D.
- Menzies, J.W. *see* Cropper, M.
- Menzies, J.W. *see* Doyle, J.G.
- Menzies, J.W. *see* Kilkenny, D.
- Menzies, J.W. *see* Smale, A.P.
- Menzies, J.W. *see* Whitelock, P.A.
- Mestel, L., Moss, D.L. On mixing by the Eddington–Sweet circulation, 221, 25
- Meurs, E.J.A. *see* Whittle, M.
- Meyer, F. Conservation of mass and angular momentum in narrow transition fronts in accretion discs, 218, 7p
- Mikkola, S., Valtonen, M.J. The effect of total angular momentum on the breakup of a three-body system, 223, 269
- Mikkola, S. comparison of initially bound and unbound three-body systems 223, 757
- Mikolajewski, M., Tomov, T. CH Cygni – one year after the drop in brightness, 219, 13p
- Millar, T.J., Adams, N.G., Smith, D., Lindinger, W., Villingier, H. The chemistry of SH⁺ in shocked interstellar gas, 221, 673
- Miller, L. Heating and cooling in clusters of galaxies, 220, 713
- Miller, L. *see* Peacock, J.A.
- Miller, L. *see* Yates, M.G.
- Millington, S.J.C., Peach, J.V. Galaxy orbits in the Coma cluster, 221, 15
- Milne, D.K., Roger, R.S., Kesteven, M.J., Haynes, R.F., Wellington, K.J., Stewart, R.T. G7.7-3.7 – a supernova remnant with a high degree of radio polarization, 223, 487
- Milne, D.K. *see* Roger, R.S.
- Mitchell, K.J. *see* Wamock III, A.
- Mitchell, R.M., Evans, A., Albinson, J.S. Charge-controlled grain destruction during the 'isothermal' phase of novae, 221, 663

- Mitchell, R.M., Robinson, G. Grain size and geometrical effects in the Eta Carinae dust shell, 222, 347
- Mobasher, B., Ellis, R.S., Sharples, R.M. A complete galaxy redshift sample – IV. Optical and infrared colour–luminosity relations, 223, 11
- Moffett, T.J., Barnes III, T.G. Cepheids in the open cluster NGC 6067, 219, 45p
- Moles, M. *see* Masegosa, J.
- Moles, M. *see* Perea, J.
- Monk, A.S., Penston, M.V., Pettini, M., Blades, J.C. A search for QSOs in the fields of nearby galaxies – II. NGC 55, 253, 300 and 5364, 222, 787
- Monteiro, T.S., Stutzki, J. Collisional excitation of the hyperfine transitions of HCN, 221, 33p
- Moon, T.T. *see* Dworetzky, M.M.
- Moorhead, J. *see* Höflich, P.
- More, J.G., Heavens, A.F., Peacock, J.A. The gravitational collapse of triaxial protoclusters, 220, 189
- Morgan, B.L. *see* Barlow, M.J.
- Morgan, D.H. *see* Gondhalekar, P.M.
- Morimoto, M. *see* Hough, J.H.
- Morison, I. *see* Cawthorne, T.V.
- Morton, D.C., Blades, J.C. Interstellar absorption lines in the directions of extragalactic objects – II. Analysis of 25 sight lines, 220, 927
- Morton, D.C. *see* Hazard, C.
- Moss, D. Magnetically controlled stellar winds in close binary systems, 218, 247
- Moss, D. The evolution of the magnetic fields of the chemically peculiar stars, 223, 727
- Moss, D.L. *see* Mestel, L.
- Mountain, C.M. *see* Blackwell, D.E.
- Mountain, C.M. *see* Hawarden, T.G.
- Mountain, C.M. *see* Leggett, S.K.
- Mountain, C.M. *see* Unger, S.W.
- Mukai, K., Bonnet-Bidaud, J.-M., Charles, P.A., Corbet, R.H.D., Maraschi, L., Osborne, J.P., Smale, A.P., Treves, A., van der Klis, M., van Paradijs, J. A multi-wavelength study of the long-period AM Her system E2003+225 – II. Changes in the accretion geometry, 221, 839
- Mukai, K., Charles, P.A. Detection of the secondary star in three AM Her systems, 222, 1p
- Mukai, K. *see* Osborne, J.P.
- Murray, C.A., Argyle, R.W., Corben, P.M. A survey of trigonometric parallaxes and proper motions with the UK Schmidt telescope – II. Astrometric and photometric data for a complete sample of 6125 stars brighter than $B - 17.5$, $V - 17.0$ in the South Galactic Cap, 223, 629 and on microfiche 223/1
- Murray, C.A. A survey of trigonometric parallaxes and proper motions with the UK Schmidt telescope – III. Stellar populations, density and luminosity distributions in the South Galactic Cap, 223, 644
- Murray, C.A. *see* Strugnell, P.
- Murray, M.J. *see* Keenan, F.P.
- Muxlow, T.W.B. *see* Cawthorne, T.V.
- Muxlow, T.W.B. *see* Cawthorne, T.V.
- Myakutin, V.I. *see* Sagar, R.
- Nadeau, D. *see* Garden, R.
- Nadeau, R. *see* Bastien, P.
- Nagata, T., Yamashita, T., Sato, S., Suzuki, H., Hough, J.H., Garden, R., Gatley, I. Infrared polarimetry of the reflection nebula near L 1551 IRS 5, 223, 7p
- Nagata, T. *see* Hough, J.H.
- Nagata, T. *see* Nakajima, T.
- Nakajima, T., Nagata, T., Nishida, M., Sato, S., Kawara, K. A near-infrared survey of the L1641 dark cloud, 221, 483
- Nakano, T., Umebayashi, T. Dissipation of magnetic fields in very dense interstellar clouds – I. Formulation and conditions for efficient dissipation, 218, 663
- Nakano, T., Umebayashi, T. Dissipation of magnetic fields in very dense interstellar clouds – II. Final phases of star formation and the magnetic flux of a newborn star, 221, 319
- Nandy, K. *see* Rao, N.K.
- Nandy, K. *see* Walsh, J.R.
- Napier, W.M., Humphries, C.M. Interstellar planetesimals – II. Radiative instability in dense molecular clouds, 221, 105
- Naranan, S. *see* Leahy, D.A.
- Narayan, R. *see* Goldreich, P.
- Narayan, R. *see* Romani, R.W.
- Naylor, T. *see* Corbet, R.H.D.
- Needham, G. *see* Rowan-Robinson, M.
- Negroponte, J. The cosmic infrared background spectrum, 222, 19
- Nelson, A.H. *see* Johns, T.C.
- Nelson, G.J., Robinson, R.D., Slee, O.B., Ashley, M.C.B., Hyland, A.R., Tuohy, I.R., Nikoloff, I., Vaughan, A.E. Simultaneous optical, infrared and microwave observations of the flare star AT Mic, 220, 91
- Netzer, H. *see* Snijders, M.A.J.
- Niemela, V.S. *see* Mandrini, C.H.
- Nikoloff, I. *see* Nelson, G.J.
- Nishida, M. *see* Nakajima, T.
- Noguchi, M., Ishibashi, S. Simulations of close encounter between galaxies: behaviour of interstellar gas clouds and enhancement of star formation rate, 219, 305
- Noguchi, M. *see* Suo, Y.
- Noriega-Crespo *see* Tenorio-Tagle, G.
- Norris, R.P., Whiteoak, J.B., Gardner, F.F., Allen, D.A., Roche, P.F. A new OH megamaser galaxy: IRAS 11506-3851, 221, 51p
- Norris, R.P. *see* Baart, E.E.
- Nulsen, P.E.J. Thermal instability in cooling flows, 221, 377
- O'Brien, P. *see* Gondhalekar, P.M.
- O'Donoghue, D. *see* Wood, J.

Author index

- O'Donoghue, D. On mode changes in ZZ Ceti stars, 220, 19p
- O'Donoghue, D. The radius of the accretion disc in Z Cha between outbursts, 220, 23p
- Olsson-Steel, D. The origin of the sporadic meteoroid component, 219, 47
- Osborne, J.P., Bonnet-Bidaud, J.M., Bowyer, S., Charles, P.A., Chiappetti, L., Clarke, J.T., Henry, J.P., Hill, G.J., Kahn, S., Maraschi, L., Mukai, K., Treves, A., Vrtilek, S. A multiwavelength study of the long-period AM Her system E2003+225 - I. The soft X-ray light curve and overall energy spectrum, 221, 823
- Osborne, J.P. *see* Mukai, K.
- Pacheco, J.A. de F. *see* de Oliveira, A.K.G.
- Padin, S. *see* Conway, R.G.
- Pankonin, V. *see* Gardner, F.F.
- Papaloizou, J.C.B. *see* Campbell, C.G.
- Papaloizou, J.C.B., Stanley, G.Q.G. The structure and stability of the accretion disc boundary layer, 220, 593
- Papayannopoulos, T. *see* Petrou, M.
- Paradijs, J. van. Tidal spin-up and magnetic braking cataclysmic variables, 218, 31p
- Parker, Q.A., MacGillivray, H.T., Hill, P.W., Dodd, R.J. Three-dimensional structure in field 349 of the southern sky survey - I. Redshifts for a magnitude-limited sample of galaxies from slit spectra, 220, 901
- Parthasarathy, M. *see* Balachandran, S.
- Patnaik, A.R., Malkan, M.A., Salter, C.J. Multifrequency observations of the wide-angle tail radio source 1313+073, 220, 351
- Patnaik, A.R. *see* Saikia, D.J.
- Pauls, T. *see* Downes, A.J.B.
- Peach, J.V. *see* Millington, S.J.C.
- Peacock, A. *see* White, N.E.
- Peacock, J.A., Miller, L., Longair, M.S. The statistics of radio emission from quasars, 218, 265
- Peacock, J.A. *see* Downes, A.J.B.
- Peacock, J.A. *see* More, J.G.
- Peacock, J.A. *see* Yates M.G.
- Peacock, J.A. Flux conservation and random gravitational lensing, 223, 113
- Pedlar, A. *see* Harrison, B.
- Pedlar, A. *see* Unger, S.W.
- Pedlar, A. *see* Whittle, M.
- Peletier, R. *see* de Zeeuw, T.
- Penny, A.J., Dickens, R.J. CCD photometry of the globular cluster NGC 6752, 220, 845
- Penston, M.V. *see* Johnstone, R.M.
- Penston, M.V. *see* Lawrence, A.
- Penston, M.V. *see* Masegosa, J.
- Penston, M.V. *see* Monk, A.S.
- Penston, M.V. *see* Sá, C.
- Perea, J., Moles, M., del Olmo, A. Taxonomical analysis of superclusters - II. The A1367/Coma supercluster, 219, 511
- Perea, J., Moles, M., del Olmo, A. Taxonomical analysis of the Cancer cluster of galaxies, 222, 49
- Pérez, E. *see* Tadhunter, C.N.
- Perley, R.A. *see* Brown, I.W.A.
- Perryman, M.A.C. *see* Ulrich, M.H.
- Persi, P. *see* Coe, M.J.
- Persic, M., Salucci, P. The information on large-scale properties of spiral galaxies stored in their kinematics, 223, 303
- Peterson, B.A., Ellis, R.S., Efstathiou, G., Shanks, T., Bean, A.J., Fong, R., Zen-Long, Z. A complete galaxy redshift sample - III. Methods and catalogue, 221, 233
- Petford, A.D. *see* Blackwell, D.E.
- Petford, A.D. *see* Blackwell, D.E.
- Petrou, M., Papayannopoulos, T. Can galactic bars end well before corotation?, 219, 157
- Pettini, M. *see* Hartquist, T.W.
- Pettini, M. *see* Monk, A.S.
- Pettini, M. *see* Wall, J.V.
- Phillips, A.P. *see* Howarth, I.D.
- Phillips, G.J. Three-dimensional numerical simulations of collapsing, isothermal magnetic gas clouds, 221, 571
- Phillips, G.J. Three-dimensional numerical simulations of collapsing isothermal magnetic gas clouds - non-uniform initial fields, 222, 111
- Phillips, J.P. *see* Richardson, K.J.
- Phillips, K.J.H. *see* Bromage, G.E.
- Phillips, S., Grimley, P.L., Disney, M.J., Cawson, M.G.M., Kibblewhite, E.J. CCD photometry of apparent dwarf galaxies in Fornax, 218, 289
- Phillips, S., Disney, M. Selection effects in the bivariate brightness distribution for spiral galaxies, 221, 1039
- Phillips, S. Galaxy correlations at high redshift and the environment of quasars, 223, 173
- Phillips, S. *see* Edmunds, M.G.
- Phinney, E.S. *see* Fabian, A.C.
- Pietsch, W. *see* Szajnó, M.
- Pineau-des-Forêts, G. *see* Flower, D.R.
- Pineau des Forêts, G., Flower, D.R., Hartquist, T.W., Dalgarno, A. Theoretical studies of interstellar molecular shocks - III. The formation of CH⁺ in diffuse clouds, 220, 801
- Pineau des Forêts, G., Roueff, E., Flower, D.R. Theoretical studies of interstellar molecular shocks - IV. The sulphur chemistry in diffuse clouds, 223, 743
- Pineau des Forêts, G. *see* Flower, D.R.
- Piskunov, A.E. *see* Sagar, R.
- Polcaro, V.F. *see* Giovannelli, F.
- Pooley, G.G. *see* Leahy, J.P.
- Porcas, R.W. *see* Saikia, D.J.
- Pounds, K.A., Warwick, R.S., Culhane, J.L., de Korte, P.A.J. The soft X-ray spectrum of NGC 4151, 218, 685
- Pounds, K.A., Turner, T.J., Warwick, R.S. Rapid X-ray variability of the Seyfert galaxy MCG 6-30-15, 221, 7p

- Pounds, K.A. *see* Warwick, R.S.
 Prabhu, T.P. *see* Saikia, D.J.
 Preuss, E. *see* Harrison, B.
 Pringle, J.E., Verbunt, F., Wade, R.A. Dwarf novae in outburst: modelling the observations, 221, 169
 Protheroe, R.J. Effect of electron-photon cascading on the observed energy spectra of extragalactic sources of ultra-high-energy γ -rays, 221, 769
 Puxley, P.J. *see* Hawarden, T.G.
- Raine, D.J. *see* Mardaljevic, J.
 Rana, N.C., Wilkinson, D.A. Star formation and some aspects of the chemical evolution of the Galaxy, 218, 497
 Rana, N.C., Wilkinson, D.A. An estimation of the radial distribution of molecular hydrogen in the Galaxy from the star formation rates, 218, 721
 Rao, A.R. *see* Agrawal, P.C.
 Rao, N.K., Nandy, K. *IRAS* observations of R Cor Bor stars, 222, 357
 Reay, N.K., Atherton, P.D., Walton, N. A. Extra-nuclear molecular hydrogen in NGC 1068, 218, 13p
 Rees, M.J. *see* Couchman, H.M.P.
 Rees, M.J. Lyman absorption lines in quasar spectra: evidence for gravitationally-confined gas in dark minihaloes, 218, 25p
 Rees, M.J. Baryon concentration in string wakes at $z = 200$: implications for galaxy formation and large-scale structure, 222, 27p
 Reid, I.N., Strugnell, P.R. The luminosity and kinematics of RR Lyraes - II. RR Lyraes and the distance to the LMC, 221, 887
 Reid, N. *see* Strugnell, P.
 Reipurth, B. *see* Wolstencroft, R.D.
 Rice, E.H.N. *see* Brown, R.D.
 Richardson, K.J., White, G.J., Phillips, J.P., Avery, L.W. The structure and kinematics of the DR21 region, 219, 167
 Richardson, K.J., White, G.J., Gee, G., Griffin, M.J., Cunningham, C.T., Ade, P.A.R., Avery, L.W. Erratum: Submillimetre line and continuum observations of the S255 molecular cloud, 219, 223
 Riegler, G.R. *see* Agrawal, P.C.
 Riley, J.M. *see* Leahy, J.P.
 Robertson, J.A., Frank, J. A numerical study of two-dimensional accretion flows, 221, 279
 Robertson, J.G., Shaver, P.A., Surdej, J., Swings, J.P. Spectroscopy of the QSOs Q0118-031 A, B, C, 219, 403
 Robinson, G. *see* Mitchell, R.M.
 Robinson, R.D. *see* Nelson, G.J.
 Robson, E.I. *see* Brown, L.M.J.
 Robson, E.I. *see* Gear, W.K.
 Robson, E.I. *see* Longmore, A.J.
 Roche, P.F., Aitken, D.K., Smith, C.H., James, S.D. NGC 4418; a very extinguished galaxy, 218, 19p
 Roche, P.F., Allen, D.A., Bailey, J.A. The spatial extent and nature of the 3- μ m emission features in HD 97048 and CPD -56°8032, 220, 7p
 Roche, P.F., Aitken, D.K. The infrared spectral properties of planetary nebulae, 221, 63
 Roche, P.F. *see* Aitken, D.K.
 Roche, P.F. *see* Glasse, A.C.H.
 Roche, P.F. *see* Norris, R.P.
 Rodono, M. *see* Doyle, J.G.
 Roger, R.S., Milne, D.K., Caswell, J.L., Little, The late A.G. G291.0-0.1, a centrally bright supernova remnant, in Carina, 219, 815
 Roger, R.S. *see* Milne, D.K.
 Romani, R.W., Narayan, R., Blandford, R. Refractive effects in pulsar scintillation, 220, 19
 Ross, R. *see* Foster, A.J.
 Roueff, E. *see* Pineau des Forêts, G.
 Routledge, D., Landecker, T.L., Vaneldik, J.F. The supernova remnant OA 184 (G166.2+2.5) and associated H I, 221, 809
 Rowan-Robinson, M., Walker, D., Chester, T., Soifer, T., Fairclough, J. Studies of *IRAS* sources at high galactic latitudes - I. Source counts at $l > 60^\circ$ and evidence for a north-south anisotropy of cosmological significance, 219, 273
 Rowan-Robinson, M. On the nature of interstellar grains and the interpretation of the *IRAS* background radiation, 219, 737
 Rowan-Robinson, M., Lock, T.D., Walker, D.W., Harris, S. Models for *IRAS* observations of circumstellar dust shells around late-type stars, 222, 273
 Rowan-Robinson, M., Needham, G. The two-dimensional covariance function for *IRAS* sources, 222, 611
 Rowan-Robinson, M. *see* Crawford, J.
 Rowan-Robinson, M. *see* Lawrence, A.
 Rowland, P.R., Cohen, R.J. Rapid variability of H₂O masers in Cepheus A, 220, 233
 Rowland, P.R. *see* Baart, E.E.
 Roy, J.-R., Walsh, J.R. Imaging spectroscopy of a spiral arm of the galaxy NGC 1566, 223, 39
- Sa, C., Penston, M.V., Lago, M.T.V.T. Emission-line widths and stellar-wind flows in T Tauri stars, 222, 213
 Saar, E. *see* Einasto, J.
 Saar, E. *see* Tago, E.
 Saarinen, S. *see* Byrd, G.G.
 Sagar, R., Piskunov, A.E., Myakutin, V.I., Joshi, U.C. Mass and age distributions of stars in young open clusters, 220, 383
 Saikia, D.J., Subrahmanya, C.R., Patnaik, A.R., Unger, S.W., Cornwell, T.J., Graham, D.A., Prabhu, T.P. Radio observations of the S0 galaxy NGC 1218 (3C 78), 219, 545
 Saikia, D.J., Kulkarni, V.K., Porcas, R.W. Radio observations of extended sources suspected of having steep-spectrum cores, 219, 719
 Saikia, D.J. *see* Swarup, G.
 Saio, H. Radial pulsations of V652 Her (BD+13°3224), 221, 1p

Author index

- Saio, H. *see* Lee, U.
- Salmon, J., Hogan, C. Correlation of QSO absorption lines in universes dominated by cold dark matter, 221, 93
- Salter, C.J. *see* Downes, A.J.B.
- Salter, C.J. *see* Patnaik, A.R.
- Salter, C.J. *see* Swarup, G.
- Salucci, P. *see* Persic, M.
- Sanders, R.H., Bridle, A.H., Clark, B.G.
Orientations of extended radio sources in the Third Bologna (B3) catalogue, 221, 69p
- Sanders, R.H. Alternatives to dark matter, 223, 539
- Sanders, R.H. *see* Teuben, P.J.
- Santos, N.O. *see* de Oliveira, A.K.G.
- Sargent, W.L.W. *see* Hazard, C.
- Sato, S. *see* Nagata, T.
- Sato, K. *see* Suto, Y.
- Sato, S. *see* Hough, J.H.
- Sato, S. *see* Nakajima, T.
- Savage, A. *see* Downes, A.J.B.
- Savage, A. *see* Wolstencroft, R.D.
- Savonije, G.J. *see* Livio, M.
- Savonije, G.J. *see* Soker, N.
- Sawada, K., Matsuda, T., Hachisu, I. Spiral shocks on a Roche lobe overflow in a semi-detached binary system, 219, 75
- Sawada, K., Matsuda, T., Hachisu, I. Accretion shocks in a close binary system, 221, 679
- Scarrott, S.M., Bosch, N., Ward-Thompson, D., Warren-Smith, R.F. An optical polarization study of two possible bipolar nebulae, 223, 505
- Scarrott, S.M. *see* Gledhill, T.M.
- Scarrott, S.M. *see* Wolstencroft, R.D.
- Scheuer, P.A.G. *see* Cawthorne, T.V.
- Schneider, D.P. *see* Home, K.
- Scholz, M. *see* Höflich, P.
- Selby, M.J. *see* Blackwell, D.E.
- Selby, M.J. *see* Leggett, S.K.
- Sellwood, J.A., Athanassoula, E. Unstable modes from galaxy simulations, 221, 195
- Sellwood, J.A. *see* Athanassoula, E.
- Sembay, S. *see* Coe, M.J.
- Shafer, R.A. *see* Fabian, A.C.
- Shafer, R.A. *see* Tennant, A.F.
- Shanks, T. *see* Peterson, B.A.
- Sharples, R.M. *see* Mobasher, B.
- Sharples, R.M. *see* Wilkinson, A.
- Shaver, P.A. *see* Robertson, J.G.
- Shibahashi, H. *see* Kurtz, D.W.
- Shima, E., Matsuda, T., Inaguchi, T. Interaction between a stellar wind and an accretion flow, 221, 687
- Shima, E. *see* Inaguchi, T.
- Shobbrook, R.R. *uvby* β photometry of southern clusters - VII. NGC 2547, 220, 825
- Shobbrook, R.R. A distance modulus of the LMC from *uvby* β photometry of B supergiants, 219, 495
- Shone, D.L., Browne, I.W.A. A remarkable jet in the quasar 0800+608, 222, 365
- Shylaja, B.S., Babu, G.S.D. The variation of the 5200 feature in HD 34452, 222, 683 and on microfiche
- Singh, K.P. *see* Kembhavi, A.
- Singh, K.P. *see* Leahy, D.A.
- Sinha, R.P. *see* Swarup, G.
- Sisteró, R.F. *see* Lipari, S.L.
- Sitko, A.K. *see* Wisniewski, W.Z.
- Sitko, M.L. *see* Wisniewski, W.Z.
- Skillen, I. *see* Hilditch, R.W.
- Slee, O.B. *see* Nelson, G.J.
- Smale, A.P., Charles, P.A., Corbet, R.H.D., Jordan, C., Brown, A., Walter, F. X-ray and optical observations of a dMe flare star in the T Tauri field, 221, 77
- Smale, A.P., Corbet, R.H.D., Charles, P.A., Menzies, J.W., Mack, P. X-ray and optical variability in the low-mass burst source X1735-444, 223, 207
- Smale, A.P. *see* Corbet, R.H.D.
- Smale, A.P. *see* Mukai, K.
- Smith, C.H. *see* Roche, P.F.
- Smith, D. *see* Knight, J.S.
- Smith, D. *see* Millar, T.J.
- Smith, F.G. The geometry of emission from the Vela and the Crab pulsars, 219, 729
- Smith, L.J. *see* Hartquist, T.W.
- Smith, M.D. The formation of bipolar sources in dense molecular clouds, 223, 57
- Smith, M.D. *see* King, A.R.
- Smith, M.D. *see* Mardaljevic, J.
- Smith, S.C. *see* Knight, J.S.
- Snijders, M.A.J., Netzer, H., Boksenberg, A. Detection of broad ultraviolet Fe II lines in the spectrum of NGC 1068, 222, 549
- Soifer, T. *see* Rowan-Robinson, M.
- Soker, N., Livio, M., de Kool, M., Savonije, G.J. Accretion of angular momentum from an inhomogeneous medium - II. Isothermal flow, 221, 445
- Soker, N. *see* Livio, M.
- Sommer-Larsen, J., Christensen, P.R. Radial velocities of blue horizontal branch field stars in the outer Galactic halo, 219, 537
- Sparke, L.S. Are polar rings self-gravitating?, 219, 657
- Sparkes, W.B., Hough, J.H., Axon, D.J., Bailey, J. Infrared photometry of the nuclei of early-type radio galaxies, 218, 429
- Spencer Jones, J.H. *see* Caldwell, J.A.R.
- Spinoglio, L. *see* Coe, M.J.
- Sreekantan, B.V. *see* Agrawal, P.C.
- Standley, C. *see* Barlow, M.J.
- Stanger, V.J., Warwick, R.S. High-resolution X-ray and radio observations of the giant elliptical galaxies NGC 4636 and 4649, 220, 363
- Stanley, G.Q.G. *see* Papaloizou, J.C.B.
- Steel, D.I., Elford, W.G. Collisions in the Solar System - III. Meteoroid survival times, 218, 185
- Steigmann, G.A. Optical polarimetry of sulphur and the surface microstructure of Io, 219, 823
- Stella, L. *see* Gottwald, M.

- Stewart, G.C. *see* Watson, M.G.
 Stewart, R.T. *see* Milne, D.K.
 Stift, M.J. Theoretical Stokes profiles for magnetic stars – II. An appraisal of statistical methods for magnetic field determination, 219, 203
 Stift, M.J. Theoretical Stokes profiles for magnetic stars – III. Integrated field measures, weighting functions and the modelling of stellar magnetic geometries, 221, 499
 Stobie, R.S., Bishop, I.S., King, D.L. Variable stars in the South Galactic Cap, 222, 473
 Stobie, R.S. *see* Laney, C.D.
 Storey, P.J. *see* Clegg, R.E.S.
 Straw, S. *see* Jones, T.J.
 Strugnell, P.R. *see* Reid, I.N.
 Strugnell, P., Reid, N., Murray, C.A. The luminosity and kinematics of RR Lyrae stars in the solar neighbourhood – I. Statistical parallaxes of RR Lyraes, 220, 413
 Stutzki, J. *see* Monteiro, T.S.
 Subrahmanya, C.R. *see* Saikia, D.J.
 Subramanian, K., Barrow, J.D. Alignments of clustered quasars, 218, 587
 Subramanian, K., Cowling, S.A. On local conditions for multiple imaging by bounded, smooth gravitational lenses, 219, 333
 Sunder, G.S., Kochhar, R.K. On the dynamical evolution of a spheroidal cluster – II. Anisotropic velocity distribution, 221, 553
 Surdej, J. *see* Robertson, J.G.
 Suto, Y., Kodama, H., Sato, K. Cosmology with unstable dark matter, 218, 637
 Suto, Y., Noguchi, M. Survival of the structures in the universe dominated by unstable dark matter, 219, 841
 Suzuki, H. *see* Nagata, T.
 Swarup, G., Saikia, D.J., Beltrametti, M., Sinha, R.P., Salter, C.J. Absorption lines and the radio structure of quasars, 220, 1
 Swinbank, E. *see* Albinson, J.S.
 Swings, J.P. *see* Robertson, J.G.
 Szkody, P. *see* Horne, K.
 Sztajno, J. *see* van Paradijs, J.
 Sztajno, M., van Paradijs, J., Lewin, W.H.G., Langmeier, A., Trümper, J., Pietsch, W. X-ray bursts from GX 17+2: a new approach, 222, 499
 Tadhunter, C.N., Pérez, E., Fosbury, R.A.E. An ultraviolet and optical study of the broad-line radio galaxy 3C 382, 219, 555
 Tago, E., Einasto, J., Saar, E. A prominent string of galaxies in Bootes: evidence for a Lagrangian singularity?, 218, 177
 Takano, S. *see* Matsuoka, M.
 Taniguchi, Y. *see* Kumai, Y.
 Tan, S.M. An analysis of the properties of CLEAN and Smoothness Stabilized CLEAN – some warnings, 220, 971
 Tapia, S. *see* Cropper, M.
 Tavakol, R.K., Das, M.K. On the question of multimode stellar pulsations, 221, 625
 Tayler, R.J. A further uncertainty in the mixing length theory of convection in the structure of late-type stars, 220, 793
 Tayler, R.J. Erratum: A further uncertainty in the mixing length theory of convection in the structure of late-type stars, 222, 223
 Taylor, B.G. *see* White, N.E.
 Taylor, K., Dyson, J.E., Axon, D.J., Hughes, S. The Herbig–Haro-like objects in M42, 221, 155
 Taylor, K.N.R. *see* Denby, B.
 Tennant, A.F., Fabian, A.C., Shafer, R.A. The discovery of X-ray bursts from Cir X-1, 219, 871
 Tennant, A.F., Fabian, A.C., Shafer, R.A. Observations of type I X-ray bursts from Cir X-1, 221, 279
 Tennant, A.F. *see* Fabian, A.C.
 Tenorio-Tagle, G., Bodenheimer, P., Lin, D.N.C., Noriega-Crespo, A. On star formation in stellar systems – I. Photoionization effects in protoglobular clusters, 221, 635
 Terlevich, R. *see* Campbell, A.
 Terlevich, R. *see* Hazard, C.
 Teuben, P.J., Sanders, R.H., Atherton, P.D., van Albada, G.D. Kinematics and dynamics of the central region in the barred galaxy NGC 1365, 221, 1
 Thomas, J.A. *see* Aitken, D.K.
 Thomas, J.A. *see* Jones, T.J.
 Thomas, P.A. A cooling flow in the giant, elliptical galaxy NGC 4472, 220, 949
 Thomas, P.A., Fabian, A.C., Arnaud, K.A., Forman, W., Jones, C. The prevalence of cooling flows in early-type galaxies, 222, 655
 Thomas, P.A. *see* Fabian, A.C.
 Thompson, G.I. *see* Walsh, J.R.
 Thompson, K. *see* Innis, J.L.
 Thorstensen, J. R. *see* Corbet, R.H.D.
 Tipler, F.J. *see* Barrow, J.D.
 Tomkin, J. *see* Balachandran, S.
 Tomov, T. *see* Mikofajewski, M.
 Torbett, M.V. Injection of Oort cloud comets to the inner Solar System by galactic tidal fields, 223, 885
 Tomabè, A., Chieffi, A. Extremely metal-deficient stars – II. Evolution of intermediate-mass stars up to carbon ignition or core degeneracy, 220, 521
 Tomabè, A., Matteucci, F. Type I SNe from double degenerate CO dwarfs and their rate in the solar neighbourhood, 223, 69
 Towson, W.A. *see* Glaspe, A.C.H.
 Tremaine, S., Hénon, M., Lynden-Bell, D. H-functions and mixing in violent relaxation, 219, 285
 Treves, A. *see* Mukai, K.
 Treves, A. *see* Osborne, J.P.
 Trümper, J. *see* Sztajno, M.
 Trümper, J. *see* van Paradijs, J.
 Tuffs, R.J. *see* Albinson, J.S.
 Tuffs, R.J. Secular changes within Cassiopeia A at 5 GHz – I, 219, 13

Author index

- Tuohy, I.R. *see* Nelson, G.J.
- Turner, M.J.L. *see* Breedon, L.M.
- Turner, T.J. *see* Pounds, K.A.
- Turolla, R., Zaninetti, L. Funnel stability and VLBI-jet luminosity, 222, 32
- Ulrich, M.H., Perryman, M.A.C. The remarkable absorption-line systems in the quasar Tololo 1037-27, 220, 429
- Ulvestad, J.S., Wilson, A.S. The radio source in the very luminous gamma-ray Seyfert galaxy MCG 8-11-11, 218, 711
- Umebayashi, T. *see* Nakano, T.
- Unger, S.W., Chapman, J.M., Cohen, R.J., Hawarden, T.G., Mountain, C.M. A search for OH maser emission from spiral galaxies, 220, 1p
- Unger, S.W., Pedlar, A., Booler, R.V., Harrison, B.A. Compact radio components in Seyfert galaxies, 219, 387
- Unger, S.W. *see* Harrison, B.
- Unger, S.W. *see* Saikia, D.J.
- Unger, S.W. *see* Whittle, M.
- Uomoto, A.K. *see* Williams, G.A.
- Urpin, V.A., Levshakov, S.A., Yakovlev, D.G. Generation of neutron star magnetic fields by thermomagnetic effects, 219, 703
- Usher, P.D. *see* Wamock III, A.
- Vacca, W.D., Lewin, W.H.G., van Paradijs, J. Eddington luminosities and photospheric radius expansion during X-ray bursts from 4U/MXB 1820-30, 220, 339
- Vacca, W.D. *see* van Paradijs, J.
- Valtonen, M.J. *see* Byrd, G.G.
- Valtonen, M.J. *see* Mikkola, S.
- Vaneldik, J.F. *see* Routledge, D.
- Vaughan, A.E., Large, M.I. Observations at 843 MHz of quiescent emission from the flare star AT Mic, 223, 399
- Vaughan, A.E. *see* Nelson, G.J.
- van Albada, G.D. *see* Teuben, P.J.
- van der Klis, M. *see* Mukai, K.
- van der Klis, M. *see* van Paradijs, J.
- van Paradijs, J., Szajno, M., Lewin, W.H.G., Trümper, J., Vacca, W.D., van der Klis, M. A unique triple-peaked type-1 X-ray burst from 4U/MXB 1636-53, 221, 617
- van Paradijs, J. *see* Mukai, K.
- van Paradijs, J. *see* Szajno, M.
- van Paradijs, J. *see* Vacca, W.D.
- van Paradijs, J. Tidal spin-up and magnetic braking cataclysmic variables, 218, 31p
- Verbunt, F. *see* Eggleton, P.P.
- Verbunt, F. *see* Home, K.
- Verbunt, F. *see* Pringle, J.E.
- Viadana, L. *see* de Freitas Pacheco, J.A.
- Vietri, M. *see* Gerhard, O.E.
- Villinger, H. *see* Millar, T.J.
- Vine, H. *see* Barlow, M.J.
- Vrtilek, *see* Osborne, J.P.
- Wade, R.A. *see* Home, K.
- Wade, R.A. *see* Pringle, J.E.
- Wade, R. *see* Wood, J.
- Wade, T.R. *see* Gatley, I.
- Wagner, H. *see* Dorschner, J.
- Walker, A.R., Mack, P. CCD observations of some RR Lyrae stars and a standard sequence in Baade's window, 220, 69
- Walker, D.W. *see* Rowan-Robinson, M.
- Walker, D. *see* Lawrence, A.
- Walker, H.J. *see* Wolstencroft, R.D.
- Walker, I.W. *see* Boyle, C.B.
- Walker, M. *see* Rowan-Robinson, M.
- Wallace, P.T. *see* Wilkinson, A.
- Wall, J.V., Danziger, I.J., Pettini, M., Warwick, R.S., Wamsteker, W. PKS 2005-489: a very bright BL Lac object in a nearby galaxy, 219, 23p
- Walsh, J.R., Nandy, K., Thompson, G.I., Meaburn, J. The properties of the nuclei of the two hot spot galaxies NGC 1097 and 2997, 220, 453
- Walsh, J.R. *see* Meaburn, J.R.
- Walsh, J.R. *see* Roy, J.-R.
- Walter, F.M. *see* Jordan, C.
- Walter, F. *see* Smale, A.P.
- Walther, D. *see* Hough, J.H.
- Walton, N.A. *see* Reay, N.K.
- Wamsteker, W. *see* Wall, J.V.
- Ward, M.J. *see* Fabian, A.C.
- Ward, M.J. *see* Whittle, M.
- Ward-Thompson, D. *see* Scarrott, S.M.
- Wamer, B. Multiple optical orbital sidebands in intermediate polars, 219, 347
- Wamer, B. Light curves of RR Pic(Nova Pictoris 1925) 1972-84, 219, 751
- Wamer, B. Accretion disc inclinations and absolute magnitudes of classical nova remnants, 222, 11
- Wamer, B. *see* Cropper, M.
- Wamer, B. *see* Wood, J.
- Wamock III, A., Usher, P.D., Mitchell, K.J., Howell, S.B. On the completeness of a sample of bright quasars selected by colour excess in the direction of the North Galactic Pole, 218, 445
- Warren-Smith, R.F. *see* Gledhill, T.M.
- Warren-Smith, R.F. *see* Scarrott, S.M.
- Warren-Smith, R.F. *see* Wolstencroft, R.D.
- Warwick, R.S., George, I.M., McHardy, I., Pounds, K.A. The X-ray spectrum and variability of Markarian 421, 219, 39
- Warwick, R.S. *see* Pounds, K.A.
- Warwick, R.S. *see* Stanger, V.J.
- Warwick, R.S. *see* Wall, J.V.
- Warwick, R.S. *see* Wolstencroft, R.D.
- Watson, M.G., Stewart, G.C., Brinkmann, W., King, A.R. Doppler-shifted X-ray line emission from SS433, 222, 261
- Webb, J.R. *see* Brown, L.M.J.
- Wehlau, W. *see* Höflich, P.

- Wehrse, R. *see* Höflich, P.
 Wellington, K.J. *see* Milne, D.K.
 White, G.J. *see* Richardson, K.J.
 White, N.E., Peacock, A., Hasinger, G., Mason, K.O., Manzo, G., Taylor, B.G., Branduardi-Raymont, G. A Study of the continuum and iron *K* line emission from low-mass X-ray binaries, 218, 129
 White, N.E. *see* Gottwald, M.
 White III, R.E. *see* Fabian, A.C.
 Whitelock, P., Feast, M., Catchpole, R. *JHKL* observations of *IRAS* sources - III. The galactic bulge, 222, 1
 Whitelock, P.A. The pulsation mode and period-luminosity relationship of cool variables in globular clusters, 219, 525
 Whitelock, P.A., Menzies, J.W. A new binary planetary nebula, 223, 497
 Whiteoak, J.B., Gardner, F.F. Observations of H₂O masers in nearby galaxies, 222, 513
 Whiteoak, J.B. *see* Gardner, F.F.
 Whiteoak, J.B. *see* Norris, R.P.
 Whittle, M., Haniff, C.A., Ward, M.J., Meurs, E.J.A., Pedlar, A., Unger, S.W., Axon, D.J., Harrison, B.A. Extended [O III] emission associated with nuclear radio lobes in the Seyfert galaxy NGC 5929, 222, 189
 Wickramasinghe, D.T., Martin, B. Magnetic blanketing in white dwarfs, 223, 323
 Wilkes, B.J. Studies of broad emission line profiles in QSOs - II Properties of a large, predominantly radio selected sample, 218, 331
 Wilking, B.A. *see* Jones, T.J.
 Wilkinson, A., Sharples, R.M., Fosbury, R.A.E., Wallace, P.T. Stellar dynamics Cen A, 218, 297
 Wilkinson, A., Sharples, R.M., Fosbury, R.A.E., Wallace, P.T. Erratum: Stellar dynamics of Cen A, 220, 799
 Wilkinson, D.A. *see* Rana, N.C.
 Williams, D.A. *see* Duley, W.W.
 Williams, D.A. *see* Jones, A.P.
 Williams, G.A., King, A.R., Uomoto, A.K., Hiltner, W.A. Photometry and spectroscopy of V Sagittae through eclipse, 219, 809
 Williams, G.E. *see* Bracewell, R.N.
 Williams, I.P. *see* Bhatt, H.C.
 Williams, P.M. *see* Graham, J.R.
 Wilson, A.S. *see* Ulvestad, J.S.
 Wilson, R. *see* Gondhalekar, P.M.
 Wisniewski, W.Z., Sitko, M.L., Sitko, A.K. 1011+496 and 1217+348: two new candidate BL Lacertae objects, 219, 299
 Wolstencroft, R.D., Scarrott, S.M., Warren-Smith, R.F., Walker, H.J., Reipurth, B., Savage, A. A bipolar nebula in Orion identified with the *IRAS* source 05329-0505, 218, 1p
 Wolstencroft, R.D., Savage, A., Clowes, R.G., MacGillivray, H.T., Leggett, S.K., Kalafi, M. The identification of *IRAS* point sources - I. A 304 deg² field centred on the South Galactic Pole, 223, 279
 Wood, J., Home, K., Berriman, G., Wade, R., O'Donoghue, D., Warner, B. High-speed photometry of the dwarf nova Z Cha in quiescence, 219, 629
 Wood, J., Crawford, C.S. An estimate of the system parameters in the dwarf nova IP Peg, 222, 645
 Worrell, J.K. Pulsation masses and luminosities for the double mode RV Tauri star UU Her and the 89 Her star HD 161796, 223, 787
 Worswick, S.P. *see* Wynne, C.G.
 Wynne, C.G., Worswick, S.P. Atmospheric dispersion correctors at the Cassegrain focus, 220, 657
 Yabushita, S., Hata, N. Thermal conduction in cometary nuclei and its effect on cometary activity, 219, 197
 Yakovlev, D.G. *see* Urpin, V.A.
 Yamashita, T. *see* Nagata, T.
 Yates, M.G., Miller, L., Peacock, J.A. The relationship between the radio and infrared luminosities of 3CR radio galaxies, 221, 311
 Yu, Y. *see* de Felice, F.
 Zaninetti, L. *see* Turolla, R.
 Zawisław-Raczka, J., Kumor-Obyrk, B. A model of the evolution of flat-spectrum radio sources at 5 GHz, 222, 487
 Zen-Long, Z. *see* Peterson, B.A.

SUBJECT INDEX

Abundances of the elements

- Star formation and some aspects of the chemical evolution of the Galaxy (Rana, N.C., Wilkinson, D.A.), 218 497
- Interstellar zinc revisited: possible depletion in high-density sight-lines (Harris, A.W., Mas Hesse, J.M.), 220, 271
- Some considerations on the origin of nitrogen (Matteucci, F.), 221, 911
- The variation of interstellar element abundances with hydrogen density (Keenan, F.P., Dufton, P.L., Hibbert, A., Murray, M.J.), 222, 143
- Galactochemistry – II. Interstellar deuterium chemistry (Brown, R.D., Rice, E.H.N.), 223, 429
- Neutron synthesis in AGB and post-AGB stars of low mass (Malaney, R.A.), 223, 683
- Heavy-element synthesis in AGB and post-AGB stars of low mass (Malaney, R.A.), 223, 709

Accretion and accretion discs

- A spectroscopic study of the X-ray binary V1727 Cygni (Horne, K., Verbunt, F., Schneider, D.P.), 218, 63
- A Study of the continuum and iron *K* line emission from low-mass X-ray binaries (White, N.E., Peacock, A., Hasinger, G., Mason, K.O., Manzo, G., Taylor, B.G., Branduardi-Raymont, G.), 218, 129
- EXOSAT measurements of the quiescent X-ray spectrum of the burster 2S1636 - 536: evidence for Comptonization in a hot corona (Breedon, L.M., Turner, M.J.L., King, A.R., Courvoisier, T.J.-L.), 218, 487
- On accretion of angular momentum from an inhomogeneous medium (Livio, M., Soker, N., de Kool, M., Savonije, G.J.), 218, 593
- Accretion flows in the non-synchronous magnetic cataclysmic variables (Hameury, J.-M., King, A.R., Lasota, J.-P.), 218, 695
- Emission line formation in accretion discs (Horne, K., Marsh, T.R.), 218, 761
- Conservation of mass and angular momentum in narrow transition fronts in accretion discs (Meyer, F.), 218, 7p
- Tidal spin-up and magnetic braking cataclysmic variables (Paradijs, J. van), 218, 31p
- Spiral shocks on a Roche lobe overflow in a semi-detached binary system (Sawada, K., Matsuda, T., Hachisu, I.), 219, 75
- Multiple optical orbital sidebands in intermediate polars (Warner, B.), 219, 347
- The attainment of synchronism in the presence of accretion in the AM Herculis binaries (Campbell, C.G.), 219, 589
- The evolution of polar caps in magnetic cataclysmic variables (Frank, J., Channugam, G.), 219, 597
- High-speed photometry of the dwarf nova Z Cha in quiescence (Wood, J., Horne, K., Berriman, G., Wade, R., O'Donoghue, D., Warner, B.), 219, 629
- On the stability of incompressible constant angular momentum cylinders (Blaes, O.M., Glatzel, W.), 220, 253
- Structure of magneto-Keplerian discs: an analytical solution for thin accretion discs threaded by stellar magnetic fields (Kaburaki, O.), 220, 321
- More about collapse of a radiating star (de Oliveira, A.K.G., Pacheco, J.A. de F., Santos, N.O.), 220, 405
- The structure and stability of the accretion disc boundary layer (Papaloizou, J.C.B., Stanley, G.Q.G.), 220, 593
- Oscillations of thick accretion discs (Jaroszynski, M.), 220, 869
- The three types of high-mass X-ray pulsator (Corbet, R.H.D.), 220, 1047
- The radius of the accretion disc in Z Cha between outbursts (O'Donoghue, D.), 220, 23p
- Dwarf novae in outburst: modelling the observations (Pringle, J.E., Verbunt, F., Wade, R.A.), 221, 169
- The light-curve properties of mass-transfer events in cataclysmic variables (Bath, G.T., Clarke, C.J., Mantle, V.J.), 221, 269
- A numerical study of two-dimensional accretion flows (Robertson, J.A., Frank, J.), 221, 279
- The stability of accretion tori – I. Long-wavelength modes of slender tori (Goldreich, P., Goodman, J., Narayan, R.), 221, 339
- Accretion of angular momentum from an inhomogeneous medium – II. Isothermal flow (Soker, N., Livio, M., de Kool, M., Savonije, G.J.), 221, 445
- Accretion torques due to three-dimensional channelled flows in magnetic cataclysmic variables (Campbell, C.G.), 221, 599
- Accretion shocks in a close binary system (Sawada, K., Matsuda, T., Hachisu, I.), 221, 679
- Interaction between a stellar wind and an accretion flow (Shima, E., Matsuda, T., Inaguchi, T.), 221, 687
- A multi-wavelength study of the long-period AM Her system E2003+225 – II. Changes in the accretion geometry (Mukai, K., Bonnet-Bidaud, J.-M., Charles, P.A., Corbet, R.H.D., Maraschi, L., Osborne, J.P., Smale, A.P., Treves, A., van der Klis, M., van Paradijs, J.), 221, 839
- Non-synchronous secondaries in cataclysmic variables (Czerny, M., King, A.R.), 221, 55p
- Accretion disc inclinations and absolute magnitudes of classical nova remnants (Warner, B.), 222, 11
- Funnel stability and VLBI-jet luminosity (Turolla, R., Zaninetti, L.), 222, 37
- The time-dependent collapse of a radiatively cooling corona (King, A.R., Smith, M.D.), 222, 201
- Accretion from an inhomogeneous medium – III.

- General case and observational consequences (Livio, M., Soker, N., de Kool, M., Savonijh, G.J.), 222, 235
- Doppler-shifted X-ray line emission from SS433 (Watson, M.G., Stewart, G.C., Brinkmann, W., King, A.R.), 222, 261
- An estimate of the system parameters in the dwarf nova IP Peg (Wood, J., Crawford, C.S.), 222, 645
- An infrared and visual study of the structure and variability of the cataclysmic binary V2051 Ophiuchi (Berriman, G., Kenyon, S., Bailey, J.), 222, 871
- Detection of the secondary star in three AM Her systems (Mukai, K., Charles, P.A.), 222, 1P
- The rocket effect on a gravitating mass-losing object (Inaguchi, T., Matsuda, T., Shima, E.), 223, 129
- X-ray and optical variability in the low-mass burst source X1735-444 (Smale, A.P., Corbet, R.H.D., Charles, P.A., Menzies, J.W., Mack, P.), 223, 207
- Twisted accretion discs - II. Variation in density distribution and application to interacting binaries (Kumar, S.), 223, 225
- The origin of the visual and infrared pulsations in the intermediate polar FO Aqr (H2215-086) (Berriman, G., Bailey, J., Axon, D.J., Hough, J.H.), 223, 449
- Model QPO power spectra: signatures of angular position and radial velocity of clumps in the boundary layer (Alpar, M.A.), 223, 469
- Angular momentum transport in the magnetospheres of cataclysmic variable accretion discs (Koen, C.), 223, 529
- Dynamical instability of a homoeotropic rotating torus and an upper limit on the growth rate (Hanawa, T.), 223, 859

Asteroids

- The effect of gravitational perturbations on the evolution of the Taurid meteor stream complex (Jones, J.), 221, 257
- Are the *IRAS* -detected Apollo asteroids extinct comets? (Davies, J.K.), 221, 19P

Astrometry

- A survey of trigonometric parallaxes and proper motions with the UK Schmidt telescope - II. Astrometric and photometric data for a complete sample of 6125 stars brighter than $B - 17.5$, $V - 17.0$ in the South Galactic Cap (Murray, C.A., Argyle, R.W., Corben, P.M.), 223, 629 and on Microfiche 223/1
- A survey of trigonometric parallaxes and proper motions with the UK Schmidt telescope - III. Stellar populations, density and luminosity distributions in the South Galactic Cap (Murray, C.A.), 223, 644

Black holes

- On gravitational field energy of a charged black hole (Dadhich, N., Chellathurai, V.), 220, 555
- Triple star evolution and the formation of short-period, low-mass M-ray binaries (Eggleton, P.P., Verbunt, F.), 220, 13P
- Field energy of a charged black hole (Lynden-Bell, D.), 221, 25P
- Observations of type I X-ray bursts from Cir X-1 (Tennant, A.F., Fabian, A.C., Shafer, R.A.), 221, 27P

BL Lac objects

- The X-ray spectrum and variability of Markarian 421 (Warwick, R.S., George, I.M., McHardy, I., Pounds, K.A.), 219, 39
- 1011+496 and 1217+348: two new candidate BL Lacertae objects (Wisniewski, W.Z., Sitko, M.L., Sitko, A.K.), 219, 299
- PKS 2005-489: a very bright BL Lac object in a nearby galaxy (Wall, J.V., Danziger, I.J., Pettini, M., Warwick, R.S., Wamsteker, W.), 219, 23P
- Ionization state of the absorption systems in the BL Lac object 0215+015 and properties of low-excitation absorbers (Bergeron, J., D'Odorico, S.), 220, 833
- Simultaneous optical and infrared polarization measurements of blazars (Brindle, C., Hough, J.H., Bailey, J.A., Axon, D.J., Hyland, A.R.), 221, 739
- A relationship between the X-ray luminosity and redshift of extragalactic objects (Giovannelli, F., Polcaro, V.F.), 222, 619

Celestial mechanics

- The mean energy transfer rate to comets in the Oort cloud and implications for cometary origins (Bailey, M.E.), 218, 1
- Collisions in the Solar System - III. Meteoroid survival times (Steel, D.I., Elford, W.G.), 218, 185
- The spheroids of galaxies before and after disc formation (Binney, J., May, A.), 218, 743
- The origin of the sporadic meteoroid component (Olsson-Steel, D.), 219, 47
- H-functions and mixing in violent relaxation (Tremaine, S., Hénon, M., Lynden-Bell, D.), 219, 285
- Are polar rings self-gravitating? (Sparke, L.S.), 219, 657
- The gravitational collapse of triaxial protoclusters (More, J.G., Heavens, A.F., Peacock, J.A.), 220, 189
- On the stability of incompressible constant angular momentum cylinders (Blaes, O.M., Glatzel, W.), 220, 253

Subject index

- Dynamical friction on a satellite of a disc galaxy (Byrd, G.G., Saarinen, S., Valtonen, M.J.), 220, 619
- Unstable modes from galaxy simulations (Sellwood, J.A., Athanassoula, E.), 221, 195
- Bi-symmetric instabilities of the Kuz'min/Toomre disc (Athanassoula, E., Sellwood, J.A.), 221, 213
- The effect of gravitational perturbations on the evolution of the Taurid meteor stream complex (Jones, J.), 221, 257
- A numerical study of two-dimensional accretion flows (Robertson, J.A., Frank, J.), 221, 279
- The stability of accretion tori - I. Long-wavelength modes of slender tori (Goldreich, P., Goodman, J., Narayan, R.), 221, 339
- On the dynamical evolution of a spheroidal cluster - II. Anisotropic velocity distribution (Sunder, G.S., Kochhar, R.K.), 221, 553
- On the question of multimode stellar pulsations (Tavakol, R.K., Das, M.K.), 221, 625
- Mass models with Stäckel potentials (de Zeeuw, T., Peletier, R., Franx, M.), 221, 1001
- Testing the stability of stellar systems (May, A., Binney, J.), 221, 13p
- Non-synchronous secondaries in cataclysmic variables (Czerny, M., King, A.R.), 221, 55p
- Stochastic stellar orbits in galaxies - II. Melnikov's method in $n \geq 3$ dimensions (Gerhard, O.E.), 222, 287
- g -modes of non-radially pulsating relativistic stars: the slow-motion formalism (Finn, L.S.), 222, 393
- The effect of total angular momentum on the breakup of a three-body system (Mikkola, S., Valtonen, M.J.), 223, 269
- The structure of the Geminid meteor stream - II. The combined action of the cometary ejection process and gravitational perturbations (Jones, J., Hawkes, R.L.), 223, 479
- A comparison of initially bound and unbound three-body systems (Mikkola, S.), 223, 757
- Dynamical instability of a homoeotropic rotating torus and an upper limit on the growth rate (Hanawa, T.), 223, 859
- Injection of Oort cloud comets to the inner Solar System by galactic tidal fields (Torbett, M.V.), 223, 885
- Comets**
- The mean energy transfer rate to comets in the Oort cloud and implications for cometary origins (Bailey, M.E.), 218, 1
- The origin of the sporadic meteoroid component (Olsson-Steel, D.), 219, 47
- Thermal conduction in cometary nuclei and its effect on cometary activity (Yabushita, S., Hatta, N.), 219, 197
- The effect of gravitational perturbations on the evolution of the Taurid meteor stream complex (Jones, J.), 221, 257
- Are the *IRAS*-detected Apollo asteroids extinct comets? (Davies, J.K.), 221, 19p
- The structure of the Geminid meteor stream - II. The combined action of the cometary ejection process and gravitational perturbations (Jones, J., Hawkes, R.L.), 223, 479
- Linear polarization observations of P/Halley (Bastien, P., Ménard, F., Nadeau, R.), 223, 827
- Injection of Oort cloud comets to the inner Solar System by galactic tidal fields (Torbett, M.V.), 223, 885
- Cosmic rays**
- Transmission and damping of hydromagnetic waves behind a strong shock front: implications for cosmic ray acceleration (Achterberg, A., Blandford, R.D.), 218, 551
- Motion of relativistic charges in an increasing magnetic field (Ho, C.), 221, 523
- On the stability of shocks modified by particle acceleration (Drury, L.O'C., Falle, S.A.E.G.), 223, 353
- A new approach for predicting proton events from solar flares (Jain, R.), 223, 877
- Cosmology**
- The Parkes selected regions: powerful radio galaxies and quasars at high redshifts (Downes, A.J.B., Peacock, J.A., Savage, A., Carrie, D.R.), 218, 31
- Isocurvature cold dark matter fluctuations (Efsthathiou, G., Bond, J.R.), 218, 103
- A prominent string of galaxies in Bootes: evidence for a Lagrangian singularity? (Tago, E., Einasto, J., Saar, E.), 218, 177
- The statistics of radio emission from quasars (Peacock, J.A., Miller, L., Longair, M.S.), 218, 265
- On the completeness of a sample of bright quasars selected by colour excess in the direction of the North Galactic Pole (Warnock III, A., Usher, P.D., Mitchell, K.J., Howell, S.B.), 218, 445
- A radio search for primordial pancakes (Bebington, D.H.O.), 218, 577
- Alignments of clustered quasars (Subramanian, K., Barrow, J.D.), 218, 587
- Observational homogeneity of the Universe (Bonnor, W.B., Ellis, G.F.R.), 218, 605
- Gravitational radiation from cosmological phase transitions (Hogan, C.J.), 218, 629
- Cosmology with unstable dark matter (Suto, Y., Kodama, H., Sato, K.), 218, 637
- Lyman absorption lines in quasar spectra: evidence for gravitationally-confined gas in dark minihaloes (Rees, M.J.), 218, 25p
- Space distribution of nearby superclusters of galaxies (Kalinkov, M., Kuneva, I.), 218, 49p

Subject index

- Studies of *IRAS* sources at high galactic latitudes – I. Source counts at $l > 60^\circ$ and evidence for a north-south anisotropy of cosmological significance (Rowan-Robinson, M., Walker, D., Chester, T., Soifer, T., Fairclough, J.), 219, 273
- Structure of superclusters and supercluster formation – V. Spatial correlation and voids (Einasto, J., Klypin, A.A., Saar, E.), 219, 457
- On the nature of interstellar grains and the interpretation of the *IRAS* background radiation (Rowan-Robinson, M.), 219, 737
- Survival of the structures in the universe dominated by unstable dark matter (Suto, Y., Noguchi, M.), 219, 841
- Curvature effects on tests for quasar alignment (Edmunds, M.G., George, G.H., Phillips, S.), 219, 865
- The gravitational collapse of triaxial protoclusters (More, J.G., Heavens, A.F., Peacock, J.A.), 220, 189
- Cooling of Population III objects in a pressure supported collapse (Lahav, O.), 220, 259
- A hot intergalactic medium? (Guilbert, P.W., Fabian, A.C.), 220, 439
- Ionization state of the absorption systems in the BL Lac object 0215+015 and properties of low-excitation absorbers (Bergeron, J., D'Odorico, S.), 220, 833
- Pregalactic evolution in cosmologies with cold dark matter (Couchman, H.M.P., Rees, M.J.), 221, 53
- Correlation of QSO absorption lines in universes dominated by cold dark matter (Salmon, J., Hogan, C.), 221, 93
- The cosmic infrared background spectrum (Negroponte, J.), 222, 19
- Evolution and clustering of rich clusters (Kaiser, N.), 222, 323
- A model of the evolution of flat-spectrum radio sources at 5 GHz (Zawiślak-Raczka, J., Kumor-Obryk, B.), 222, 487
- A deep survey of Abell 2218 at 408 and 1407 MHz; 5C 20 (Birkinshaw, M.), 222, 731 and on microfiche
- The spatial correlations of Abell clusters (Coles, P.), 222, 9p
- implications for galaxy formation and large-scale structure (Rees, M.J.), 222, 27p
- Flux conservation and random gravitational lensing (Peacock, J.A.), 223, 113
- Galactochemistry – II. Interstellar deuterium chemistry (Brown, R.D., Rice, E.H.N.), 223, 429
- The light from Population III stars (McDowell, J.C.), 223, 763
- The closed-universe recollapse conjecture (Barrow, J.D., Galloway, G.J., Tipler, F.J.), 223, 835
- Data reduction**
- Alignments of clustered quasars (Subramanian, K., Barrow, J.D.), 218, 587
- Machine measurements of the objective-prism spectra of faint galaxies – I. Plate measurements and initial data reduction (Cooke, J.A., Beard, S.M., Emerson, D., Kelly, B.D., MacGillivray, H.T.), 219, 241
- A sparse-sampling strategy for the estimation of large-scale clustering from redshift surveys (Kaiser, N.), 219, 785
- The luminosity and kinematics of RR Lyrae stars in the solar neighbourhood – I. Statistical parallaxes of RR Lyrae (Strugnell, P., Reid, N., Murray, C.A.), 220, 413
- Mode identification from line profile variations – II. A quantitative least-squares algorithm (Balona, L.A.), 220, 647
- An analysis of the properties of CLEAN and Smoothness Stabilized CLEAN – some warnings (Tan, S.M.), 220, 971
- The spatial correlations of Abell clusters (Coles, P.), 222, 9p
- New method for the determination of the luminosity function of galaxies (Choloniewski, J.), 223, 1
- Hilbert transform analysis of the Elatina varve record of solar activity (Bracewell, R.N., Williams, G.E.), 223, 457
- Uncertainties in the cluster – cluster correlation function (Ling, N.E., Frenk, C.S., Barrow, J.D.), 223, 21p
- Distance scale**
- The luminosity and kinematics of RR Lyrae stars in the solar neighbourhood – I. Statistical parallaxes of RR Lyrae (Strugnell, P., Reid, N., Murray, C.A.), 220, 413
- The luminosity and kinematics of RR Lyrae – II. RR Lyrae and the distance to the LMC (Reid, I.N., Strugnell, P.R.), 221, 887
- A more precise $L-\sigma$ distance indicator (Lucey, J.R.), 222, 417
- Earth**
- Hilbert transform analysis of the Elatina varve record of solar activity (Bracewell, R.N., Williams, G.E.), 223, 457
- Galactic Centre**
- Infrared spectropolarimetry of the Galactic Centre: magnetic alignment in the discrete sources (Aitken, D.K., Roche, P.F., Bailey, J.A., Briggs, G.P., Hough, J.H., Thomas, J.A.), 218, 363
- Characteristic of the H_2CO maser emission in Sgr B2 (Gardner, F.F., Whiteoak, J.B., Forster, J.R., Pankonin, V.), 218, 385

Subject index

- CCD observations of some RR Lyrae stars and a standard sequence in Baade's window (Walker, A.R., Mack, P.), 220, 69
- IRAS* sources in the Sgr I window (Glass, I.S.), 221, 879
- The spatial distribution and velocity field of the molecular hydrogen line emission from the centre of the Galaxy (Gatley, I., Jones, T.J., Hyland, A.R., Wade, R., Geballe, T.R., Krisciunas, K.), 222, 299
- ### Galactic structure and stellar dynamics
- CCD photometry of apparent dwarf galaxies in Fornax (Phillipps, S., Grimley, P.L., Disney, M.J., Cawson, M.G.M., Kibblewhite, E.J.), 218, 289
- Stellar dynamics Cen A (Wilkinson, A., Sharples, R.M., Fosbury, R.A.E., Wallace, P.T.), 218, 297
- Bimodal star formation and remnant-dominated galactic models (Larson, R.B.), 218, 409
- Star formation and some aspects of the chemical evolution of the Galaxy (Rana, N.C., Wilkinson, D.A.), 218, 497
- The spheroids of galaxies: before and after disc formation (Binney, J., May, A.), 218, 743
- Low-latitude radio continuum structure in the fourth galactic quadrant (Jonas, J.L.), 219, 1
- Can galactic bars end well before corotation? (Petrou, M., Papayannopoulos, T.), 219, 157
- The mass distribution of dark clouds in external galaxies (Bhatt, H.C., Williams, I.P.), 219, 217
- H-functions and mixing in violent relaxation (Tremaine, S., Hénon, M., Lynden-Bell, D.), 219, 285
- Simulations of close encounter between galaxies: behaviour of interstellar gas clouds and enhancement of star formation rate (Noguchi, M., Ishibashi, S.), 219, 305
- The dynamical influence of the nucleus on the bulge of M31 (Gerhard, O.E.), 219, 373
- Radial velocities of blue horizontal branch field stars in the outer Galactic halo (Sommer-Larsen, J., Christensen, P.R.), 219, 537
- Are polar rings self-gravitating? (Sparke, L.S.), 219, 657
- Optical and high-resolution H I observations of the massive and unusual lenticular galaxy NGC 5084 (Gottesman, S.T., Hawarden, T.G.), 219, 759
- Global simulations of gas flow in disc galaxies - I. Response to a spiral density wave (Johns, T.C., Nelson, A.H.), 220, 165
- Dynamical friction on a satellite of a disc galaxy (Byrd, G.G., Saarinen, S., Valtonen, M.J.), 220, 619
- Erratum: Stellar dynamics of Cen A (Wilkinson, A., Sharples, R.M., Fosbury, R.A.E., Wallace, P.T.), 220, 799
- Interstellar absorption lines in the directions of extragalactic objects - II. Analysis of 25 sight lines (Morton, D.C., Blades, J.C.), 220, 927
- Kinematics and dynamics of the central region in the barred galaxy NGC 1365 (Teuben, P.J., Sanders, R.H., Atherton, P.D., van Albada, G.D.), 221, 1
- Unstable modes from galaxy simulations (Sellwood, J.A., Athanassoula, E.), 221, 195
- Bi-symmetric instabilities of the Kuz'min/Toomre disc (Athanassoula, E., Sellwood, J.A.), 221, 213
- The apparent counter-rotation of the outer H I emission surrounding M51 (Appleton, P.N., Foster, P.A., Davies, R.D.), 221, 393
- Solar-neighbourhood observations and the structure of the Galaxy (May, A., Binney, J.), 221, 857
- Mass models with Stäckel potentials (de Zeeuw, T., Peletier, R., Franx, M.), 221, 1001
- Review of galactic constants (Kerr, F.J., Lynden-Bell, D.), 221, 1023
- Testing the stability of stellar systems (May, A., Binney, J.), 221, 13p
- Enhanced star formation - the importance of bars in spiral galaxies (Hawarden, T.G., Mountain, C.M., Leggett, S.K., Puxley, P.J.), 221, 41p
- JHKL* observations of *IRAS* sources - III. The galactic bulge (Whitelock, P., Feast, M., Catchpole, R.), 222, 1
- Stochastic stellar orbits in galaxies - II. Melnikov's method in $n \geq 3$ dimensions (Gerhard, O.E.), 222, 287
- Imaging spectroscopy of a spiral arm of the galaxy NGC 1566 (Roy, J.-R., Walsh, J.R.), 223, 39
- The information on large-scale properties of spiral galaxies stored in their kinematics (Persic, M., Salucci, P.), 223, 303
- The peculiar shape of the inner galactic rotation curve (Gerhard, O.E., Vietri, M.), 223, 377
- Alternatives to dark matter (Sanders, R.H.), 223, 539
- A survey of trigonometric parallaxes and proper motions with the UK Schmidt telescope - II. Astrometric and photometric data for a complete sample of 6125 stars brighter than $B - 17.5$, $V - 17.0$ in the South Galactic Cap (Murray, C.A., Argyle, R.W., Corben, P.M.), 223, 629 and on *Microfiche 223/1*
- A survey of trigonometric parallaxes and proper motions with the UK Schmidt telescope - III. Stellar populations, density and luminosity distributions in the South Galactic Cap (Murray, C.A.), 223, 644
- The stellar populations and evolution of H II galaxies - I. High signal-to-noise optical spectroscopy (Campbell, A., Terlevich, R., Melnick, J.), 223, 811
- On the nature of the missing mass in the solar neighbourhood (Hawkins, M.R.S.), 223, 845
- ### Galaxies
- A prominent string of galaxies in Bootes: evidence for a Lagrangian singularity? (Tago, E., Einasto, J., Saar, E.), 218, 177

- CCD photometry of apparent dwarf galaxies in Fornax (Phillipps, S., Grimley, P.L., Disney, M.J., Cawson, M.G.M., Kibblewhite, E.J.), 218, 289
- Stellar dynamics Cen A (Wilkinson, A., Sharples, R.M., Fosbury, R.A.E., Wallace, P.T.), 218, 297
- Bimodal star formation and remnant-dominated galactic models (Larson, R.B.), 218, 409
- The mass distribution of dark clouds in external galaxies (Bhatt, H.C., Williams, I.P.), 219, 217
- Machine measurements of the objective-prism spectra of faint galaxies - I. Plate measurements and initial data reduction (Cooke, J.A., Beard, S.M., Emerson, D., Kelly, B.D., MacGillivray, H.T.), 219, 241
- Machine measurements of the objective-prism spectra of faint galaxies - II. Interactive redshift measurements (Beard, S.M., Cooke, J.A., Emerson, D., MacGillivray, H.T., Kelly, B.D.), 219, 251
- Studies of *IRAS* sources at high galactic latitudes - I. Source counts at $l > 60^\circ$ and evidence for a north-south anisotropy of cosmological significance (Rowan-Robinson, M., Walker, D., Chester, T., Soifer, T., Fairclough, J.), 219, 273
- Simulations of close encounter between galaxies: behaviour of interstellar gas clouds and enhancement of star formation rate (Noguchi, M., Ishibashi, S.), 219, 305
- The dynamical influence of the nucleus on the bulge of M31 (Gerhard, O.E.), 219, 373
- Structure of superclusters and supercluster formation - V. Spatial correlation and voids (Einasto, J., Klypin, A.A., Saar, E.), 219, 457
- Taxonomical analysis of superclusters - II. The A1367/Coma supercluster (Perea, J., Moles, M., del Olmo, A.), 219, 511
- Radio observations of the S0 galaxy NGC 1218 (3C 78) (Saikia, D.J., Subrahmanya, C.R., Patnaik, A.R., Unger, S.W., Cornwell, T.J., Graham, D.A., Prabhu, T.P.), 219, 545
- Are polar rings self-gravitating? (Sparke, L.S.), 219, 657
- Studies of *IRAS* sources at high galactic latitudes - II. Results from a redshift survey at $l > 60^\circ$: distribution in depth, luminosity function, and physical nature of *IRAS* galaxies (Lawrence, A., Walker, D., Rowan-Robinson, M., Leech, K.J., Penston, M.V.), 219, 687
- Optical and high-resolution H I observations of the massive and unusual lenticular galaxy NGC 5084 (Gottesman, S.T., Hawarden, T.G.), 219, 759
- A sparse-sampling strategy for the estimation of large-scale clustering from redshift surveys (Kaiser, N.), 219, 785
- Survival of the structures in the universe dominated by unstable dark matter (Suto, Y., Noguchi, M.), 219, 841
- Submillimetre continuum observations of NGC 253 (Gear, W.K., Gee, G., Robson, E.I., Ade, P.A.R., Duncan, W.D.), 219, 19p
- Optical polarization in the spiral galaxy NGC 7331 (King, D.J.), 220, 485
- The Centaurus cluster of galaxies - I. The data (Dickens, R.J., Currie, M.J., Lucey, J.R.), 220, 679
- Mass-to-light ratios in elliptical galaxies (Arnaud, K.A., Gilmore, G.), 220, 759
- Three-dimensional structure in field 349 of the southern sky survey - I. Redshifts for a magnitude-limited sample of galaxies from slit spectra (Parker, Q.A., MacGillivray, H.T., Hill, P.W., Dodd, R.J.), 220, 901
- A cooling flow in the giant, elliptical galaxy NGC 4472 (Thomas, P.A.), 220, 949
- A search for OH maser emission from spiral galaxies (Unger, S.W., Chapman, J.M., Cohen, R.J., Hawarden, T.G., Mountain, C.M.), 220, 1p
- Kinematics and dynamics of the central region in the barred galaxy NGC 1365 (Teuben, P.J., Sanders, R.H., Atherton, P.D., van Albada, G.D.), 221, 1
- A complete galaxy redshift sample - III. Methods and catalogue (Peterson, B.A., Ellis, R.S., Efstathiou, G., Shanks, T., Bean, A.J., Fong, R., Zen-Long, Z.), 221, 233
- Thermal instability in cooling flows (Nulsen, P.E.J.), 221, 377
- The apparent counter-rotation of the outer H I emission surrounding M51 (Appleton, P.N., Foster, P.A., Davies, R.D.), 221, 393
- The Centaurus cluster of galaxies - II. The bimodal velocity structure (Lucey, J.R., Currie, M.J., Dickens, R.J.), 221, 453
- Emission-line galaxies in the Virgo region (He, X.-T., Impey, C.D.), 221, 727
- Selection effects in the bivariate brightness distribution for spiral galaxies (Phillipps, S., Disney, M.), 221, 1039
- A lower limit to the binding mass of early-type galaxies (Fabian, A.C., Thomas, P.A., Fall, S.M., White III, R.E.), 221, 1049
- Enhanced star formation - the importance of bars in spiral galaxies (Hawarden, T.G., Mountain, C.M., Leggett, S.K., Puxley, P.J.), 221, 41p
- A more precise $L - \sigma$ distance indicator (Lucey, J.R.), 222, 417
- The Centaurus cluster of galaxies - III. Its structure and the distribution of the different galaxy types (Lucey, J.R., Currie, M.J., Dickens, R.J.), 222, 427
- Observations of H₂O masers in nearby galaxies (Whiteoak, J.B., Gardner, F.F.), 222, 513
- The orientation of galaxies in the Local Supercluster (Flin, P., Godlowski, W.), 222, 525
- The two-dimensional covariance function for *IRAS* sources (Rowan-Robinson, M., Needham, G.), 222, 611
- The prevalence of cooling flows in early-type galaxies (Thomas, P.A., Fabian, A.C., Arnaud, K.A., Forman, W., Jones, C.), 222, 655
- Ring galaxies - II. Classification and statistics (Few, J.M.A., Madore, B.F.), 222, 673 and on microfiche

Subject index

- A search for QSOs in the fields of nearby galaxies – II. NGC 55,253,300 and 5364 (Monk, A.S., Penston, M.V., Pettini, M., Blades, J.C.), 222, 787
- New method for the determination of the luminosity function of galaxies (Choloniewski, J.), 223, 1
- A complete galaxy redshift sample – IV. Optical and infrared colour–luminosity relations (Mobasher, B., Ellis, R.S., Sharples, R.M.), 223, 11
- Imaging spectroscopy of a spiral arm of the galaxy NGC 1566 (Roy, J.-R., Walsh, J.R.), 223, 39
- Disc galaxies and their environments; the relative populations of subclasses of ordinary and barred spiral galaxies in the various environments (Kumai, Y., Taniguchi, Y., Ishii, H.), 223, 139
- The identification of *IRAS* point sources – I.A304 deg² field centred on the South Galactic Pole (Wolstencroft, R.D., Savage, A., Clowes, R.G., MacGillivray, H.T., Leggett, S.K., Kalafi, M.), 223, 279
- The information on large-scale properties of spiral galaxies stored in their kinematics (Persic, M., Salucci, P.), 223, 303
- The stellar populations and evolution of H II galaxies – I. High signal-to-noise optical spectroscopy (Campbell, A., Terlevich, R., Melnick, J.), 223, 811
- Galaxies – active**
- The Parkes selected regions: powerful radio galaxies and quasars at high redshifts (Downes, A.J.B., Peacock, J.A., Savage, A., Carrie, D.R.), 218, 31
- Infrared photometry of the nuclei of early-type radio galaxies (Sparkes, W.B., Hough, J.H., Axon, D.J., Bailey, J.), 218, 429
- Narrow line profiles and interacting gas flows in active galaxies (Mardaljevic, J., Raine, D.J., Smith, M.D.), 218, 651
- The X-ray spectrum and variability of Markarian 421 (Warwick, R.S., George, I.M., McHardy, I., Pounds, K.A.), 219, 39
- 1011+496 and 1217+348: two new candidate BL Lacertae objects (Wisniewski, W.Z., Sitko, M.L., Sitko, A.K.), 219, 299
- The extremely low dust content of blue compact galaxies: results of *IRAS* observations (Gondhalekar, P.M., Morgan, D.H., Dopita, M., Ellis, R.S.), 219, 505
- An ultraviolet and optical study of the broad-line radio galaxy 3C 382 (Tadhunter, C.N., Pérez, E., Fosbury, R.A.E.), 219, 555
- Radio sources in giant E and S0 galaxies (Cordey, R.A.), 219, 575
- The spectral shape and variability of the blazar 3C 446 (Brown, L.M.J., Robson, E.I., Gear, W.K., Crosthwaite, R.P., McHardy, I.M., Hanson, C.G., Geldzahler, B.J., Webb, J.R.), 219, 671
- Radio observations of extended sources suspected of having steep-spectrum cores (Saikia, D.J., Kulkarni, V.K., Porcas, R.W.), 219, 719
- A sample of powerful radio sources for VLBI studies (Cawthorne, T.V., Scheuer, P.A.G., Morison, I., Muxlow, T.W.B.), 219, 883
- New ultra-luminous galaxies (Fairclough, J.H.), 219, 1P
- PKS 2005–489: a very bright BL Lac object in a nearby galaxy (Wall, J.V., Danziger, I.J., Pettini, M., Warwick, R.S., Wamsteker, W.), 219, 23P
- Multifrequency observations of the wide-angle tail radio source 1313+073 (Patnaik, A.R., Malkan, M.A., Salter, C.J.), 220, 351
- High-resolution X-ray and radio observations of the giant elliptical galaxies NGC 4636 and 4649 (Stanger, V.J., Warwick, R.S.), 220, 363
- Erratum: Stellar dynamics of Cen A (Wilkinson, A., Sharples, R.M., Fosbury, R.A.E., Wallace, P.T.), 220, 799
- The relationship between the radio and infrared luminosities of 3CR radio galaxies (Yates, M.G., Miller, L., Peacock, J.A.), 221, 311
- Simultaneous optical and infrared polarization measurements of blazars (Brindle, C., Hough, J.H., Bailey, J.A., Axon, D.J., Hyland, A.R.), 221, 739
- Effect of electron–photon cascading on the observed energy spectra of extragalactic sources of ultra-high-energy γ -rays (Protheroe, R.J.), 221, 769
- Pair-induced spectral changes and variability in compact X-ray sources (Fabian, A.C., Blandford, R.D., Guilbert, P.W., Phinney, E.S., Cuellar, L.), 221, 931
- A new OH megamaser galaxy: *IRAS* 11506–3851 (Norris, R.P., Whiteoak, J.B., Gardner, F.F., Allen, D.A., Roche, P.F.), 221, 51P
- Orientations of extended radio sources in the Third Bologna (B3) catalogue (Sanders, R.H., Bridle, A.H., Clark, B.G.), 221, 69P
- Funnel stability and VLBI-jet luminosity (Turolla, R., Zaninetti, L.), 222, 37
- A model of the evolution of flat-spectrum radio sources at 5 GHz (Zawiślak-Raczka, J., Kumor-Obyrk, B.), 222, 487
- A relationship between the X-ray luminosity and redshift of extragalactic objects (Giovannelli, F., Polcaro, V.F.), 222, 619
- A deep survey of Abell 2218 at 408 and 1407 MHz; 5C 20 (Birkinshaw, M.), 222, 731 and on *microfiche*
- The polarization of classical double radio sources (Leahy, J.P., Pooley, G.G., Riley, J.M.), 222, 753
- Erratum: A sample of powerful radio sources for VLBI studies (Cawthorne, T.V., Scheuer, P.A.G., Morison, I., Muxlow, T.W.B.), 222, 895
- Galaxies – formation of**
- Isocurvature cold dark matter fluctuations (Efsthathiou, G., Bond, J.R.), 218, 103

Subject index

- A prominent string of galaxies in Bootes: evidence for a Lagrangian singularity? (Tago, E., Einasto, J., Saar, E.), 218, 177
- A radio search for primordial pancakes (Bebington, D.H.O.), 218, 577
- Cosmology with unstable dark matter (Suto, Y., Kodama, H., Sato, K.), 218, 637
- Pregalactic evolution in cosmologies with cold dark matter (Couchman, H.M.P., Rees, M.J.), 221, 53
- Evolution and clustering of rich clusters (Kaiser, N.), 222, 323
- Baryon concentration in string wakes at z 200: implications for galaxy formation and large-scale structure (Rees, M.J.), 222, 27p

Galaxies – nuclei

- Infrared photometry of the nuclei of early-type radio galaxies (Sparkes, W.B., Hough, J.H., Axon, D.J., Bailey, J.), 218, 429
- High-resolution mapping of the nucleus of NGC 5128 (Cen A) at JH and K (Giles, A.B.), 218, 615
- The parsec-scale structure of the radio nucleus of NGC 4151 (Harrison, B., Pedlar, A., Unger, S.W., Burgess, P., Graham, D.A., Preuss, E.), 218, 775
- NGC 4418; a very extinguished galaxy (Roche, P.F., Aitken, D.K., Smith, C.H., James, S.D.), 218, 19p
- The properties of the nuclei of the two hot spot galaxies NGC 1097 and 2997 (Walsh, J.R., Nandy, K., Thompson, G.I., Meaburn, J.), 220, 453
- Observations of 1.4-GHz H I and 1.667-GHz OH transitions in NGC 5793, a spiral galaxy with a very luminous radio nucleus (Gardner, F.F., Whiteoak, J.B.), 221, 537
- Detection of broad ultraviolet Fe II lines in the spectrum of NGC 1068 (Snijders, M.A.J., Netzer, H., Boksenberg, A.), 222, 549

Galaxies – Seyfert

- Some new bright southern Seyfert galaxies (Fairall, A.P.), 218, 453
- Some implications of excess soft X-ray emission from Seyfert 1 galaxies (Fabian, A.C., Guilbert, P.W., Arnaud, K.A., Shafer, R.A., Tennant, A.F., Ward, M.J.), 218, 457
- IUE observations of the highly luminous Seyfert galaxy ESO 113 – 1G45 (Fairall 9) (Masegosa, J., Moles, M., Penston, M.V.), 218, 541
- The soft X-ray spectrum of NGC 4151 (Pounds, K.A., Warwick, R.S., Culhane, J.L., de Korte, P.A.J.), 218, 685
- The radio source in the very luminous gamma-ray Seyfert galaxy MCG 8-11-11 (Ulvestad, J.S., Wilson, A.S.), 218, 711
- The parsec-scale structure of the radio nucleus of NGC 4151 (Harrison, B., Pedlar, A., Unger, S.W.,

- Burgess, P., Graham, D.A., Preuss, E.), 218, 775
- Extra-nuclear molecular hydrogen in NGC 1068 (Reay, N.K., Atherton, P.D., Walton, N.A.), 218, 13p
- Compact radio components in Seyfert galaxies (Unger, S.W., Pedlar, A., Booler, R.V., Harrison, B.A.), 219, 337
- Variations of the Seyfert galaxy Fairall 9 (Glass, I.S.), 219, 5p
- Rapid X-ray variability of the Seyfert galaxy MCG-6-30-15 (Pounds, K.A., Turner, T.J., Warwick, R.S.), 221, 7p
- Extended [O III] emission associated with nuclear radio lobes in the Seyfert galaxy NGC 5929 (Whittle, M., Haniff, C.A., Ward, M.J., Meurs, E.J.A., Pedlar, A., Unger, S.W., Axon, D.J., Harrison, B.A.), 222, 189
- Detection of broad ultraviolet Fe II lines in the spectrum of NGC 1068 (Snijders, M.A.J., Netzer, H., Boksenberg, A.), 222, 549
- A relationship between the X-ray luminosity and redshift of extragalactic objects (Giovannelli, F., Polcaro, V.F.), 222, 619
- EXOSAT observations of the Seyfert galaxy NGC 7469: rapid hard X-ray variability and a soft X-ray excess (Barr, P.), 223, 29p

Galaxy clusters

- A prominent string of galaxies in Bootes: evidence for a Lagrangian singularity? (Tago, E., Einasto, J., Saar, E.), 218, 177
- Cosmology with unstable dark matter (Suto, Y., Kodama, H., Sato, K.), 218, 637
- Space distribution of nearby superclusters of galaxies (Kalinkov, M., Kuneva, I.), 218, 49p
- Machine measurements of the objective-prism spectra of faint galaxies – II. Interactive redshift measurements (Beard, S.M., Cooke, J.A., Emerson, D., MacGillivray, H.T., Kelly, B.D.), 219, 251
- Studies of IRAS sources at high galactic latitudes – I. Source counts at $|b| > 60^\circ$ and evidence for a north-south anisotropy of cosmological significance (Rowan-Robinson, M., Walker, D., Chester, T., Soifer, T., Fairclough, J.), 219, 273
- Structure of superclusters and supercluster formation – V. Spatial correlation and voids (Einasto, J., Klypin, A.A., Saar, E.), 219, 457
- Taxonomical analysis of superclusters – II. The A1367/Coma supercluster (Pera, J., Moles, M., del Olmo, A.), 219, 511
- A sparse-sampling strategy for the estimation of large-scale clustering from redshift surveys (Kaiser, N.), 219, 785
- Survival of the structures in the universe dominated by unstable dark matter (Suto, Y., Noguchi, M.), 219, 841
- The gravitational collapse of triaxial protoclusters (More, J.G., Heavens, A.F., Peacock, J.A.), 220, 189

Subject index

- the Centaurus cluster of galaxies - I. The data (Dickens, R.J., Currie, M.J., Lucey, J.R.), 220, 679
- Heating and cooling in clusters of galaxies (Miller, L.), 220, 713
- Three-dimensional structure in field 349 of the southern sky survey - I. Redshifts for a magnitude-limited sample of galaxies from slit spectra (Parker, Q.A., MacGillivray, H.T., Hill, P.W., Dodd, R.J.), 220, 901
- Galaxy orbits in the Coma cluster (Millington, S.J.C., Peach, J.V.), 221, 15
- Thermal instability in cooling flows (Nulsen, P.E.J.), 221, 377
- The Centaurus cluster of galaxies - II. The bimodal velocity structure (Lucey, J.R., Currie, M.J., Dickens, R.J.), 221, 453
- Quasars and the Virgo cluster (Impey, C.D., He, X.-T.), 221, 897
- Selection effects in the bivariate brightness distribution for spiral galaxies (Phillipps, S., Disney, M.), 221, 1039
- Taxonomical analysis of the Cancer cluster of galaxies (Perea, J., Moles, M., del Olmo, A.), 222, 49
- Evolution and clustering of rich clusters (Kaiser, N.), 222, 323
- A more precise $L - \sigma$ distance indicator (Lucey, J.R.), 222, 417
- The Centaurus cluster of galaxies - III. Its structure and the distribution of the different galaxy types (Lucey, J.R., Currie, M.J., Dickens, R.J.), 222, 427
- The orientation of galaxies in the Local Supercluster (Flin, P., Godlowski, W.), 222, 525
- The two-dimensional covariance function for *IRAS* sources (Rowan-Robinson, M., Needham, G.), 222, 611
- A deep survey of Abell 2218 at 408 and 1407 MHz; 5C 20 (Birkinshaw, M.), 222, 731 and on *microfiche*
- The spatial correlations of Abell clusters (Coles, P.), 222, 9p
- Baryon concentration in string wakes at $z \approx 200$: implications for galaxy formation and large-scale structure (Rees, M.J.), 222, 27p
- Disc galaxies and their environments; the relative populations of subclasses of ordinary and barred spiral galaxies in the various environments (Kumai, Y., Taniguchi, Y., Ishii, H.), 223, 139
- Galaxy correlations at high redshift and the environment of quasars (Phillipps, S.), 223, 173
- Uncertainties in the cluster - cluster correlation function (Ling, N.E., Frenk, C.S., Barrow, J.D.), 223, 21p
- Gamma-ray astronomy**
- Effect of electron-photon cascading on the observed energy spectra of extragalactic sources of ultra-high-energy γ -rays (Protheroe, R.J.), 221, 769

Gravitation and gravitational radiation

- Gravitational radiation from cosmological phase transitions (Hogan, C.J.), 218, 629
- On local conditions for multiple imaging by bounded, smooth gravitational lenses (Subramanian, K., Cowling, S.A.), 219, 333
- On gravitational field energy of a charged black hole (Dadhich, N., Chellathurai, V.), 220, 555
- Field energy of a charged black hole (Lynden-Bell, D.), 221, 25p
- g -modes of non-radially pulsating relativistic stars: the slow-motion formalism (Finn, L.S.), 222, 393
- Flux conservation and random gravitational lensing (Peacock, J.A.), 223, 113
- Alternatives to dark matter (Sanders, R.H.), 223, 539

Herbig-Haro objects

- The discovery of high-speed ionized knots in the H II regions M16 (NGC 6611) and the Rosette nebula (NGC 2237-2246) (Meaburn, J., Walsh, J.R.), 220, 745
- The Herbig-Haro-like objects in M42 (Taylor, K., Dyson, J.E., Axon, D.J., Hughes, S.), 221, 155
- Molecular hydrogen mapping of Herbig-Haro 7-11; a filamentary bullet? (Lightfoot, J.F., Glencross, W.M.), 221, 993
- A protostellar jet model for Herbig-Haro 2 (Lightfoot, J.F., Glencross, W.M.), 221, 47p

Infrared astronomy

- Discovery of a large mass of iron in a type I supernova (Graham, J.R., Meikle, W.P.S., Allen, D.A., Longmore, A.J., Williams, P.M.), 218, 93
- Infrared spectropolarimetry of the Galactic Centre: magnetic alignment in the discrete sources (Aitken, D.K., Roche, P.F., Bailey, J.A., Briggs, G.P., Hough, J.H., Thomas, J.A.), 218, 363
- Infrared photometry of the nuclei of early-type radio galaxies (Sparkes, W.B., Hough, J.H., Axon, D.J., Bailey, J.), 218, 429
- High-resolution mapping of the nucleus of NGC 5128 (Cen A) at J , H and K (Giles, A.B.), 218, 615
- A bipolar nebula in Orion identified with the *IRAS* source 05329 - 0505 (Wolstencroft, R.D., Scarrott, S.M., Warren-Smith, R.F., Walker, H.J., Reipurth, B., Savage, A.), 218, 1p
- Extra-nuclear molecular hydrogen in NGC 1068 (Reay, N.K., Atherton, P.D., Walton, N.A.), 218, 13p
- NGC 4418; a very extinguished galaxy (Roche, P.F., Aitken, D.K., Smith, C.H., James, S.D.), 218, 19p
- Amorphous bronzite - a silicate of astronomical importance (Dorschner, J., Friedemann, C., Gürtler, J., Henning, Th., Wagner, H.), 218, 37p

- Studies of *IRAS* sources at high galactic latitudes – I. Source counts at $l > 60^\circ$ and evidence for a north-south anisotropy of cosmological significance (Rowan-Robinson, M., Walker, D., Chester, T., Soifer, T., Fairclough, J.), 219, 273
- 1011+496 and 1217+348: two new candidate BL Lacertae objects (Wisniewski, W.Z., Sitko, M.L., Sitko, A.K.), 219, 299
- The extremely low dust content of blue compact galaxies: results of *IRAS* observations (Gondhalekar, P.M., Morgan, D.H., Dopita, M., Ellis, R.S.), 219, 505
- Star formation in the Magellanic Clouds – III. IR observations of giant H II regions (Jones, T.J., Hyland, A.R., Straw, S., Harvey, P.M., Wilking, B.A., Joy, M., Gatley, I., Thomas, J.A.), 219, 603
- The spectral shape and variability of the blazar 3C 446 (Brown, L.M.J., Robson, E.I., Gear, W.K., Crosthwaite, R.P., McHardy, I.M., Hanson, C.G., Geldzahler, B.J., Webb, J.R.), 219, 671
- Studies of *IRAS* sources at high galactic latitudes – II. Results from a redshift survey at $l > 60^\circ$: distribution in depth, luminosity function, and physical nature of *IRAS* galaxies (Lawrence, A., Walker, D., Rowan-Robinson, M., Leech, K.J., Penston, M.V.), 219, 689
- On the nature of interstellar grains and the interpretation of the *IRAS* background radiation (Rowan-Robinson, M.), 219, 737
- Submillimetre observations of a disc around the embedded source GL 490 (Gear, W.K., Gee, G., Robson, E.I., Ade, P.A.R., Duncan, W.D.), 219, 835
- New ultra-luminous galaxies (Fairclough, J.H.), 219, 1p
- Variations of the Seyfert galaxy Fairall 9 (Glass, I.S.), 219, 5p
- Submillimetre continuum observations of NGC 253 (Gear, W.K., Gee, G., Robson, E.I., Ade, P.A.R., Duncan, W.D.), 219, 19p
- An infrared image of the Hourglass region of M 8 (Allen, D.A.), 219, 35p
- Simultaneous optical, infrared and microwave observations of the flare star AT Mic (Nelson, G.J., Robinson, R.D., Slee, O.B., Ashley, M.C.B., Hyland, A.R., Tuohy, I.R., Nikoloff, I., Vaughan, A.E.), 220, 91
- CO observations of sources from *IRAS* Circular No. 9 (Arquilla, R., Leahy, D.A., Kwok, S.), 220, 125
- High-resolution infrared spectroscopy: a search for the 11.52- μ m graphite feature (Glasse, A.C.H., Towlson, W.A., Aitken, D.K., Roche, P.F.), 220, 185
- An extremely luminous bipolar H₂ flow in the DR21 star-forming region (Garden, R., Geballe, T.R., Gatley, I., Nadeau, D.), 220, 203
- RR Lyrae stars in globular clusters: better distances from infrared measurements (Longmore, A.J., Fernley, J.A., Jameson, R.F.), 220, 279
- Interpretation of $\Delta v \approx 2$ carbon monoxide lines in the spectrum of α Her (Höflich, P., Lowe, R.P., Moorhead, J., Scholz, M., Wehlauf, W., Wehrse, R.), 220, 377
- Infrared recombination line profiles: a diagnostic probe of the velocity field in the S106 stellar wind (Garden, R.P., Geballe, T.R.), 220, 611
- Mass-to-light ratios in elliptical galaxies (Arnau, K.A., Gilmore, G.), 220, 759
- Far-infrared observations of the quasar 0241+62 (Coe, M.J., Dean, A.J., Sembay, S., Ferrari-Toniolo, M., Persi, P., Spinoglio, L., Bassani, L., Elsmore, B.), 220, 781
- The spatial extent and nature of the 3- μ m emission features in HD 97048 and CPD -56°8032 (Roche, P.F., Allen, D.A., Bailey, J.A.), 220, 7p
- Peculiar infrared and optical behaviour in Type 1 supernovae and the origin of the 1.2 μ m feature (Graham, J.R.), 220, 27p
- The infrared spectral properties of planetary nebulae (Roche, P.F., Aitken, D.K.), 221, 63
- The relationship between the radio and infrared luminosities of 3CR radio galaxies (Yates, M.G., Miller, L., Peacock, J.A.), 221, 311
- The infrared flux method and its use for study of α Boo, μ Her and β Dra; relation to the Vega 1.2–5 μ m infrared excess (Blackwell, D.E., Booth, A.J., Petford, A.D., Leggett, S.K., Mountain, C.M., Selby, M.J.), 221, 427
- A near-infrared survey of the L1641 dark cloud (Nakajima, T., Nagata, T., Nishida, M., Sato, S., Kawara, K.), 221, 483
- Infrared cirrus and H I in directions near the LMC (McGee, R.X., Haynes, R.F., Grogan, R.J.-M., Malin, D.), 221, 543
- Molecular hydrogen in S106 (Longmore, A.J., Robson, E.I., Jameson, R.F.), 221, 589
- Simultaneous optical and infrared polarization measurements of blazars (Brindle, C., Hough, J.H., Bailey, J.A., Axon, D.J., Hyland, A.R.), 221, 739
- Analysis of the infrared echo of supernova 1982e in NGC 1332 (Graham, J.R., Meikle, W.P.S.), 221, 789
- IRAS* sources in the Sgr I window (Glass, I.S.), 221, 879
- Models for *IRAS* observations of compact galactic H II regions (Crawford, J., Rowan-Robinson, M.), 221, 923
- Molecular hydrogen mapping of Herbig-Haro 7–11; a filamentary bullet? (Lightfoot, J.F., Glencross, W.M.), 221, 993
- Are the *IRAS*-detected Apollo asteroids extinct comets? (Davies, J.K.), 221, 19p
- Enhanced star formation – the importance of bars in spiral galaxies (Hawarden, T.G., Mountain, C.M., Leggett, S.K., Puxley, P.J.), 221, 41p
- JHKL* observations of *IRAS* sources – III. The galactic bulge (Whitelock, P., Feast, M., Catchpole, R.), 222, 1

Subject index

- The cosmic infrared background spectrum (Negroponte, J.), 222, 19
- Models for *IRAS* observations of circumstellar dust shells around late-type stars (Rowan-Robinson, M., Lock, T.D., Walker, D.W., Harris, S.), 222, 273
- The spatial distribution and velocity field of the molecular hydrogen line emission from the centre of the Galaxy (Gatley, I., Jones, T.J., Hyland, A.R., Wade, R., Geballe, T.R., Krisciunas, K.), 222, 299
- Grain size and geometrical effects in the Eta Carinae dust shell (Mitchell, R.M., Robinson, G.), 222, 347
- IRAS* observations of R Cor Bor stars (Rao, N.K., Nandy, K.), 222, 357
- Infrared photometry of Magellanic Cloud Cepheids. Intrinsic properties of Cepheids and the spatial structure of the Clouds (Laney, C.D., Stobie, R.S.), 222, 449
- The two-dimensional covariance function for *IRAS* sources (Rowan-Robinson, M., Needham, G.), 222, 611
- Infrared polarization in OMC-1 – discovery of a molecular hydrogen reflection nebula (Hough, J.H., Axon, D.J., Burton, M.G., Gatley, I., Sato, S., Bailey, J., McCaughrean, M.J., McLean, I.S., Nagata, T., Allen, D., Garden, R.P., Hasegawa, T., Hayashi, M., Kaifu, N., Morimoto, M., Walther, D.), 222, 629
- An infrared and visual study of the structure and variability of the cataclysmic binary V2051 Ophiuchi (Berriman, G., Kenyon, S., Bailey, J.), 222, 871
- A complete galaxy redshift sample – IV. Optical and infrared colour–luminosity relations (Mobasher, B., Ellis, R.S., Sharples, R.M.), 223, 11
- The identification of *IRAS* point sources – I. A304 deg² field centred on the South Galactic Pole (Wolstencroft, R.D., Savage, A., Clowes, R.G., MacGillivray, H.T., Leggett, S.K., Kalafi, M.), 223, 279
- Near-infrared observations of Bok globules (Casali, M.M.), 223, 341
- Narrow-band 1-to 5- μ m photometry of A-type stars (Leggett, S.K., Bartholomew, M., Mountain, C.M., Selby, M.J.), 223, 443
- The origin of the visual and infrared pulsations in the intermediate polar FO Aqr (H2215-086) (Berriman, G., Bailey, J., Axon, D.J., Hough, J.H.), 223, 449
- Infrared polarimetry of the reflection nebula near L 1551 IRS 5 (Nagata, T., Yamashita, T., Sato, S., Suzuki, H., Hough, J.H., Garden, R., Gatley, I.), 223, 7p
- Observations of an extremely broad molecular hydrogen S(1) line profile (Burton, M.G., Geballe, T.R.), 223, 13p
- Instruments and techniques**
- Automated quasar detection in the SGP field: a clustering study (Clowes, R.G.), 218, 139

Atmospheric dispersion correctors at the Cassegrain focus (Wynne, C.G., Worswick, S.P.), 220, 657

Intergalactic medium

- Isocurvature cold dark matter fluctuations (Efsthathiou, G., Bond, J.R.), 218, 103
- Lyman absorption lines in quasar spectra: evidence for gravitationally-confined gas in dark minihaloes (Rees, M.J.), 218, 25p
- Spectroscopy of the QSOs Q0118-031 A,B,C (Robertson, J.G., Shaver, P.A., Surdej, J., Swings, J.P.), 219, 403
- Absorption lines and the radio structure of quasars (Swarup, G., Saikia, D.J., Beltrametti, M., Sinha, R.P., Salter, C.J.), 220, 1
- The remarkable absorption-line systems in the quasar Tololo 1037-27 (Ulrich, M.H., Perryman, M.A.C.), 220, 429
- A hot intergalactic medium? (Guilbert, P.W., Fabian, A.C.), 220, 439
- Ionization state of the absorption systems in the BL Lac object 0215+015 and properties of low-excitation absorbers (Bergeron, J., D'Odorico, S.), 220, 833
- A cooling flow in the giant, elliptical galaxy NGC 4472 (Thomas, P.A.), 220, 949
- Galaxy orbits in the Coma cluster (Millington, S.J.C., Peach, J.V.), 221, 15
- Correlation of QSO absorption lines in universes dominated by cold dark matter (Salmon, J., Hogan, C.), 221, 93
- Thermal instability in cooling flows (Nulsen, P.E.J.), 221, 377
- Quasars and the Virgo cluster (Impey, C.D., He, X.-T.), 221, 897
- The light from Population III stars (McDowell, J.C.), 223, 763

Interplanetary medium

- Collisions in the Solar System – III. Meteoroid survival times (Steel, D.I., Elford, W.G.), 218, 185

Interstellar grains

- Infrared spectropolarimetry of the Galactic Centre: magnetic alignment in the discrete sources (Aitken, D.K., Roche, P.F., Bailey, J.A., Briggs, G.P., Hough, J.H., Thomas, J.A.), 218, 363
- A bipolar nebula in Orion identified with the *IRAS* source 05329 – 0505 (Wolstencroft, R.D., Scarrott, S.M., Warren-Smith, R.F., Walker, H.J., Reipurth, B., Savage, A.), 218, 1p
- NGC 4418: a very extinguished galaxy (Roche, P.F., Aitken, D.K., Smith, C.H., James, S.D.), 218, 19p

Subject index

Amorphous bronzite – a silicate of astronomical importance (Dorschner, J., Friedemann, C., Gürtler, J., Henning, Th., Wagner, H.), 218, 37p

Electric charge on ionic grains (Jones, A.P., Williams, D.A.), 219, 441

The extremely low dust content of blue compact galaxies: results of *IRAS* observations (Gondhalekar, P.M., Morgan, D.H., Dopita, M., Ellis, R.S.), 219, 505

On the nature of interstellar grains and the interpretation of the *IRAS* background radiation (Rowan-Robinson, M.), 219, 737

PAH molecules and carbon dust in interstellar clouds (Duley, W.W., Williams, D.A.), 219, 859

The variation of interstellar extinction in the ultraviolet (Camochan, D.J.), 219, 903

Submillimetre continuum observations of NGC 253 (Gear, W.K., Gee, G., Robson, E.I., Ade, P.A.R., Duncan, W.D.), 219, 19p

High-resolution infrared spectroscopy: a search for the 11.52- μ m graphite feature (Glasse, A.C.H., Towlson, W.A., Aitken, D.K., Roche, P.F.), 220, 185

The spatial extent and nature of the 3- μ m emission features in HD 97048 and CPD-568032 (Roche, P.F., Allen, D.A., Bailey, J.A.), 220, 7p

The infrared spectral properties of planetary nebulae (Roche, P.F., Aitken, D.K.), 221, 63

Interstellar planetesimals – II. Radiative instability in dense molecular clouds (Napier, W.M., Humphries, C.M.), 221, 105

A laboratory simulation of grain destruction in interstellar shocks (Duley, W.W., Boehlau, E.), 221, 659

Charge-controlled grain destruction during the 'isothermal' phase of novae (Mitchell, R.M., Evans, A., Albinson, J.S.), 221, 663

Analysis of the infrared echo of supernova 1982e in NGC 1332 (Graham, J.R., Meikle, W.P.S.), 221, 789

Models for *IRAS* observations of compact galactic H II regions (Crawford, J., Rowan-Robinson, M.), 221, 923

Models for *IRAS* observations of circumstellar dust shells around late-type stars (Rowan-Robinson, M., Lock, T.D., Walker, D.W., Harris, S.), 222, 273

Grain size and geometrical effects in the Eta Carinae dust shell (Mitchell, R.M., Robinson, G.), 222, 347

IRAS observations of R Cor Bor stars (Rao, N.K., Nandy, K.), 222, 357

Large dust grains in the dark cloud B5 (Bhatt, H.C.), 222, 383

The formation of interstellar H₂O on amorphous silicate grains (Duley, W.W., Williams, D.A.), 223, 177

EXAFS studies of interstellar dust (Evans, A.), 223, 219

Near-infrared observations of Bok globules (Casali, M.M.), 223, 341

Infrared polarimetry of the reflection nebula near I 1551 IRS 5 (Nagata, T., Yamashita, T., Sato, S., Suzuki, H., Hough, J.H., Garden, R., Gailey, I.), 223, 7p

Observations of an extremely broad molecular hydrogen S(1) line profile (Burton, M.G., Geballe, T.R.), 223, 13p

Interstellar medium

Narrow line profiles and interacting gas flows in active galaxies (Mardaljevic, J., Raine, D.J., Smith, M.D.), 218, 651

Dissipation of magnetic fields in very dense interstellar clouds – I. Formulation and conditions for efficient dissipation (Nakano, T., Umebayashi, T.), 218, 663

An estimation of the radial distribution of molecular hydrogen in the Galaxy from the star formation rates (Rana, N.C., Wilkinson, D.A.), 218, 721

Theoretical studies of interstellar molecular shocks – II. Molecular hydrogen cooling and rotational level populations (Flower, D.R., Pineau-des-Forêts, G., Hartquist, T.W.), 218, 729

The mass distribution of dark clouds in external galaxies (Bhatt, H.C., Williams, I.P.), 219, 217

Simulations of close encounter between galaxies: behaviour of interstellar gas clouds and enhancement of star formation rate (Noguchi, M., Ishibashi, S.), 219, 305

Neutral hydrogen towards 3C 10, the remnant of Tycho's supernova (Albinson, J.S., Tuffs, R.J., Swinbank, E., Gull, S.F.), 219, 427

PAH molecules and carbon dust in interstellar clouds (Duley, W.W., Williams, D.A.), 219, 859

Refractive effects in pulsar scintillation (Romani, R.W., Narayan, R., Blandford, R.), 220, 19

Evidence for a high-density electron layer from the spatial distribution of pulsars (Krishnamohan, S.), 220, 119

Multicomponent, reacting MHD flows (Draine, B.T.), 220, 133

Multicomponent reacting MHD flows – a reply (Flower, D.R., Pineau des Forêts, G.), 220, 149

Global simulations of gas flow in disc galaxies – I. Response to a spiral density wave (Johns, T.C., Nelson, A.H.), 220, 165

Interstellar zinc revisited: possible depletion in high-density sight-lines (Harris, A.W., Mas Hesse, J.M.), 220, 271

Interstellar absorption lines in the directions of extragalactic objects – II. Analysis of 25 sight lines (Morton, D.C., Blades, J.C.), 220, 927

A cooling flow in the giant, elliptical galaxy NGC 4472 (Thomas, P.A.), 220, 949

Dissipation of magnetic fields in very dense interstellar clouds – II. Final phases of star formation and the magnetic flux of a newborn star (Nakano, T., Umebayashi, T.), 221, 319

Subject index

- Infrared cirrus and H I in directions near the LMC (McGee, R.X., Haynes, R.F., Groganard, R.J.-M., Malin, D.), 221, 543
- The chemistry of SH⁺ in shocked interstellar gas (Millar, T.J., Adams, N.G., Smith, D., Lindinger, W., Villinger, H.), 221, 673
- A neutral hydrogen bipole associated with UW CMa (Denby, B., Taylor, K.N.R.), 221, 707
- The supernova remnant OA 184 (G166.2+2.5) and associated H I (Routledge, D., Landecker, T.L., Vaneldik, J.F.), 221, 809
- Some considerations on the origin of nitrogen (Matteucci, F.), 221, 911
- A lower limit to the binding mass of early-type galaxies (Fabian, A.C., Thomas, P.A., Fall, S.M., White III, R.E.), 221, 1049
- Three-dimensional numerical simulations of collapsing isothermal magnetic gas clouds – non-uniform initial fields (Phillips, G.J.), 222, 111
- The variation of interstellar element abundances with hydrogen density (Keenan, F.P., Dufton, P.L., Hibbert, A., Murray, M.J.), 222, 143
- Extended [O III] emission associated with nuclear radio lobes in the Seyfert galaxy NGC 5929 (Whittle, M., Haniff, C.A., Ward, M.J., Meurs, E.J.A., Pedlar, A., Unger, S.W., Axon, D.J., Harrison, B.A.), 222, 189
- The prevalence of cooling flows in early-type galaxies (Thomas, P.A., Fabian, A.C., Amaud, K.A., Forman, W., Jones, C.), 222, 655
- Synthesis of complex molecules in dense interstellar clouds via gas-phase chemistry: model update and sensitivity analysis (Herbst, E., Leung, C.M.), 222, 689 *and on microfiche*
- A search for QSOs in the fields of nearby galaxies – II. NGC 55,253,300 and 5364 (Monk, A.S., Penston, M.V., Pettini, M., Blades, J.C.), 222, 787
- The ultraviolet spectrum and interstellar environment of HD 50896 (Howarth, I.D., Phillips, A.P.), 222, 809
- On the stability of shocks modified by particle acceleration (Drury, L.O'C., Falle, S.A.E.G.), 223, 353

Instruments and techniques

- Machine measurements of the objective-prism spectra of faint galaxies – I. Plate measurements and initial data reduction (Cooke, J.A., Beard, S.M., Emerson, D., Kelly, B.D., MacGillivray, H.T.), 219, 241

Jupiter

- Optical polarimetry of sulphur and the surface microstructure of Io (Steigmann, G.A.), 219, 823

Laboratory astrophysics

- Production and loss of HC₃N in interstellar clouds: some relevant laboratory measurements (Knight, J.S., Freeman, C.G., McEwan, M.J., Smith, S.C., Adams, N.G., Smith, D.), 219, 89
- A laboratory simulation of grain destruction in interstellar shocks (Duley, W.W., Boehlau, E.), 221, 659

Magellanic Clouds

- The geometry and distance of the Magellanic Clouds from Cepheid variables (Caldwell, J.A.R., Coulson, I.M.), 218, 223
- A distance modulus of the LMC from *uvby* β photometry of B supergiants (Shobbrook, R.R.), 219, 495
- Star formation in the Magellanic Clouds – III. IR observations of giant H II regions (Jones, T.J., Hyland, A.R., Straw, S., Harvey, P.M., Wilking, B.A., Joy, M., Gatley, I., Thomas, J.A.), 219, 605
- Velocities and radii of five Magellanic Cloud Cepheids (Caldwell, J.A.R., Coulson, I.M., Spencer Jones, J.H., Black, C.A., Feast, M.W.), 220, 671
- Infrared cirrus and H I in directions near the LMC (McGee, R.X., Haynes, R.F., Groganard, R.J.-M., Malin, D.), 221, 543
- The luminosity and kinematics of RR Lyraes – II. RR Lyraes and the distance to the LMC (Reid, I.N., Strugnell, P.R.), 221, 887
- Infrared photometry of Magellanic Cloud Cepheids. Intrinsic properties of Cepheids and the spatial structure of the Clouds (Laney, C.D., Stobie, R.S.), 222, 449
- Observations of H₂O masers in nearby galaxies (Whiteoak, J.B., Gardner, F.F.), 222, 513
- The determination of the mass of a Magellanic Cloud planetary nebula by speckle interferometry (Barlow, M.J., Morgan, B.L., Standley, C., Vine, H.), 223, 151
- Young-star formation in the Magellanic H I bridge (Meaburn, J.), 223, 317

Masers

- Characteristic of the H₂CO maser emission in Sgr B2 (Gardner, F.F., Whiteoak, J.B., Forster, J.R., Pankonin, V.), 218, 385
- MERLIN observations of OH outflow in W75N (Baart, E.E., Cohen, R.J., Davies, R.D., Norris, R.P., Rowland, P.R.), 219, 145
- Rapid variability of H₂O masers in Cepheus A (Rowland, P.R., Cohen, R.J.), 220, 233
- MERLIN observations of the circumstellar envelope of VX Sagittarius (Chapman, J.M., Cohen, R.J.), 220, 513
- A search for OH maser emission from spiral galaxies (Unger, S.W., Chapman, J.M., Cohen, R.J.),

- Hawarden, T.G., Mountain, C.M.), 220, 1p
 Observations of 1.4-GHz H I and 1.667-GHz OH transitions in NGC 5793, a spiral galaxy with a very luminous radio nucleus (Gardner, F.F., Whiteoak, J.B.), 221, 537
 A new OH megamaser galaxy: *IRAS* 11506-3851 (Norris, R.P., Whiteoak, J.B., Gardner, F.F., Allen, D.A., Roche, P.F.), 221, 51p
 Observations of H₂O masers in nearby galaxies (Whiteoak, J.B., Gardner, F.F.), 222, 513

Meteors

- Collisions in the Solar System - III. Meteoroid survival times (Steel, D.I., Elford, W.G.), 218, 185
 The origin of the sporadic meteoroid component (Olsson-Steel, D.), 219, 47
 The effect of gravitational perturbations on the evolution of the Taurid meteor stream complex (Jones, J.), 221, 257
 The structure of the Geminid meteor stream - II. The combined action of the cometary ejection process and gravitational perturbations (Jones, J., Hawkes, R.L.), 223, 479

Microwave background

- Isocurvature cold dark matter fluctuations (Efsthathiou, G., Bond, J.R.), 218, 103
 A hot intergalactic medium? (Guilbert, P.W., Fabian, A.C.), 220, 439
 The cosmic infrared background spectrum (Negroponte, J.), 222, 19
 The light from Population III stars (McDowell, J.C.), 223, 763

Molecules

- Extra-nuclear molecular hydrogen in NGC 1068 (Reay, N.K., Atherton, P.D., Walton, N.A.), 218, 13p

Molecules and molecular clouds

- Characteristic of the H₂CO maser emission in Sgr B2 (Gardner, F.F., Whiteoak, J.B., Forster, J.R., Pankonin, V.), 218, 385
 Star formation and some aspects of the chemical evolution of the Galaxy (Rana, N.C., Wilkinson, D.A.), 218, 497
 Dissipation of magnetic fields in very dense interstellar clouds - I. Formulation and conditions for efficient dissipation (Nakano, T., Uneybayashi, T.), 218, 663

- An estimation of the radial distribution of molecular hydrogen in the Galaxy from the star formation rates (Rana, N.C., Wilkinson, D.A.), 218, 721
 Theoretical studies of interstellar molecular shocks - II. Molecular hydrogen cooling and rotational level populations (Flower, D.R., Pineau-des-Forêts, G., Hartquist, T.W.), 218, 729
 Production and loss of HC₃N in interstellar clouds: some relevant laboratory measurements (Knight, J.S., Freeman, C.G., McEwan, M.J., Smith, S.C., Adams, N.G., Smith, D.), 219, 89
 The structure and kinematics of the DR21 region (Richardson, K.J., White, G.J., Phillips, J.P., Avery, L.W.), 219, 167
 Erratum: Submillimetre line and continuum observations of the S255 molecular cloud (Richardson, K.J., White, G.J., Gee, G., Griffin, M.J., Cunningham, C.T., Ade, P.A.R., Avery, L.W.), 219, 223
 Electric charge on ionic grains (Jones, A.P., Williams, D.A.), 219, 441
 Submillimetre observations of a disc around the embedded source GL 490 (Gear, W.K., Gee, G., Robson, E.I., Ade, P.A.R., Duncan, W.D.), 219, 835
 PAH molecules and carbon dust in interstellar clouds (Duley, W.W., Williams, D.A.), 219, 859
 CO observations of sources from *IRAS* Circular No. 9 (Arquilla, R., Leahy, D.A., Kwok, S.), 220, 125
 Multicomponent, reacting MHD flows (Draine, B.T.), 220, 133
 Multicomponent reacting MHD flows - a reply (Flower, D.R., Pineau des Forêts, G.), 220, 149
 An extremely luminous bipolar H₂ flow in the DR21 star-forming region (Garden, R., Geballe, T.R., Gatley, I., Nadeau, D.), 220, 203
 Rapid variability of H₂O masers in Cepheus A (Rowland, P.R., Cohen, R.J.), 220, 233
 Interpretation of $\Delta v = 2$ carbon monoxide lines in the spectrum of α Her (Höflich, P., Lowe, R.P., Moorhead, J., Scholz, M., Wehlau, W., Wehrle, R.), 220, 377
 Theoretical studies of interstellar molecular shocks - III. The formation of CH⁺ in diffuse clouds (Pineau des Forêts, G., Flower, D.R., Hartquist, T.W., Dalgarno, A.), 220, 801
 A search for OH maser emission from spiral galaxies (Unger, S.W., Chapman, J.M., Cohen, R.J., Hawarden, T.G., Mountain, C.M.), 220, 1p
 CO in the planetary nebulae NGC 2346 and 6720 (Huggins, P.J., Healy, A.P.), 220, 33p
 Interstellar planetesimals - II. Radiative instability in dense molecular clouds (Napier, W.M., Humphries, C.M.), 221, 105
 The Herbig-Haro-like objects in M42 (Taylor, K., Dyson, J.E., Axon, D.J., Hughes, S.), 221, 155
 A near-infrared survey of the L1641 dark cloud (Nakajima, T., Nagata, T., Nishida, M., Sato, S., Kawara, K.), 221, 483

Subject index

- Three-dimensional numerical simulations of collapsing, isothermal magnetic gas clouds (Phillips, G.J.), 221, 571
- Molecular hydrogen in S106 (Longmore, A.J., Robson, E.I., Jameson, R.F.), 221, 589
- The chemistry of SH^+ in shocked interstellar gas (Millar, T.J., Adams, N.G., Smith, D., Lindinger, W., Villinger, H.), 221, 673
- Molecular hydrogen mapping of Herbig-Haro 7-11; a filamentary bullet? (Lightfoot, J.F., Glencross, W.M.), 221, 993
- Collisional excitation of the hyperfine transitions of HCN (Monteiro, T.S., Stutzki, J.), 221, 33p
- A new OH megamaser galaxy: IRAS 11506-3851 (Norris, R.P., Whiteoak, J.B., Gardner, F.F., Allen, D.A., Roche, P.F.), 221, 51p
- Three-dimensional numerical simulations of collapsing isothermal magnetic gas clouds - non-uniform initial fields (Phillips, G.J.), 222, 111
- The spatial distribution and velocity field of the molecular hydrogen line emission from the centre of the Galaxy (Galley, I., Jones, T.J., Hyland, A.R., Wade, R., Geballe, T.R., Krisciunas, K.), 222, 299
- Observations of H_2O masers in nearby galaxies (Whiteoak, J.B., Gardner, F.F.), 222, 513
- Infrared polarization in OMC-1 - discovery of a molecular hydrogen reflection nebula (Hough, J.H., Axon, D.J., Burton, M.G., Galley, I., Sato, S., Bailey, J., McCaughrean, M.J., McLean, I.S., Nagata, T., Allen, D., Garden, R.P., Hasegawa, T., Hayashi, M., Kaifu, N., Morimoto, M., Walther, D.), 222, 629
- Synthesis of complex molecules in dense interstellar clouds via gas-phase chemistry: model update and sensitivity analysis (Herbst, E., Leung, C.M.), 222, 689 and on microfiche
- The formation of bipolar sources in dense molecular clouds (Smith, M.D.), 223, 57
- The formation of interstellar H_2 on amorphous silicate grains (Duley, W.W., Williams, D.A.), 223, 177
- Near-infrared observations of Bok globules (Casali, M.M.), 223, 341
- Galactochemistry - I. Influence of initial conditions on predicted abundances (Brown, R.D., Rice, E.H.N.), 223, 405
- Galactochemistry - II. Interstellar deuterium chemistry (Brown, R.D., Rice, E.H.N.), 223, 429
- Theoretical studies of interstellar molecular shocks - IV. The sulphur chemistry in diffuse clouds (Pineau des Forêts, G., Roueff, E., Flower, D.R.), 223, 743
- Observations of an extremely broad molecular hydrogen S(1) line profile (Burton, M.G., Geballe, T.R.), 223, 13p
- Nebulae - gaseous**
- Dissipation of magnetic fields in very dense interstellar clouds - I. Formulation and conditions for efficient dissipation (Nakano, T., Umebayashi, T.), 218, 663
- MERLIN observations of OH outflow in W75N (Baart, E.E., Cohen, R.J., Davies, R.D., Norris, R.P., Rowland, P.R.), 219, 145
- Star formation in the Magellanic Clouds - III. IR observations of giant H II regions (Jones, T.J., Hyland, A.R., Straw, S., Harvey, P.M., Wilking, B.A., Joy, M., Galley, I., Thomas, J.A.), 219, 605
- The velocity structure of the core of the giant H II region NGC 3603 (Clayton, C.A.), 219, 895
- An infrared image of the Hourglass region of M 8 (Allen, D.A.), 219, 35p
- G70.68+1.20: a thermal source, not a supernova remnant (Green, D.A.), 219, 39p
- Fine-structure population ratios for the 2^2P ground state of C II (Keenan, F.P., Lennon, D.J., Johnson, C.T., Kingston, A.E.), 220, 571
- Infrared recombination line profiles: a diagnostic probe of the velocity field in the S106 stellar wind (Garden, R.P., Geballe, T.R.), 220, 611
- The discovery of high-speed ionized knots in the H II regions M16 (NGC 6611) and the Rosette nebula (NGC 2237-2246) (Meaburn, J., Walsh, J.R.), 220, 745
- Dissipation of magnetic fields in very dense interstellar clouds - II. Final phases of star formation and the magnetic flux of a newborn star (Nakano, T., Umebayashi, T.), 221, 319
- Molecular hydrogen in S106 (Longmore, A.J., Robson, E.I., Jameson, R.F.), 221, 589
- Models for IRAS observations of compact galactic H II regions (Crawford, J., Rowan-Robinson, M.), 221, 923
- A protostellar jet model for Herbig-Haro 2 (Lightfoot, J.F., Glencross, W.M.), 221, 47p
- Young-star formation in the Magellanic H I bridge (Meaburn, J.), 223, 317
- On similarity solutions for the condensation of isothermal spherical gas clouds (Hunter, C.), 223, 391
- An optical polarization study of two possible bipolar nebulae (Scarrott, S.M., Broch, N., Ward-Thompson, D., Warren-Smith, R.F.), 223, 505
- Nebulae - planetary**
- New colour and Zanstra temperatures for 15 central stars of planetary nebulae (de Freitas Pacheco, J.A., Codina, S.J., Viadana, L.), 220, 107
- Fine-structure population ratios for the 2^2P ground state of C II (Keenan, F.P., Lennon, D.J., Johnson, C.T., Kingston, A.E.), 220, 571
- CO in the planetary nebulae NGC 2346 and 6720 (Huggins, P.J., Healy, A.P.), 220, 33p
- The infrared spectral properties of planetary nebulae (Roche, P.F., Aitken, D.K.), 221, 63
- Ne III charge-exchange lines in the planetary nebula NGC 3918 (Clegg, R.E.S., Harrington, J.P., Storey, P.J.), 221, 61p
- The determination of the mass of a Magellanic Cloud planetary nebula by speckle interferometry

- (Barlow, M.J., Morgan, B.L., Standley, C., Vine, H.), 223, 151
- A new binary planetary nebula (Whitelock, P.A., Menzies, J.W.), 223, 497
- Observations of an extremely broad molecular hydrogen S(1) line profile (Burton, M.G., Geballe, T.R.), 223, 13p
- ### Nebulae – reflection
- A bipolar nebula in Orion identified with the *IRAS* source 05329 – 0505 (Wolstencroft, R.D., Scarrott, S.M., Warren-Smith, R.F., Walker, H.J., Reipurth, B., Savage, A.), 218, 1p
- Infrared polarization in OMC-1 – discovery of a molecular hydrogen reflection nebula (Hough, J.H., Axon, D.J., Burton, M.G., Gatley, I., Sato, S., Bailey, J., McCaughrean, M.J., McLean, I.S., Nagata, T., Allen, D., Garden, R.P., Hasegawa, T., Hayashi, M., Kaifu, N., Morimoto, M., Walther, D.), 222, 629
- An optical polarization study of two possible bipolar nebulae (Scarrott, S.M., Brosch, N., Ward-Thompson, D., Warren-Smith, R.F.), 223, 505
- Structure of the Haro 6-5 complex (Gledhill, T.M., Warren-Smith, R.F., Scarrott, S.M.), 223, 867
- Infrared polarimetry of the reflection nebula near L 1551 IRS 5 (Nagata, T., Yamashita, T., Sato, S., Suzuki, H., Hough, J.H., Garden, R., Gatley, I.), 223, 7p
- ### Neutron stars
- A Study of the continuum and iron *K* line emission from low-mass X-ray binaries (White, N.E., Peacock, A., Hasinger, G., Mason, K.O., Manzo, G., Taylor, B.G., Branduardi-Raymont, G.), 218, 129
- Properties of condensed matter in very strong magnetic fields (Jones, P.B.), 218, 477
- EXOSAT* measurements of the quiescent X-ray spectrum of the burster 2S1636 – 536: evidence for Comptonization in a hot corona (Breedon, L.M., Turner, M.J.L., King, A.R., Courvoisier, T.J.-L.), 218, 487
- On accretion of angular momentum from an inhomogeneous medium (Livio, M., Soker, N., de Kool, M., Savonije, G.J.), 218, 593
- Generation of neutron star magnetic fields by thermomagnetic effects (Urpín, V.A., Levshakov, S.A., Yakovlev, D.G.), 219, 703
- The discovery of X-ray bursts from Cir X-1 (Tennant, A.F., Fabian, A.C., Shafer, R.A.), 219, 871
- More about collapse of a radiating star (de Oliveira, A.K.G., Pacheco, J.A. de F., Santos, N.O.), 220, 405
- Neutron star model atmospheres – a comparison with MXB 1728-34 (Foster, A.J., Ross, R.R., Fabian, A.C.), 221, 409
- A unique triple-peaked type-I X-ray burst from 4U/MXB 1636-53 (van Paradijs, J., Szajno, M., Lewin, W.H.G., Trümper, J., Vacca, W.D., van der Klis, M.), 221, 617
- Long-term and periodic variability of 4U 1258-61 (GX304-1) (Corbet, R.H.D., Smale, A.P., Menzies, J.W., Branduardi-Raymont, G., Charles, P.A., Mason, K.O., Booth, L.), 221, 961
- Observations of type I X-ray bursts from Cir X-1 (Tennant, A.F., Fabian, A.C., Shafer, R.A.), 221, 27p
- Accretion from an inhomogeneous medium – III. General case and observational consequences (Livio, M., Soker, N., de Kool, M., Savonije, G.J.), 222, 235
- g*-modes of non-radially pulsating relativistic stars: the slow-motion formalism (Finn, L.S.), 222, 393
- X-ray bursts from GX 17+2: a new approach (Szajno, M., van Paradijs, J., Lewin, W.H.G., Langmeier, A., Trümper, J., Pietsch, W.), 222, 499
- ### Novae
- Light curves of RR Pic (Nova Pictoris 1925) 1972-84 (Wamer, B.), 219, 751
- A dynamical model for the dwarf nova AH Herculis (Home, K., Wade, R.A., Szkody, P.), 219, 791
- The radius of the accretion disc in Z Cha between outbursts (O'Donoghue, D.), 220, 23p
- Dwarf novae in outburst: modelling the observations (Pringle, J.E., Verbunt, F., Wade, R.A.), 221, 169
- The light-curve properties of mass-transfer events in cataclysmic variables (Bath, G.T., Clarke, C.J., Mantle, V.J.), 221, 269
- Charge-controlled grain destruction during the 'isothermal' phase of novae (Mitchell, R.M., Evans, A., Albinson, J.S.), 221, 663
- Accretion disc inclinations and absolute magnitudes of classical nova remnants (Wamer, B.), 222, 11
- An infrared and visual study of the structure and variability of the cataclysmic binary V2051 Ophiuchi (Berriman, G., Kenyon, S., Bailey, J.), 222, 871
- ### Photometry – non-stellar
- CCD photometry of apparent dwarf galaxies in Fornax (Phillips, S., Grimley, P.L., Disney, M.J., Cawson, M.G.M., Kibblewhite, E.J.), 218, 289
- Infrared photometry of the nuclei of early-type radio galaxies (Sparkes, W.B., Hough, J.H., Axon, D.J., Bailey, J.), 218, 429
- A complete galaxy redshift sample – IV. Optical and infrared colour-luminosity relations (Mobasher, B., Ellis, R.S., Sharples, R.M.), 223, 11
- ### Physical processes
- Planetary surface texture and albedo from parameter plots of optical polarization (Geake, J.E., Dollfus, A.), 218, 75

Subject index

- Compton heating and cooling in thermal electron gases (Guilbert, P.W.), 218, 171
- Some implication of excess soft X-ray emission from Seyfert 1 galaxies (Fabian, A.C., Guilbert, P.W., Arnaud, K.A., Shafer, R.A., Tennant, A.F., Ward, M.J.), 218, 457
- Properties of condensed matter in very strong magnetic fields (Jones, P.B.), 218, 477
- Transmission and damping of hydromagnetic waves behind a strong shock front: implications for cosmic ray acceleration (Achterberg, A., Blandford, R.D.), 218, 551
- On accretion of angular momentum from an inhomogeneous medium (Livio, M., Soker, N., de Kool, M., Savonije, G.J.), 218, 593
- Gravitational radiation from cosmological phase transitions (Hogan, C.J.), 218, 629
- Theoretical studies of interstellar molecular shocks - II. Molecular hydrogen cooling and rotational level populations (Flower, D.R., Pineau-des-Forêts, G., Hartquist, T.W.), 218, 729
- Conservation of mass and angular momentum in narrow transition fronts in accretion discs (Meyer, F.), 218, 7p
- Tidal spin-up and magnetic braking cataclysmic variables (Paradijs, J. van), 218, 31p
- Thermal conduction in cometary nuclei and its effect on cometary activity (Yabushita, S., Hata, N.), 219, 197
- H-functions and mixing in violent relaxation (Tizmaïne, S., Hénon, M., Lynden-Bell, D.), 219, 285
- On local conditions for multiple imaging by bounded, smooth gravitational lenses (Subramanian, K., Cowling, S.A.), 219, 333
- Oscillatory motions in intense flux tubes (Hasan, S.S.), 219, 357
- Electric charge on ionic grains (Jones, A.P., Williams, D.A.), 219, 441
- The attainment of synchronism in the presence of accretion in the AM Herculis binaries (Campbell, C.G.), 219, 589
- Generation of neutron star magnetic fields by thermomagnetic effects (Urpín, V.A., Levshakov, S.A., Yakovlev, D.G.), 219, 703
- The geometry of emission from the Vela and the Crab pulsars (Smith, F.G.), 219, 729
- Survival of the structures in the universe dominated by unstable dark matter (Suto, Y., Noguchi, M.), 219, 841
- Multicomponent, reacting MHD flows (Draine, B.T.), 220, 133
- Multicomponent reacting MHD flows - a reply (Flower, D.R., Pineau des Forêts, G.), 220, 149
- Cooling of Population III objects in a pressure supported collapse (Lahav O.), 220, 259
- Eddington luminosities and photospheric radius expansion during X-ray bursts from 4U/MXB 1820-30 (Vacca, W.D., Lewin, W.H.G., van Paradijs, J.), 220, 339
- More about collapse of a radiating star (de Oliveira, A.K.G., Pacheco, J.A. de F., Santos, N.O.), 220, 405
- The structure and stability of the accretion disc boundary layer (Papaloizou, J.C.B., Stanley, G.Q.G.), 220, 593
- Heating and cooling in clusters of galaxies (Miller, L.), 220, 713
- Mass shedding and partition of the a/m ratio between core and envelope in gravitational collapse (de Felice, F., Yu, Y.), 220, 737
- A further uncertainty in the mixing length theory of convection in the structure of late-type stars (Tayler, R.J.), 220, 793
- Theoretical studies of interstellar molecular shocks - III. The formation of CH^+ in diffuse clouds (Pineau des Forêts, G., Flower, D.R., Hartquist, T.W., Dalgarno, A.), 220, 801
- Oscillations of thick accretion discs (Jaroszynski, M.), 220, 869
- On mode changes in ZZ Ceti stars (O'Donoghue, D.), 220, 19p
- On mixing by the Eddington-Sweet circulation (Mestel, L., Moss, D.L.), 221, 25
- A numerical study of two-dimensional accretion flows (Robertson, J.A., Frank, J.), 221, 279
- Thermal instability in cooling flows (Nulsen, P.E.J.), 221, 377
- Accretion of angular momentum from an inhomogeneous medium - II. Isothermal flow (Soker, N., Livio, M., de Kool, M., Savonije, G.J.), 221, 445
- Motion of relativistic charges in an increasing magnetic field (Ho, C.), 221, 523
- Three-dimensional numerical simulations of collapsing, isothermal magnetic gas clouds (Phillips, G.J.), 221, 571
- Accretion torques due to three-dimensional channelled flows in magnetic cataclysmic variables (Campbell, C.G.), 221, 599
- On the question of multimode stellar pulsations (Tavakol, R.K., Das, M.K.), 221, 625
- Accretion shocks in a close binary system (Sawada, K., Matsuda, T., Hachisu, I.), 221, 679
- Interaction between a stellar wind and an accretion flow (Shima, E., Matsuda, T., Inaguchi, T.), 221, 687
- Mass-loaded astronomical flows - I. General principles and their application to RCW 58 (Hartquist, T.W., Dyson, J.E., Pettini, M., Smith, L.J.), 221, 715
- Effect of electron-photon cascading on the observed energy spectra of extragalactic sources of ultra-high-energy γ -rays (Protheroe, R.J.), 221, 769
- Pair-induced spectral changes and variability in compact X-ray sources (Fabian, A.C., Blandford, R.D., Guilbert, P.W., Phinney, E.S., Cuellar, L.), 221, 931
- A protostellar jet model for Herbig-Haro 2 (Lightfoot, J.F., Glencross, W.M.), 221, 47p
- Ne III charge-exchange lines in the planetary nebula NGC 3918 (Clegg, R.E.S., Harrington, J.P., Storey, P.J.), 221, 61p

Subject index

- Funnel stability and VLBI-jet luminosity (Turolla, R., Zaninetti, L.), 222, 37
- Three-dimensional numerical simulations of collapsing isothermal magnetic gas clouds – non-uniform initial fields (Phillips, G.J.), 222, 111
- The time-dependent collapse of a radiatively cooling corona (King, A.R., Smith, M.D.), 222, 201
- Erratum: A further uncertainty in the mixing length theory of convection in the structure of late-type stars (Tayler, R.J.), 222, 223
- Accretion from an inhomogeneous medium – III. General case and observational consequences (Livio, M., Soker, N., de Kool, M., Savonije, G.J.), 222, 235
- Numerical simulation of mass transfer in eccentric orbit binary systems (Boyle, C.B., Walker, I.W.), 222, 559
- Pair creation in radio pulsars: the return-current mode changes and normal-null transitions (Jones, P.B.), 222, 577
- Synthesis of complex molecules in dense interstellar clouds via gas-phase chemistry: model update and sensitivity analysis (Herbst, E., Leung, C.M.), 222, 689 and on microfiche
- Baryon concentration in string wakes at $z=200$: implications for galaxy formation and large-scale structure (Rees, M.J.), 222, 279
- The formation of bipolar sources in dense molecular clouds (Smith, M.D.), 223, 57
- The rocket effect on a gravitating mass-losing object (Inaguchi, T., Matsuda, T., Shima, E.), 223, 129
- On the stability of shocks modified by particle acceleration (Drury, L.O.C., Falle, S.A.E.G.), 223, 353
- On similarity solutions for the condensation of isothermal spherical gas clouds (Hunter, C.), 223, 391
- Galactochemistry – I. Influence of initial conditions on predicted abundances (Brown, R.D., Rice, E.H.N.), 223, 405
- Model QPO power spectra: signatures of angular position and radial velocity of clumps in the boundary layer (Alpar, M.A.), 223, 469
- Angular momentum transport in the magnetospheres of cataclysmic variable accretion discs (Koen, C.), 223, 529
- Alternatives to dark matter (Sanders, R.H.), 223, 539
- Theoretical studies of interstellar molecular shocks – IV. The sulphur chemistry in diffuse clouds (Pineau des Forêts, G., Roueff, E., Flower, D.R.), 223, 743
- Planets
- Planetary surface texture and albedo from parameter plots of optical polarization (Geake, J.E., Dollfus, A.), 218, 75
- Optical polarimetry of sulphur and the surface microstructure of Io (Steigmann, G.A.), 219, 823
- Microwave measurements of the outer planets (Conway, R.G., Davis, R.J., Padin, S.), 219, 319
- Interstellar planetesimals – II. Radiative instability in dense molecular clouds (Napier, W.M., Humphries, C.M.), 221, 105
- The origin of the Tharsis region of Mars (Connell, A.J.), 222, 569
- Polarization of starlight
- E1405 – 451: three seasons of polarimetry and photometry (Cropper, M., Menzies, J.W., Tapia, S.), 218, 201
- A search for magnetic fields in the T Tauri stars GW Ori, CoD-347151, and RULup (Johnstone, R.M., Penston, M.V.), 219, 927
- Optical polarization in the spiral galaxy NGC 7331 (King, D.J.), 220, 485
- Polarimetry of VV Puppis (Cropper, M., Warner, B.), 220, 633
- Simultaneous optical and infrared polarization measurements of blazars (Brindle, C., Hough, J.H., Bailey, J.A., Axon, D.J., Hyland, A.R.), 221, 739
- Polarization observations of DQ Her stars and other cataclysmic variables (Cropper, M.), 222, 225
- Large dust grains in the dark cloud B5 (Bhatt, H.C.), 222, 383
- Infrared polarization in OMC-1 – discovery of a molecular hydrogen reflection nebula (Hough, J.H., Axon, D.J., Burton, M.G., Gatley, I., Sato, S., Bailey, J., McCaughrean, M.J., McLean, I.S., Nagata, T., Allen, D., Garden, R.P., Hasegawa, T., Hayashi, M., Kaifu, N., Morimoto, M., Walther, D.), 222, 629
- Polarimetry of ST LMi (CW1103+254) (Cropper, M.), 222, 853
- The origin of the visual and infrared pulsations in the intermediate polar FO Aqr (H2215-086) (Berriman, G., Bailey, J., Axon, D.J., Hough, J.H.), 223, 449
- An optical polarization study of two possible bipolar nebulae (Scarrott, S.M., Brosch, N., Ward-Thompson, D., Warren-Smith, R.F.), 223, 505
- Structure of the Haro 6-5 complex (Gledhill, T.M., Warren-Smith, R.F., Scarrott, S.M.), 223, 867
- Infrared polarimetry of the reflection nebula near L 1551 IRS 5 (Nagata, T., Yamashita, T., Sato, S., Suzuki, H., Hough, J.H., Garden, R., Gatley, I.), 223, 79
- Pulsars
- Properties of condensed matter in very strong magnetic fields (Jones, P.B.), 218, 477
- The geometry of emission from the Vela and the Crab pulsars (Smith, F.G.), 219, 729
- Refractive effects in pulsar scintillation (Romani, R.W., Narayan, R., Blandford, R.), 220, 19

Subject index

Evidence for a high-density electron layer from the spatial distribution of pulsars (Krishnamohan, S.), 220, 119

Pair creation in radio pulsars: the return-current mode changes and normal-null transitions (Jones, P.B.), 222, 577

Quasars

The Parkes selected regions: powerful radio galaxies and quasars at high redshifts (Downes, A.J.B., Peacock, J.A., Savage, A., Carrie, D.R.), 218, 31

Automated quasar detection in the SGP field: a clustering study (Clowes, R.G.), 218, 139

The statistics of radio emission from quasars (Peacock, J.A., Miller, L., Longair, M.S.), 218, 265

Studies of broad emission line profiles in QSOs – II Properties of a large, predominantly radio selected sample (Wilkes, B.J.), 218, 331

On the completeness of a sample of bright quasars selected by colour excess in the direction of the North Galactic Pole (Warnock III, A., Usher, P.D., Mitchell, K.J., Howell, S.B.), 218, 445

Alignments of clustered quasars (Subramanian, K., Barrow, J.D.), 218, 587

Lyman absorption lines in quasar spectra: evidence for gravitationally-confined gas in dark minihaloes (Rees, M.J.), 218, 25p

Spectroscopy of the QSOs Q0118–031 A,B,C (Robertson, J.G., Shaver, P.A., Surdej, J., Swings, J.P.), 219, 403

On the nature of objects detected as faint long-term variables (Hawkins, M.R.S.), 219, 417

Curvature effects on tests for quasar alignment (Edmunds, M.G., George, G.H., Phillips, S.), 219, 865

A sample of powerful radio sources for VLBI studies (Cawthorne, T.V., Scheuer, P.A.G., Morison, I., Muxlow, T.W.B.), 219, 883

Absorption lines and the radio structure of quasars (Swarup, G., Saikia, D.J., Beltrametti, M., Sinha, R.P., Salter, C.J.) 220, 1

X-ray and radio core emission in radio quasars (Kembhavi, A., Feigelson, E.D., Singh, K.P.), 220, 51

The remarkable absorption-line systems in the quasar Tololo 1037-27 (Ulrich, M.H., Perryman, M.A.C.), 220, 429

Far-infrared observations of the quasar 0241+62 (Coe, M.J., Dean, A.J., Sembay, S., Ferrari-Toniolo, M., Persi, P., Spinoglio, L., Bassani, L., Elsmore, B.), 220, 781

Correlation of QSO absorption lines in universes dominated by cold dark matter (Salmon, J., Hogan, C.), 221, 93

Simultaneous optical and infrared polarization measurements of blazars (Brindle, C., Hough, J.H., Bailey, J.A., Axon, D.J., Hyland, A.R.), 221, 739

Quasars and the Virgo cluster (Impey, C.D., He, X.-T.), 221, 897

Ultraviolet spectra of quasars in the redshift interval 0.3 to 2.0 (Gondhalekar, P.M., O'Brien, P., Wilson, R.), 222, 71

Extended radio emission round core-dominated quasars – constraints on relativistic beaming models (Browne, I.W.A., Perley, R.A.), 222, 149

A remarkable jet in the quasar 0800+608 (Shone, D.L., Browne, I.W.A.), 222, 365

A model of the evolution of flat-spectrum radio sources at 5 GHz (Zawiślak-Raczka, J., Kumor-Obryk, B.), 222, 487

A relationship between the X-ray luminosity and redshift of extragalactic objects (Giovannelli, F., Polcaro, V.F.), 222, 619

A search for QSOs in the fields of nearby galaxies – II. NGC 55,253,300 and 5364 (Monk, A.S., Penston, M.V., Pettini, M., Blades, J.C.), 222, 787

Erratum: A sample of powerful radio sources for VLBI studies (Cawthorne, T.V., Scheuer, P.A.G., Morison, I., Muxlow, T.W.B.), 222, 895

High-redshift QSOs selected from IIIa-J objective prism plates of the UK Schmidt Telescope (Hazard, C., Morton, D.C., McMahon, R.G., Sargent, W.L.W., Terlevich, R.), 223, 87

Flux conservation and random gravitational lensing (Peacock, J.A.), 223, 113

Galaxy correlations at high redshift and the environment of quasars (Phillipps, S.), 223, 173

Radiative transfer

Compton heating and cooling in thermal electron gases (Guilbert, P.W.), 218, 171

On spectral line formation in winds from extended continuum sources (Drew, J.E.), 218, 41p

On local conditions for multiple imaging by bounded, smooth gravitational lenses (Subramanian, K., Cowling, S.A.), 219, 333

Models for *IRAS* observations of compact galactic H II regions (Crawford, J., Rowan-Robinson, M.), 221, 923

The cosmic infrared background spectrum (Negroponte, J.), 222, 19

Expanding chromospheres of late G and K supergiants (Mallik, S.V.), 222, 307

Flux conservation and random gravitational lensing (Peacock, J.A.), 223, 113

Magnetic blanketing in white dwarfs (Wickramasinghe, D.T., Martin, B.), 223, 323

Radioactive transfer

Refractive effects in pulsar scintillation (Romani, R.W., Narayan, R., Blandford, R.), 220, 19

Radio astronomy

- The Parkes selected regions: powerful radio galaxies and quasars at high redshifts (Downes, A.J.B., Peacock, J.A., Savage, A., Carrie, D.R.), 218, 31
- The statistics of radio emission from quasars (Peacock, J.A., Miller, L., Longair, M.S.), 218, 265
- Studies of broad emission line profiles in QSOs – II
Properties of a large, predominantly radio selected sample (Wilkes, B.J.), 218, 331
- Characteristic of the H_2CO maser emission in Sgr B2 (Gardner, F.F., Whiteoak, J.B., Forster, J.R., Pankonin, V.), 218, 385
- The supernova remnant W50 at 5 GHz (Downes, A.J.B., Pauls, T., Salter, C.J.), 218, 393
- Observations of 3C 58 at 151 and 2695 MHz (Green, D.A.), 218, 533
- A radio search for primordial pancakes (Bebington, D.H.O.), 218, 577
- The radio source in the very luminous gamma-ray Seyfert galaxy MCG 8-11-11 (Ulvestad, J.S., Wilson, A.S.), 218, 711
- The parsec-scale structure of the radio nucleus of NGC 4151 (Harrison, B., Pedlar, A., Unger, S.W., Burgess, P., Graham, D.A., Preuss, E.), 218, 775
- Low-latitude radio continuum structure in the fourth galactic quadrant (Jonas, J.L.), 219, 1
- Secular changes within Cassiopeia A at 5 GHz – I (Tuffs, R.J.), 219, 13
- MERLIN observations of OH outflow in W75N (Baart, E.E., Cohen, R.J., Davies, R.D., Norris, R.P., Rowland, P.R.), 219, 145
- The structure and kinematics of the DR21 region (Richardson, K.J., White, G.J., Phillips, J.P., Avery, L.W.), 219, 167
- Erratum: Submillimetre line and continuum observations of the S255 molecular cloud (Richardson, K.J., White, G.J., Gee, G., Griffin, M.J., Cunningham, C.T., Ade, P.A.R., Avery, L.W.), 219, 223
- 1011+496 and 1217+348: two new candidate BL Lacertae objects (Wisniewski, W.Z., Sitko, M.L., Sitko, A.K.), 219, 299
- Compact radio components in Seyfert galaxies (Unger, S.W., Pedlar, A., Booler, R.V., Harrison, B.A.), 219, 387
- Neutral hydrogen towards 3C 10, the remnant of Tycho's supernova (Albinson, J.S., Tuffs, R.J., Swinbank, E., Gull, S.F.), 219, 427
- Radio observations of the S0 galaxy NGC 1218 (3C 78) (Saikia, D.J., Subrahmanya, C.R., Patnaik, A.R., Unger, S.W., Cornwell, T.J., Graham, D.A., Prabhu, T.P.), 219, 545
- An ultraviolet and optical study of the broad-line radio galaxy 3C 382 (Tadhunter, C.N., Pérez, E., Fosbury, R.A.E.), 219, 555
- Radio sources in giant E and S0 galaxies (Cordey, R.A.), 219, 575
- The spectral shape and variability of the blazar 3C 446 (Brown, L.M.J., Robson, E.I., Gear, W.K., Crosthwaite, R.P., McHardy, I.M., Hanson, C.G., Geldzahler, B.J., Webb, J.R.), 219, 671
- Radio observations of extended sources suspected of having steep-spectrum cores (Saikia, D.J., Kulkarni, V.K., Porcas, R.W.), 219, 719
- Optical and high-resolution H I observations of the massive and unusual lenticular galaxy NGC 5084 (Gottesman, S.T., Hawarden, T.G.), 219, 759
- G291.0-0.1, a centrally bright supernova remnant, in Carina (Roger, R.S., Milne, D.K., Caswell, J.L., Little, The Late A.G.), 219, 815
- Submillimetre observations of a disc around the embedded source GL 490 (Gear, W.K., Gee, G., Robson, E.I., Ade, P.A.R., Duncan, W.D.), 219, 835
- A sample of powerful radio sources for VLBI studies (Cawthorne, T.V., Scheuer, P.A.G., Morison, I., Muxlow, T.W.B.), 219, 883
- Submillimetre continuum observations of NGC 253 (Gear, W.K., Gee, G., Robson, E.I., Ade, P.A.R., Duncan, W.D.), 219, 19p
- PKS 2005-489: a very bright BL Lac object in a nearby galaxy (Wall, J.V., Danziger, I.J., Pettini, M., Warwick, R.S., Wamsteker, W.), 219, 23p
- Microwave measurements of the outer planets (Conway, R.G., Davis, R.J., Padin, S.), 219, 31p
- G70.68+1.20: a thermal source, not a supernova remnant (Green, D.A.), 219, 39p
- Absorption lines and the radio structure of quasars (Swarup, G., Saikia, D.J., Beltrametti, M., Sinha, R.P., Salter, C.J.), 220, 1
- X-ray and radio core emission in radio quasars (Kembhavi, A., Feigelson, E.D., Singh, K.P.), 220, 51
- Simultaneous optical, infrared and microwave observations of the flare star AT Mic (Nelson, G.J., Robinson, R.D., Slee, O.B., Ashley, M.C.B., Hyland, A.R., Tuohy, I.R., Nikoloff, I., Vaughan, A.E.), 220, 91
- CO observations of sources from *IRAS* Circular No. 9 (Arquilla, R., Leahy, D.A., Kwok, S.), 220, 125
- Rapid variability of H_2O masers in Cepheus A (Rowland, P.R., Cohen, R.J.), 220, 233
- Multifrequency observations of the wide-angle tail radio source 1313+073 (Patnaik, A.R., Malkin, M.A., Salter, C.J.), 220, 351
- High-resolution X-ray and radio observations of the giant elliptical galaxies NGC 4636 and 4649 (Stanger, V.J., Warwick, R.S.), 220, 363
- MERLIN observations of the circumstellar envelope of VX Sagittarius (Chapman, J.M., Cohen, R.J.), 220, 513
- An analysis of the properties of CLEAN and Smoothness Stabilized CLEAN – some warnings (Tan, S.M.), 220, 971
- A search for OH maser emission from spiral galaxies (Unger, S.W., Chapman, J.M., Cohen, R.J., Hawarden, T.G., Mountain, C.M.), 220, 1p
- CO in the planetary nebulae NGC 2346 and 6720 (Huggins, P.J., Healy, A.P.), 220, 33p

Subject index

- The relationship between the radio and infrared luminosities of 3CR radio galaxies (Yates, M.G., Miller, L., Peacock, J.A.), 221, 311
- The apparent counter-rotation of the outer H I emission surrounding M51 (Appleton, P.N., Foster, P.A., Davies, R.D.), 221, 393
- Observations of IC 443 at 151 and 1419 MHz (Green, D.A.), 221, 473
- Observations of 1.4-GHz H I and 1.667-GHz OH transitions in NGC 5793, a spiral galaxy with a very luminous radio nucleus (Gardner, F.F., Whiteoak, J.B.), 221, 537
- A neutral hydrogen bipole associated with UW Cma (Denby, B., Taylor, K.N.R.), 221, 707
- The supernova remnant OA 184 (G166.2+2.5) and associated H I (Routledge, D., Landecker, T.L., Vaneldik, J.F.), 221, 809
- A new OH megamaser galaxy: IRAS 11506-3851 (Norris, R.P., Whiteoak, J.B., Gardner, F.F., Allen, D.A., Roche, P.F.), 221, 51P
- Orientations of extended radio sources in the Third Bologna (B3) catalogue (Sanders, R.H., Bridle, A.H., Clark, B.G.), 221, 69P
- Extended radio emission round core-dominated quasars - constraints on relativistic beaming models (Browne, I.W.A., Perley, R.A.), 222, 149
- Extended [O III] emission associated with nuclear radio lobes in the Seyfert galaxy NGC 5929 (Whittle, M., Haniff, C.A., Ward, M.J., Meurs, E.J.A., Pedlar, A., Unger, S.W., Axon, D.J., Harrison, B.A.), 222, 189
- A remarkable jet in the quasar 0800+608 (Shone, D.L., Browne, I.W.A.), 222, 365
- A model of the evolution of flat-spectrum radio sources at 5 GHz (Zawiślak-Raczka, J., Kumor-Obyrk, B.), 222, 487
- Observations of H₂O masers in nearby galaxies (Whiteoak, J.B., Gardner, F.F.), 222, 513
- A deep survey of Abell 2218 at 408 and 1407 MHz; 5C 20 (Birkinshaw, M.), 222, 731 and on microfiche
- The polarization of classical double radio sources (Leahy, J.P., Pooley, G.G., Riley, J.M.), 222, 753
- Erratum: A sample of powerful radio sources for VLBI studies (Cawthorne, T.V., Scheuer, P.A.G., Morison, I., Muxlow, T.W.B.), 222, 895
- Observations at 843 MHz of quiescent emission from the flare star AT Mic (Vaughan, A.E., Large, M.I.), 223, 399
- G7.7-3.7 - a supernova remnant with a high degree of radio polarization (Milne, D.K., Roger, R.S., Kesteven, M.J., Haynes, R.F., Wellington, K.J., Stewart, R.T.), 223, 487

Relativity

- Observational homogeneity of the Universe (Bonnor, W.B., Ellis, G.F.R.), 218, 605
- Field energy of a charged black hole (Lynden-Bell, D.), 221, 25P

- Alternatives to dark matter (Sanders, R.H.), 223, 539

Solar System

- The mean energy transfer rate to comets in the Oort cloud and implications for cometary origins (Bailey, M.E.), 218, 1
- Collisions in the Solar System - III. Meteoroid survival times (Steel, D.I., Elford, W.G.), 218, 185
- The origin of the Tharsis region of Mars (Connell, A.J.), 222, 569
- Injection of Oort cloud comets to the inner Solar System by galactic tidal fields (Torbett, M.V.), 223, 885

Spectroscopy

- Excitation rate coefficients for optically allowed transitions in C-like ions (Aggarwal, K.M.), 218, 123
- Theoretical studies of interstellar molecular shocks - II. Molecular hydrogen cooling and rotational level populations (Flower, D.R., Pineau-des-Forêts, G., Hartquist, T.W.), 218, 729
- Emission line formation in accretion discs (Home, K., Marsh, T.R.), 218, 761
- On spectral line formation in winds from extended continuum sources (Drew, J.E.), 218, 41P
- Machine measurements of the objective-prism spectra of faint galaxies - I. Plate measurements and initial data reduction (Cooke, J.A., Beard, S.M., Emerson, D., Kelly, B.D., MacGillivray, H.T.), 219, 241
- Atomic data for the S IV 10.5- μ m fine structure transition (Johnson, C.T., Kingston, A.E., Dufton, P.L.), 220, 155
- Measurement of relative oscillator strengths for Ti I-IV. Transitions from levels of excitation energy between 1.42 and 2.31 eV (Blackwell, D.E., Booth, A.J., Menon, S.L.R., Petford, A.D.), 220, 289
- Measurement of relative oscillator strengths for Cr I lines - II. Measures for transitions from levels with excitation energy 2.54-3.46 eV (Blackwell, D.E., Booth, A.J., Menon, S.L.R., Petford, A.D.), 220, 303
- An approximate calculation of the effect of opacity on Si III emission line ratios near the solar limb (Keenan, F.P., Kingston, A.E.), 220, 493
- Measurement of the oscillator strengths of very weak 1eV Fe I lines (Blackwell, D.E., Booth, A.J., Haddock, D.J., Petford, A.D., Leggett, S.K.), 220, 549
- Fine-structure population ratios for the ²P ground state of C II (Keenan, F.P., Lennon, D.J., Johnson, C.T., Kingston, A.E.), 220, 571

- Collisional excitation of the hyperfine transitions of HCN (Monteiro, T.S., Stutzki, J.), 221, 33p
- Ne III charge-exchange lines in the planetary nebula NGC 3918 (Clegg, R.E.S., Harrington, J.P., Storey, P.J.), 221, 61p
- The variation of interstellar element abundances with hydrogen density (Keenan, F.P., Dufton, P.L., Hibbert, A., Murray, M.J.), 222, 143
- Non-LTE calculations of Al III line strengths in early-type stars (Dufton, P.L., Brown, P.J.F., Lennon, D.J., Lynas-Gray, A.E.), 222, 713 and on microfiche
- Non-LTE calculations of silicon-line strengths in B-type stars (Lennon, D.J., Lynas-Gray, A.E., Brown, P.J.F., Dufton, P.L.), 222, 719 and on microfiche

Stars

- The low-luminosity J-type carbon stars (Lloyd Evans, T.), 220, 723

Stars – angular diameters of

- The infrared flux method and its use for study of α Boo, μ Her and β Dra; relation to the Vega 1.2–5 μ m infrared excess (Blackwell, D.E., Booth, A.J., Petford, A.D., Leggett, S.K., Mountain, C.M., Selby, M.J.), 221, 427

Stars – atmospheres of

- Analysis of five high-latitude blue stars (Kilkenny, D., Lydon, J.), 218, 279
- The outer atmosphere of Procyon (α CMi F51V – V): evidence of supergranulation or active regions (Jordan, C., Brown, A., Walter, F.M., Linsky, J.L.), 218, 465
- Mode identification from line profile variations (Balona, L.A.), 219, 111
- Oscillatory motions in intense flux tubes (Hasan, S.S.), 219, 357
- Interpretation of $\Delta v \approx 2$ carbon monoxide lines in the spectrum of α Her (Höflich, P., Lowe, R.P., Moorhead, J., Scholz, M., Wehlau, W., Wehrse, R.), 220, 377
- An approximate calculation of the effect of opacity on Si III emission line ratios near the solar limb (Keenan, F.P., Kingston, A.E.), 220, 493
- On the surface gravities of Am stars (Dworetzky, M.M., Moon, T.T.), 220, 787
- Constraints on the outer atmospheric structure of late-type giant stars with IUE: methods and application to Arcturus (α Boo K2III) (Judge, P.G.), 221, 119

- Neutron star model atmospheres – a comparison with MXB 1728-34 (Foster, A.J., Ross, R.R., Fabian, A.C.), 221, 409
- Spectral-line variations in Sigma Geminorum (Eker, Z.), 221, 947
- Ultraviolet and infrared excess emission in Be stars (Goraya, P.S.), 222, 121
- The time-dependent collapse of a radiatively cooling corona (King, A.R., Smith, M.D.), 222, 210
- Expanding chromospheres of late G and K supergiants (Mallik, S.V.), 222, 307
- Non-LTE calculations of Al III line strengths in early-type stars (Dufton, P.L., Brown, P.J.F., Lennon, D.J., Lynas-Gray, A.E.), 222, 713 and on microfiche
- Non-LTE calculations of silicon-line strengths in B-type stars (Lennon, D.J., Lynas-Gray, A.E., Brown, P.J.F., Dufton, P.L.), 222, 719 and on microfiche
- Constraints on the outer atmospheric structure of late-type giant stars with IUE: application to α Tau (K5III) and β Gru (M5III) (Judge, P.G.), 223, 239
- Magnetic blanketing in white dwarfs (Wickramasinghe, D.T., Martin, B.), 223, 323
- Narrow-band 1-to 5- μ m photometry of A-type stars (Leggett, S.K., Bartholomew, M., Mountain, C.M., Selby, M.J.), 223, 443

Stars – binary

- A spectroscopic study of the X-ray binary V1727 Cygni (Horne, K., Verbunt, F., Schneider, D.P.), 218, 63
- A Study of the continuum and iron K line emission from low-mass X-ray binaries (White, N.E., Peacock, A., Hasinger, G., Mason, K.O., Manzo, G., Taylor, B.G., Branduardi-Raymont, G.), 218, 129
- Contact and near-contact binary systems – III. The semi-detached system YY Ceti (McFarlane, T.M., King, D.J., Hilditch, R.W.), 218, 159
- E1405 – 451: three seasons of polarimetry and photometry (Cropper, M., Menzies, J.W., Tapia, S.), 218, 210
- Magnetically controlled stellar winds in close binary systems (Moss, D.), 218, 247
- EXOSAT measurements of the quiescent X-ray spectrum of the burster 2S1636 – 536: evidence for Comptonization in a hot corona (Breedon, L.M., Turner, M.J.L., King, A.R., Courvoisier, T.J.-L.), 218, 487
- Accretion flows in the non-synchronous magnetic cataclysmic variables (Hameury, J.-M., King, A.R., Lasota, J.-P.), 218, 695
- Tidal spin-up and magnetic braking cataclysmic variables (Paradijs, J. van), 218, 31p
- Spiral shocks on a Roche lobe overflow in a semi-detached binary system (Sawada, K., Matsuda, T., Hachisu, I.), 219, 75
- Photoelectric radial velocities, Paper XIII. 406 ninth-magnitude K0 stars in the Clube Selected Areas (Griffin, R.F.), 219, 95

Subject index

- Multiple optical orbital sidebands in intermediate polars (Wamer, B.), 219, 347
- A β Cephei variable in an eclipsing binary in the cluster NGC 3293 (Engelbrecht, C.A., Balona, L.A.), 219, 449
- The chemical composition of algal systems - III. Beta Lyrae-nucleosynthesis revealed (Balachandran, S., Lambert, D.L., Tomkin, J.), 219, 479
- The attainment of synchronism in the presence of accretion in the AM Herculis binaries (Campbell, C.G.), 219, 589
- High-speed photometry of the dwarf nova Z Cha in quiescence (Wood, J., Home, K., Berriman, G., Wade, R., O'Donoghue, D., Warner, B.), 219, 629
- Light curves of RR Pic(Nova Pictoris 1925) 1972-84 (Wamer, B.), 219, 751
- Detection of an X-ray flare in the RS CVn binary Sigma Coronae Borealis (Agrawal, P.C., Rao, A.R., Riegler, G.R.), 219, 777
- A dynamical model for the dwarf nova AH Herculis (Home, K., Wade, R.A., Szkody, P.), 219, 791
- Photometry and spectroscopy of V Sagittae through eclipse (Williams, G.A., King, A.R., Uomoto, A.K., Hiltner, W.A.), 219, 809
- Orbital inclinations of late B-type spectroscopic binaries (Guthrie, B.N.G.), 220, 559
- Polarimetry of VV Puppis (Cropper, M., Warner, B.), 220, 633
- FT Lupi: *UBV* photometry and synthetic solution (Lipari, S.L., Sisteró, R.F.), 220, 883
- The three types of high-mass X-ray pulsator (Corbet, R.H.D.), 220, 1047
- Triple star evolution and the formation of short-period, low-mass M-ray binaries (Eggleton, P.P., Verbunt, F.), 220, 13p
- The radius of the accretion disc in Z Cha between outbursts (O'Donoghue, D.), 220, 23p
- The light-curve properties of mass-transfer events in cataclysmic variables (Bath, G.T., Clarke, C.J., Mantle, V.J.), 221, 269
- A photometric study of AM Herculis in the normal and reversed soft X-ray modes (Mazeh, T., Kieboom, K., Heise, J.), 221, 513 and on *Microfiche*
- Accretion torques due to three-dimensional channelled flows in magnetic cataclysmic variables (Campbell, C.G.), 221, 599
- Accretion shocks in a close binary system (Sawada, K., Matsuda, T., Hachisu, I.), 221, 679
- A neutral hydrogen bipole associated with UW CMa (Denby, B., Taylor, K.N.R.), 221, 707
- A multiwavelength study of the long-period AM Her system E2003+225 - I. The soft X-ray light curve and overall energy spectrum (Osborne, J.P., Bonnet-Bidaud, J.M., Bowyer, S., Charles, P.A., Chiappetti, L., Clarke, J.T., Henry, J.P., Hill, G.J., Kahn, S., Maraschi, L., Mukai, K., Treves, A., Vrtillek, S.), 221, 823
- A multi-wavelength study of the long-period AM Her system E2003+225 - II. Changes in the accretion geometry (Mukai, K., Bonnet-Bidaud, J.-M., Charles, P.A., Corbet, R.H.D., Maraschi, L., Osborne, J.P., Smale, A.P., Treves, A., van der Klis, M., van Paradijs, J.), 221, 839
- Pair-induced spectral changes and variability in compact X-ray sources (Fabian, A.C., Blandford, R.D., Guilbert, P.W., Phinney, E.S., Cuellar, L.), 221, 931
- Spectral-line variations in Sigma Geminorum (Eker, Z.), 221, 947
- Long-term and periodic variability of 4U 1258-61 (GX304-1) (Corbet, R.H.D., Smale, A.P., Menzies, J.W., Branduardi-Raymont, G., Charles, P.A., Mason, K.O., Booth, L.), 221, 961
- Non-synchronous secondaries in cataclysmic variables (Czerny, M., King, A.R.), 221, 55p
- Accretion disc inclinations and absolute magnitudes of classical nova remnants (Wamer, B.), 222, 11
- The triple system DM Persei (Hilditch, R.W., Skillen, I., Carr, D.M., Aikman, G.C.L.), 222, 167
- Polarization observations of DQ Her stars and other cataclysmic variables (Cropper, M.), 222, 225
- Doppler-shifted X-ray line emission from SS433 (Watson, M.G., Stewart, G.C., Brinkmann, W., King, A.R.), 222, 261
- Evidence for pulsation in the hydrogen-deficient binary Upsilon Sagittarii (Malcolm, G.J., Bell, S.A.), 222, 543
- Numerical simulation of mass transfer in eccentric orbit binary systems (Boyle, C.B., Walker, I.W.), 222, 559
- Observation of an iron *K* X-ray line from SS433 (Matsuoka, M., Takano, S., Makishima, K.), 222, 605
- An estimate of the system parameters in the dwarf nova IP Peg (Wood, J., Crawford, C.S.), 222, 645
- An infrared and visual study of the structure and variability of the cataclysmic binary V2051 Ophiuchi (Berriman, G., Kenyon, S., Bailey, J.), 222, 871
- Detection of the secondary star in three AM Her systems (Mukai, K., Charles, P.A.), 222, 1p
- The orbital period of the optical/X-ray burster X1735-444 (V926 Sco) (Corbet, R.H.D., Thorstensen, J.R., Charles, P.A., Menzies, J.W., Naylor, T., Smale, A.P.), 222, 15p
- A search for X-ray periodicities from 4U 1700-37 (Gottwald, M., White, N.E., Stella, L.), 222, 21p
- Type I SNe from double degenerate CO dwarfs and their rate in the solar neighbourhood (Tomambè, A., Matteucci, F.), 223, 69
- On the visual binary ν Carinae (Mandrini, C.H., Niemela, V.S.), 223, 79
- X-ray and optical variability in the low-mass burst source X1735-444 (Smale, A.P., Corbet, R.H.D., Charles, P.A., Menzies, J.W., Mack, P.), 223, 207
- Twisted accretion discs - II. Variation in density distribution and application to interacting binaries (Kumar, S.), 223, 225
- The origin of the visual and infrared pulsations in

- the intermediate polar FO Aqr (H2215-086) (Berriman, G., Bailey, J., Axon, D.J., Hough, J.H.), 223, 449
- A new binary planetary nebula (Whitlock, P.A., Menzies, J.W.), 223, 497
- A photometric and spectroscopic study of the early-type binary AH Cephei (Bell, S.A., Hilditch, R.W., Adamson, A.J.), 223, 513
- Contact and near-contact binary systems – IV. RT Scl and AQ Tuc (Hilditch, R.W., King, D.J.), 223, 581
- Contact and near-contact binary systems – V. RV Corvi (McFarlane, T.M., Hilditch, R.W., King, D.J.), 223, 595
- Contact and near-contact binary systems – VI. The semi-detached system CX Aquarii (McFarlane, T.M., Bell, S.A., Adamson, A.J., Hilditch, R.W.), 223, 607
- HR 3562 and 3600: two short-period B-type variables (Balona, L.A., Laing, J.D.), 223, 621
- Stars – chemical composition of**
- Discovery of a large mass of iron in a type I supernova (Graham, J.R., Meikle, W.P.S., Allen, D.A., Longmore, A.J., Williams, P.M.), 218, 93
- The chemical composition of algol systems – III. Beta Lyrae-nucleosynthesis revealed (Balachandran, S., Lambert, D.L., Tomkin, J.), 219, 479
- On the interpretation of Strömgren photometry (Alexander, J.B.), 220, 473
- Orbital inclinations of late B-type spectroscopic binaries (Guthrie, B.N.G.), 220, 559
- The chemical composition of six southern clusters and associations (Brown, P.J.F., Dufton, P.L., Lennon, D.J., Keenan, F.P.), 220, 1003
- Some considerations on the origin of nitrogen (Matteucci, F.), 221, 911
- Neutron synthesis in AGB and post-AGB stars of low mass (Malaney, R.A.), 223, 683
- Heavy-element synthesis in AGB and post-AGB stars of low mass (Malaney, R.A.), 223, 709
- Stars – clusters of**
- The nature of Be stars: periodic variables in the cluster NGC 3766 (Balona, L.A., Engelbrecht, C.A.), 219, 131
- α Cephei variable in an eclipsing binary in the cluster NGC 3293 (Engelbrecht, C.A., Balona, L.A.), 219, 449
- The pulsation mode and period-luminosity relationship of cool variables in globular clusters (Whitlock, P.A.), 219, 525
- Cepheids in the open cluster NGC 6067 (Moffett, T.J., Barnes III, T.G.), 219, 45p
- CCD observations of some RR Lyrae stars and a standard sequence in Baade's window (Walker, A.R., Mack, P.), 220, 69
- RR Lyrae stars in globular clusters: better distances from infrared measurements (Longmore, A.J., Fernley, J.A., Jameson, R.F.), 220, 279
- Mass and age distributions of stars in young open clusters (Sagar, R., Piskunov, A.E., Myakutin, V.I., Joshi, U.C.), 220, 383
- On the interpretation of Stromgren photometry (Alexander, J.B.), 220, 473
- On the surface gravities of Am stars (Dworetzky, M.M., Moon, T.T.), 220, 787
- uvby* β photometry of southern clusters – VII. NGC 2547 (Shobbrook, R.R.), 220, 825
- CCD photometry of the globular cluster NGC 6752 (Penny, A.J., Dickens, R.J.), 220, 845
- The chemical composition of six southern clusters and associations (Brown, P.J.F., Dufton, P.L., Lennon, D.J., Keenan, F.P.), 220, 1003
- On the dynamical evolution of a spheroidal cluster – II. Anisotropic velocity distribution (Sunder, G.S., Kochhar, R.K.), 221, 553
- On star formation in stellar systems – I. Photoionization effects in protoglobular clusters (Tenorio-Tagle, G., Bodenheimer, P., Lin, D.N.C., Noriega-Crespo, A.), 221, 635
- Optical and UV spectroscopy of blue horizontal branch stars in the globular cluster NGC 6752 (Caloi, V., Castellani, V., Danziger, J., Gilmozzi, R., Cannon, R.D., Hill, P.W., Boksenberg, A.), 222, 55
- Stars – formation of**
- Bimodal star formation and remnant-dominated galactic models (Larson, R.B.), 218, 409
- Star formation and some aspects of the chemical evolution of the Galaxy (Rana, N.C., Wilkinson, D.A.), 218, 497
- An estimation of the radial distribution of molecular hydrogen in the Galaxy from the star formation rates (Rana, N.C., Wilkinson, D.A.), 218, 721
- Simulations of close encounter between galaxies: behaviour of interstellar gas clouds and enhancement of star formation rate (Noguchi, M., Ishibashi, S.), 219, 305
- Star formation in the Magellanic Clouds – III. IR observations of giant H II regions (Jones, T.J., Hyland, A.R., Straw, S., Harvey, P.M., Wilking, B.A., Joy, M., Gatley, I., Thomas, J.A.), 219, 603
- Cooling of Population III objects in a pressure supported collapse (Lahav, O.), 220, 259
- Mass shedding and partition of the a/m ratio between core and envelope in gravitational collapse (de Felice, F., Yu, Y.), 220, 737
- Dissipation of magnetic fields in very dense interstellar clouds – II. Final phases of star formation and the magnetic flux of a newborn star (Nakano, T., Umebayashi, T.), 221, 319

Subject index

- A near-infrared survey of the L1641 dark cloud (Nakajima, T., Nagata, T., Nishida, M., Sato, S., Kawara, K.), 221, 483
- On star formation in stellar systems – I. Photoionization effects in protoglobular clusters (Tenorio-Tagle, G., Bodenheimer, P., Lin, D.N.C., Noriega-Crespo, A.), 221, 635
- Enhanced star formation – the importance of bars in spiral galaxies (Hawarden, T.G., Mountain, C.M., Leggett, S.K., Puxley, P.J.), 221, 41P
- Young-star formation in the Magellanic H I bridge (Meabum, J.), 223, 317
- On similarity solutions for the condensation of isothermal spherical gas clouds (Hunter, C.), 223, 391

Stars – magnetic fields in

- Magnetically controlled stellar winds in close binary systems (Moss, D.), 218, 247
- Properties of condensed matter in very strong magnetic fields (Jones, P.B.), 218, 477
- Accretion flows in the non-synchronous magnetic cataclysmic variables (Hameury, J.-M., King, A.R., Lasota, J.-P.), 218, 695
- Theoretical Stokes profiles for magnetic stars – II. An appraisal of statistical methods for magnetic field determination (Stift, M.J.), 219, 203
- Oscillatory motions in intense flux tubes (Hasan, S.S.), 219, 357
- The attainment of synchronism in the presence of accretion in the AM Herculis binaries (Campbell, C.G.), 219, 589
- The evolution of polar caps in magnetic cataclysmic variables (Frank, J., Channugam, G.), 219, 597
- Generation of neutron star magnetic fields by thermomagnetic effects (Urpín, V.A., Levshakov, S.A., Yakovlev, D.G.), 219, 703
- A search for magnetic fields in the T Tauri stars GW Ori, CoD-347151, and RU Lup (Johnstone, R.M., Penston, M.V.), 219, 927
- Structure of magneto-Keplerian discs: an analytical solution for thin accretion discs threaded by stellar magnetic fields (Kuburaki, O.), 220, 321
- MERLIN observations of the circumstellar envelope of VX Sagittarius (Chapman, J.M., Cohen, R.J.), 220, 513
- Stellar oscillations in the presence of a magnetic field (Campbell, C.G., Papaloizou, J.C.B.), 220, 577
- Polarimetry of VV Puppis (Cropper, M., Warner, B.), 220, 633
- Dissipation of magnetic fields in very dense interstellar clouds – II. Final phases of star formation and the magnetic flux of a newborn star (Nakano, T., Umebayashi, T.), 221, 319
- Theoretical Stokes profiles for magnetic stars – III. Integrated field measures, weighting functions and the modelling of stellar magnetic geometries (Stift, M.J.), 221, 499

- Polarization observations of DQ Her stars and other cataclysmic variables (Cropper, M.), 222, 225
- Polarimetry of ST LMi(CW1103+254) (Cropper, M.), 222, 853
- Detection of the secondary star in three AM Her systems (Mukai, K., Charles, P.A.), 222, 1P
- Magnetic blanketing in white dwarfs (Wickramasinghe, D.T., Martin, B.), 223, 323
- Angular momentum transport in the magnetospheres of cataclysmic variable accretion discs (Koen, C.), 223, 529
- An analysis of the $l = -1$ dipole oscillation in HR 3831 (HD 83368) (Kurtz, D.W., Shibahashi, H.), 223, 557
- The evolution of the magnetic fields of the chemically peculiar stars (Moss, D.), 223, 727

Stars – mass loss from

- Magnetically controlled stellar winds in close binary systems (Moss, D.), 218, 247
- On spectral line formation in winds from extended continuum sources (Drew, J.E.), 218, 41P
- Spiral shocks on a Roche lobe overflow in a semi-detached binary system (Sawada, K., Matsuda, T., Hachisu, I.), 219, 75
- Photometry and spectroscopy of V Sagittae through eclipse (Williams, G.A., King, A.R., Uemoto, A.K., Hiltner, W.A.), 219, 809
- Submillimetre observations of a disc around the embedded source GL 490 (Gear, W.K., Gee, G., Robson, E.L., Ade, P.A.R., Duncan, W.D.), 219, 835
- The velocity structure of the core of the giant H II region NGC 3603 (Clayton, C.A.), 219, 895
- A search for magnetic fields in the T Tauri stars GW Ori, CoD-347151, and RU Lup (Johnstone, R.M., Penston, M.V.), 219, 927
- An infrared image of the Hourglass region of M 8 (Allen, D.A.), 219, 35P
- CO observations of sources from IRAS Circular No. 9 (Arquilla, R., Leahy, D.A., Kwok, S.), 220, 125
- An extremely luminous bipolar H₂ flow in the DR21 star-forming region (Garden, R., Geballe, T.R., Gatley, I., Nadeau, D.), 220, 203
- MERLIN observations of the circumstellar envelope of VX Sagittarius (Chapman, J.M., Cohen, R.J.), 220, 513
- Infrared recombination line profiles: a diagnostic probe of the velocity field in the S106 stellar wind (Garden, R.P., Geballe, T.R.), 220, 611
- Mass shedding and partition of the a/m ratio between core and envelope in gravitational collapse (de Felice, F., Yu, Y.), 220, 737
- The Herbig-Haro-like objects in M42 (Taylor, K., Dyson, J.E., Axon, D.J., Hughes, S.), 221, 155
- On star formation in stellar systems – I. Photoionization effects in protoglobular clusters (Tenorio-Tagle, G., Bodenheimer, P., Lin, D.N.C., Noriega-Crespo, A.), 221, 635

Subject index

- Charge-controlled grain destruction during the 'isothermal' phase of novae (Mitchell, R.M., Evans, A., Albinson, J.S.), 221, 663
- Accretion shocks in a close binary system (Sawada, K., Matsuda, T., Hachisu, I.), 221, 679
- Interaction between a stellar wind and an accretion flow (Shima, E., Matsuda, T., Inaguchi, T.), 221, 687
- A neutral hydrogen bipole associated with UW CMA (Denby, B., Taylor, K.N.R.), 221, 707
- Mass-loaded astronomical flows - I. General principles and their application to RCW 58 (Hartquist, T.W., Dyson, J.E., Pettini, M., Smith, L.J.), 221, 715
- Analysis of the infrared echo of supernova 1982e in NGC 1332 (Graham, J.R., Meikle, W.P.S.), 221, 789
- IRAS* sources in the Sgr I window (Glass, I.S.), 221, 879
- Molecular hydrogen mapping of Herbig-Haro 7-11; a filamentary bullet? (Lightfoot, J.F., Glencross, W.M.), 221, 993
- A protostellar jet model for Herbig-Haro 2 (Lightfoot, J.F., Glencross, W.M.), 221, 47P
- Emission-line widths and stellar-wind flows in T Tauri stars (Sá, C., Penston, M.V., Lago, M.T.V.T.), 222, 213
- Doppler-shifted X-ray line emission from SS433 (Watson, M.G., Stewart, G.C., Brinkmann, W., King, A.R.), 222, 261
- Models for *IRAS* observations of circumstellar dust shells around late-type stars (Rowan-Robinson, M., Lock, T.D., Walker, D.W., Harris, S.), 222, 273
- Expanding chromospheres of late G and K supergiants (Mallik, S.V.), 222, 307
- Grain size and geometrical effects in the Eta Carinae dust shell (Mitchell, R.M., Robinson, G.), 222, 347
- IRAS* observations of R Cor Bor stars (Rao, N.K., Nandy, K.), 222, 357
- Numerical simulation of mass transfer in eccentric orbit binary systems (Boyle, C.B., Walker, I.W.), 222, 559
- Expanding shells in the filamentary edge of the young supernova remnant RCW 103 (Meabum, J., Allan, P.M.), 222, 593
- Observation of an iron K X-ray line from SS433 (Matsuoka, M., Takano, S., Makishima, K.), 222, 605
- The ultraviolet spectrum and interstellar environment of HD 50896 (Howarth, I.D., Phillips, A.P.), 222, 809
- The formation of bipolar sources in dense molecular clouds (Smith, M.D.), 223, 57
- The rocket effect on a gravitating mass-losing object (Inaguchi, T., Matsuda, T., Shima, E.), 223, 129
- The determination of the mass of a Magellanic Cloud planetary nebula by speckle interferometry (Barlow, M.J., Morgan, B.L., Standley, C., Vine, H.), 223, 151
- A new binary planetary nebula (Whitelock, P.A., Menzies, J.W.), 223, 497
- Contact and near-contact binary systems - IV. RT Scl and AQ Tuc (Hilditch, R.W., King, D.J.), 223, 581
- Discrete absorption components in spectra of mass-losing stars: an analytical model for the trajectories of gas parcels and streams (Bates, B., Halliwell, D.R.), 223, 673
- Structure of the Haro 6-5 complex (Gledhill, T.M., Warren-Smith, R.F., Scarrott, S.M.), 223, 867
- ### Stars - photometry of
- Contact and near-contact binary systems - III. The semi-detached system YY Ceti (McFarlane, T.M., King, D.J., Hilditch, R.W.), 218, 159
- E1405 - 451: three seasons of polarimetry and photometry (Cropper, M., Menzies, J.W., Tapia, S.), 218, 210
- Analysis of five high-latitude blue stars (Kilkenny, D., Lydon, J.), 218, 279
- A bipolar nebula in Orion identified with the *IRAS* source 05329 - 0505 (Wolstencroft, R.D., Scarrott, S.M., Warren-Smith, R.F., Walker, H.J., Reipurth, B., Savage, A.), 218, 1P
- The nature of Be stars: periodic variables in the cluster NGC 3766 (Balona, L.A., Engelbrecht, C.A.), 219, 131
- Multiple optical orbital sidebands in intermediate polars (Wamer, B.), 219, 347
- On the nature of objects detected as faint long-term variables (Hawkins, M.R.S.), 219, 417
- A β Cephei variable in an eclipsing binary in the cluster NGC 3293 (Engelbrecht, C.A., Balona, L.A.), 219, 449
- A distance modulus of the LMC from *uvby* β photometry of B supergiants (Shobbrook, R.R.), 219, 495
- The pulsation mode and period-luminosity relationship of cool variables in globular clusters (Whitelock, P.A.), 219, 525
- High-speed photometry of the dwarf nova Z Cha in quiescence (Wood, J., Home, K., Berriman, G., Wade, R., O'Donoghue, D., Wamer, B.), 219, 629
- Light curves of RR Pic (Nova Pictoris 1925) 1972-84 (Wamer, B.), 219, 751
- Photometry and spectroscopy of V Sagittae through eclipse (Williams, G.A., King, A.R., Uemoto, A.K., Hiltner, W.A.), 219, 809
- Cepheids in the open cluster NGC 6067 (Moffett, T.J., Barnes III, T.G.), 219, 45P
- CCD observations of some RR Lyrae stars and a standard sequence in Baade's window (Walker, A.R., Mack, P.), 220, 69
- Simultaneous optical, infrared and microwave observations of the flare star AT Mic (Nelson, G.J., Robinson, R.D., Slee, O.B., Ashley, M.C.B., Hyland, A.R., Tuohy, I.R., Nikoloff, I., Vaughan, A.E.), 220, 91

Subject index

- New colour and Zanstra temperatures for 15 central stars of planetary nebulae (de Freitas Pacheco, J.A., Codina, S.J., Viadana, L.), 220, 107
- Optical photometry and spectroscopy for five dwarf M stars (Doyle, J.G., Byrne, P.B., Menzies, J.W.), 220, 223
- RR Lyrae stars in globular clusters: better distances from infrared measurements (Longmore, A.J., Fernley, J.A., Jameson, R.F.), 220, 279
- Frequency analysis of the 5.65-min oscillations in the rapidly oscillating Ap star HD 134214 (Kreidl, T.J., Kurtz, D.W.), 220, 313
- Mass and age distributions of stars in young open clusters (Sagar, R., Piskunov, A.E., Myakutin, V.I., Joshi, U.C.), 220, 383
- On the interpretation of Strömgren photometry (Alexander, J.B.), 220, 473
- Orbital inclinations of late B-type spectroscopic binaries (Guthrie, B.N.G.), 220, 559
- Velocities and radii of five Magellanic Cloud Cepheids (Caldwell, J.A.R., Coulson, I.M., Spencer Jones, J.H., Black, C.A., Feast, M.W.), 220, 671
- On the surface gravities of Am stars (Dworetzky, M.M., Moon, T.T.), 220, 787
- uvby* β photometry of southern clusters – VII. NGC 2547 (Shobbrook, R.R.), 220, 825
- CCD photometry of the globular cluster NGC 6752 (Penny, A.J., Dickens, R.J.), 220, 845
- FT Lupi: *UBV* photometry and synthetic solution (Lipari, S.L., Sisteró, R.F.), 220, 883
- The flicker spectrum of YZ Cancri (Elsworth, Y., James, J.F.), 220, 895
- Flares on dMe stars: *IUE* and optical observations of AT Mic, and comparison of far-ultraviolet stellar and solar flares (Bromage, G.E., Phillips, K.J.H., Dufton, P.L., Kingston, A.E.), 220, 1021
- The infrared flux method and its use for study of α Boo, μ Her and β Dra; relation to the Vega 1.2–5 μ m infrared excess (Blackwell, D.E., Booth, A.J., Petford, A.D., Leggett, S.K., Mountain, C.M., Selby, M.J.), 221, 427
- A photometric study of AM Herculis in the normal and reversed soft X-ray modes (Mazeh, T., Kieboom, K., Heise, J.), 221, 513
- A multi-wavelength study of the long-period AM Her system E2003+225 – II. Changes in the accretion geometry (Mukai, K., Bonnet-Bidaud, J.-M., Charles, P.A., Corbet, R.H.D., Maraschi, L., Osborne, J.P., Smale, A.P., Treves, A., van der Klis, M., van Paradijs, J.), 221, 839
- Long-term and periodic variability of 4U 1258–61 (GX304–1) (Corbet, R.H.D., Smale, A.P., Menzies, J.W., Branduardi-Raymont, G., Charles, P.A., Mason, K.O., Booth, L.), 221, 961
- JHK*L observations of *IRAS* sources – III. The galactic bulge (Whitelock, P., Feast, M., Catchpole, R.), 222, 1
- Accretion disc inclinations and absolute magnitudes of classical nova remnants (Warner, B.), 222, 11
- The triple system DM Persei (Hilditch, R.W., Skillen, I., Carr, D.M., Aikman, G.C.L.), 222, 167
- Cepheid radii and masses from the surface-brightness method (Gieren, W.P.), 222, 251
- IRAS* observations of R Cor Bor stars (Rao, N.K., Nandy, K.), 222, 357
- Four-colour observations of primary and secondary *uvby* standards (Kilkenny, D., Menzies, J.W.), 222, 373
- Infrared photometry of Magellanic Cloud Cepheids. Intrinsic properties of Cepheids and the spatial structure of the Clouds (Laney, C.D., Stobie, R.S.), 222, 449
- Variable stars in the South Galactic Cap (Stobie, R.S., Bishop, I.S., King, D.L.), 222, 473
- Evidence for pulsation in the hydrogen-deficient binary Upsilon Orion Sagittarii (Malcolm, G.J., Bell, S.A.), 222, 543
- An estimate of the system parameters in the dwarf nova IP Peg (Wood, J., Crawford, C.S.), 222, 645
- The variation of the 5200 feature in HD 34452 (Shylaja, B.S., Babu, G.S.D.), 222, 683 and on *microfiche*
- Polarimetry of ST LMi (CW1103+254) (Cropper, M.), 222, 853
- An infrared and visual study of the structure and variability of the cataclysmic binary V2051 Ophiuchi (Berriman, G., Kenyon, S., Bailey, J.), 222, 871
- Detection of the secondary star in three AM Her systems (Mukai, K., Charles, P.A.), 222, 1P
- The orbital period of the optical/X-ray burster X1735-444 (V926 Sco) (Corbet, R.H.D., Thorstensen, J.R., Charles, P.A., Menzies, J.W., Naylor, T., Smale, A.P.), 222, 15P
- X-ray and optical variability in the low-mass burst source X1735-444 (Smale, A.P., Corbet, R.H.D., Charles, P.A., Menzies, J.W., Mack, P.), 223, 207
- Narrow-band 1-to 5- μ m photometry of A-type stars (Leggett, S.K., Bartholomew, M., Mountain, C.M., Selby, M.J.), 223, 443
- A photometric and spectroscopic study of the early-type binary AH Cephei (Bell, S.A., Hilditch, R.W., Adamson, A.J.), 223, 513 and on *Microfiche*
- An analysis of the $l=1$ dipole oscillation in HR 3831 (HD 83368) (Kurtz, D.W., Shibahashi, H.), 223, 557
- Contact and near-contact binary systems – V. RV Corvi (McFarlane, T.M., Hilditch, R.W., King, D.J.), 223, 595
- Contact and near-contact binary systems – VI. The semi-detached system CX Aquarii (McFarlane, T.M., Bell, S.A., Adamson, A.J., Hilditch, R.W.), 223, 607
- HR 3562 and 3600: two short-period B-type variables (Balona, L.A., Laing, J.D.), 223, 621
- A survey of trigonometric parallaxes and proper motions with the UK Schmidt telescope – II. Astrometric and photometric data for a complete sample of 6125 stars brighter than $B=17.5$,

- $V=17.0$ in the South Galactic Cap (Murray, C.A., Argyle, R.W., Corben, P.M.), 223, 629
- On the nature of the missing mass in the solar neighbourhood (Hawkins, M.R.S.), 223, 845
- Simultaneous X-ray and optical monitoring of the flare star YZ CMi (Doyle, J.G., Butler, C.J., Haisch, B.M., Rodono, M.), 223, 1p
- Stars – rotation of**
- On the evolutionary status of the active chromosphere stars AB Doradus (HD 36705) and PZ Telescopium (HD 174429) (Innis, J.L., Thompson, K., Coates, D.W.), 223, 183
- Stars – spectroscopy of**
- A spectroscopic study of the X-ray binary V1727 Cygni (Home, K., Verbunt, F., Schneider, D.P.), 218, 63
- Contact and near-contact binary systems – III. The semi-detached system YY Ceti (McFarlane, T.M., King, D.J., Hilditch, R.W.), 218, 159
- Analysis of five high-latitude blue stars (Kilkenny, D., Lydon, J.), 218, 279
- Amorphous bronzite – a silicate of astronomical importance (Dorschner, J., Friedemann, C., Gürtler, J., Henning, Th., Wagner, H.), 218, 37p
- Mode identification from line profile variations (Balona, L.A.), 219, 111
- The RCB star RY Sagittarii as a pulsating star (Lloyd Evans, T.), 219, 191
- Theoretical Stokes profiles for magnetic stars – II. An appraisal of statistical methods for magnetic field determination (Stift, M.J.), 219, 203
- The chemical composition of algol systems – III. Beta Lyrae-nucleosynthesis revealed (Balachandran, S., Lambert, D.L., Tomkin, J.), 219, 479
- A dynamical model for the dwarf nova AH Herculis (Home, K., Wade, R.A., Szkody, P.), 219, 791
- Photometry and spectroscopy of V Sagittae through eclipse (Williams, G.A., King, A.R., Uomoto, A.K., Hiltner, W.A.), 219, 809
- CH Cygni – one year after the drop in brightness (Mikolajewski, M., Tomov, T.), 219, 13p
- High-resolution infrared spectroscopy: a search for the 11.52- μ m graphite feature (Glaspe, A.C.H., Towilson, W.A., Aitken, D.K., Roche, P.F.), 220, 185
- Optical photometry and spectroscopy for five dwarf M stars (Doyle, J.G., Byrne, P.B., Menzies, J.W.), 220, 223
- Mode identification from line profile variations – II. A quantitative least-squares algorithm (Balona, L.A.), 220, 647
- The chemical composition of six southern clusters and associations (Brown, P.J.F., Dufton, P.L., Lennon, D.J., Keenan, F.P.), 220, 1003
- X-ray and optical observations of a dMe flare star in the T Tauri field (Smale, A.P., Charles, P.A., Corbet, R.H.D., Jordan, C., Brown, A., Walter, F.), 221, 77
- Constraints on the outer atmospheric structure of late-type giant stars with IUE: methods and application to Arcturus (α Boo K2III) (Judge, P.G.), 221, 119
- Theoretical Stokes profiles for magnetic stars – III. Integrated field measures, weighting functions and the modelling of stellar magnetic geometries (Stift, M.J.), 221, 499
- A multi-wavelength study of the long-period AM Her system E2003+225 – II. Changes in the accretion geometry (Mukai, K., Bonnet-Bidaud, J.-M., Charles, P.A., Corbet, R.H.D., Maraschi, L., Osborne, J.P., Smale, A.P., Treves, A., van der Klis, M., van Paradijs, J.), 221, 839
- Spectral-line variations in Sigma Geminorum (Eker, Z.), 221, 947
- Long-term and periodic variability of 4U 1258–61 (GX304–1) (Corbet, R.H.D., Smale, A.P., Menzies, J.W., Branduardi-Raymont, G., Charles, P.A., Mason, K.O., Booth, L.), 221, 961
- The pulsating extreme helium star BD+13°3224 (V652 Her) – III. The radial velocity curve (Jeffery, C.S., Hill, P.W.), 221, 975
- Optical and UV spectroscopy of blue horizontal branch stars in the globular cluster NGC 6752 (Caloi, V., Castellani, V., Danziger, J., Gilmozzi, R., Cannon, R.D., Hill, P.W., Boksenberg, A.), 222, 55
- Ultraviolet and infrared excess emission in Be stars (Goraya, P.S.), 222, 121
- The triple system DM Persei (Hilditch, R.W., Skillen, I., Carr, D.M., Aikman, G.C.L.), 222, 167
- Emission-line widths and stellar-wind flows in T Tauri stars (Sá, C., Penston, M.V., Lago, M.T.V.T.), 222, 213
- Expanding chromospheres of late G and K supergiants (Mallik, S.V.), 222, 307
- Non-LTE calculations of Al III line strengths in early-type stars (Dufton, P.L., Brown, P.J.F., Lennon, D.J., Lynas-Gray, A.E.), 222, 713 and on microfiche
- Non-LTE calculations of silicon-line strengths in B-type stars (Lennon, D.J., Lynas-Gray, A.E., Brown, P.J.F., Dufton, P.L.), 222, 719 and on microfiche
- The ultraviolet spectrum and interstellar environment of HD 50896 (Howarth, I.D., Phillips, A.P.), 222, 809
- Imaging spectroscopy of a spiral arm of the galaxy NGC 1566 (Roy, J.-R., Walsh, J.R.), 223, 39
- On the visual binary ν Carinae (Mandrini, C.H., Niemela, V.S.), 223, 79
- Constraints on the outer atmospheric structure of late-type giant stars with IUE: application to α Tau (K5III) and β Gru (M5III) (Judge, P.G.), 223, 239

Subject index

- Magnetic blanketing in white dwarfs (Wickramasinghe, D.T., Martin, B.), 223, 323
- A new binary planetary nebula (Whitelock, P.A., Menzies, J.W.), 223, 497
- A photometric and spectroscopic study of the early-type binary AH Cephei (Bell, S.A., Hilditch, R.W., Adamson, A.J.), 223, 513 and on *Microfiche*
- Contact and near-contact binary systems – IV. RT Scl and AQ Tuc (Hilditch, R.W., King, D.J.), 223, 581
- Contact and near-contact binary systems – V. RV Corvi (McFarlane, T.M., Hilditch, R.W., King, D.J.), 223, 595
- Contact and near-contact binary systems – VI. The semi-detached system CX Aquarii (McFarlane, T.M., Bell, S.A., Adamson, A.J., Hilditch, R.W.), 223, 607
- Discrete absorption components in spectra of mass-losing stars: an analytical model for the trajectories of gas parcels and streams (Bates, B., Halliwell, D.R.), 223, 673
- The stellar populations and evolution of H II galaxies – I. High signal-to-noise optical spectroscopy (Campbell, A., Terlevich, R., Melnick, J.), 223, 811
- ### Stars – structure and evolution of
- The chemical composition of algol systems – III. Beta Lyrae-nucleosynthesis revealed (Balachandran, S., Lambert, D.L., Tomkin, J.), 219, 479
- Extremely metal-deficient stars – II. Evolution of intermediate-mass stars to carbon ignition or core degeneracy (Tomambe, A., Chieffi, A.), 220, 529
- The low-luminosity J-type carbon stars (Lloyd Evans, T.), 220, 723
- A further uncertainty in the mixing length theory of convection in the structure of late-type stars (Tayler, R.J.), 220, 793
- Triple star evolution and the formation of short-period, low-mass M-ray binaries (Eggleton, P.P., Verbunt, F.), 220, 13p
- On mixing by the Eddington-Sweet circulation (Mestel, L., Moss, D.L.), 221, 25
- Overstable convective modes in uniformly rotating massive main-sequence stars (Lee, U., Saio, H.), 221, 365
- Radial pulsations of V652 Her (BD+13°3224) (Saio, H.), 221, 1p
- Erratum: A further uncertainty in the mixing length theory of convection in the structure of late-type stars (Tayler, R.J.), 222, 223
- Type I SNe from double degenerate CO dwarfs and their rate in the solar neighbourhood (Tomambe, A., Matteucci, F.), 223, 69
- On the evolutionary status of the active chromosphere stars AB Doradus (HD 36705) and PZ Telescopium (HD 174429) (Innis, J.L., Thompson, K., Coates, D.W.), 223, 183
- Neutron synthesis in AGB and post-AGB stars of low mass (Malaney, R.A.), 223, 683
- Heavy-element synthesis in AGB and post-AGB stars of low mass (Malaney, R.A.), 223, 709
- The evolution of the magnetic fields of the chemically peculiar stars (Moss, D.), 223, 727
- Pulsation masses and luminosities for the double mode RV Tauri star UU Her and the 89 Her star HD 161796 (Worrell, J.K.), 223, 787
- ### Stars – variable
- E1405 – 451: three seasons of polarimetry and photometry (Cropper, M., Menzies, J.W., Tapia, S.), 218, 210
- The geometry and distance of the Magellanic Clouds from Cepheid variables (Caldwell, J.A.R., Coulson, I.M.), 218, 223
- Accretion flows in the non-synchronous magnetic cataclysmic variables (Hameury, J.-M., King, A.R., Lasota, J.-P.), 218, 695
- Tidal spin-up and magnetic braking cataclysmic variables (Paradijs, J. van), 218, 31p
- The nature of Be stars: periodic variables in the cluster NGC 3766 (Balona, L.A., Engelbrecht, C.A.), 219, 131
- The RCB star RY Sagittarii as a pulsating star (Lloyd Evans, T.), 219, 191
- Study of quiescent state X-ray emission from flare stars (Agrawal, P.C., Rao, A.R., Sreekantan, B.V.), 219, 225
- Multiple optical orbital sidebands in intermediate polars (Warner, B.), 219, 347
- On the nature of objects detected as faint long-term variables (Hawkins, M.R.S.), 219, 417
- A β Cephei variable in an eclipsing binary in the cluster NGC 3293 (Engelbrecht, C.A., Balona, L.A.), 219, 449
- The pulsation mode and period-luminosity relationship of cool variables in globular clusters (Whitelock, P.A.), 219, 525
- The evolution of polar caps in magnetic cataclysmic variables (Frank, J., Channugam, G.), 219, 597
- High-speed photometry of the dwarf nova Z Cha in quiescence (Wood, J., Horne, K., Berriman, G., Wade, R., O'Donoghue, D., Warner, B.), 219, 629
- Light curves of RR Pic(Nova Pictoris 1925) 1972 – 84 (Warner, B.), 219, 753
- CH Cygni – one year after the drop in brightness (Mikofajewski, M., Tomov, T.), 219, 13p
- Cepheids in the open cluster NGC 6067 (Moffett, T.J., Barnes III, T.G.), 219, 45p
- CCD observations of some RR Lyrae stars and a standard sequence in Baade's window (Walker, A.R., Mack, P.), 220, 69
- Simultaneous optical, infrared and microwave observations of the flare star AT Mic (Nelson, G.J., Robinson, R.D., Slee, O.B., Ashley, M.C.B., Hyland, A.R., Tuohy, I.R., Nikoloff, I., Vaughan, A.E.), 220, 91

Subject index

- Optical photometry and spectroscopy for five dwarf M stars (Doyle, J.G., Byrne, P.B., Menzies, J.W.), 220, 223
- RR Lyrae stars in globular clusters: better distances from infrared measurements (Longmore, A.J., Fernley, J.A., Jameson, R.F.), 220, 279
- Frequency analysis of the 5.65-min oscillations in the rapidly oscillating Ap star HD 134214 (Kreidl, T.J., Kurtz, D.W.), 220, 313
- The luminosity and kinematics of RR Lyrae stars in the solar neighbourhood - I. Statistical parallaxes of RR Lyrae (Strugnell, P., Reid, N., Murray, C.A.), 220, 413
- Stellar oscillations in the presence of a magnetic field (Campbell, C.G., Papaloizou, J.C.B.), 220, 577
- Polarimetry of VV Puppis (Cropper, M., Warner, B.), 220, 633
- Mode identification from line profile variations - II. A quantitative least-squares algorithm (Balona, L.A.), 220, 647
- Velocities and radii of five Magellanic Cloud Cepheids (Caldwell, J.A.R., Coulson, I.M., Spencer Jones, J.H., Black, C.A., Feast, M.W.), 220, 671
- The flicker spectrum of YZ Cancri (Elsworth, Y., James, J.F.), 220, 895
- Flares on dMe stars: *IUE* and optical observations of AT Mic, and comparison of far-ultraviolet stellar and solar flares (Bromage, G.E., Phillips, K.J.H., Dufton, P.L., Kingston, A.E.), 220, 1021
- The three types of high-mass X-ray pulsator (Corbet, R.H.D.), 220, 1047
- On mode changes in ZZ Ceti stars (O'Donoghue, D.), 220, 19p
- The radius of the accretion disc in Z Cha between outbursts (O'Donoghue, D.), 220, 23p
- X-ray and optical observations of a dMe flare star in the T Tauri field (Smale, A.P., Charles, P.A., Corbet, R.H.D., Jordan, C., Brown, A., Walter, F.), 221, 77
- Dwarf novae in outburst: modelling the observations (Pringle, J.E., Verbunt, F., Wade, R.A.), 221, 169
- The light-curve properties of mass-transfer events in cataclysmic variables (Bath, G.T., Clarke, C.J., Mantle, V.J.), 221, 269
- A photometric study of AM Herculis in the normal and reversed soft X-ray modes (Mazeh, T., Kieboom, K., Heise, J.), 221, 513
- Accretion torques due to three-dimensional channelled flows in magnetic cataclysmic variables (Campbell, C.G.), 221, 599
- On the question of multimode stellar pulsations (Tavakol, R.K., Das, M.K.), 221, 625
- IRAS sources in the Sgr I window (Glass, I.S.), 221, 879
- The luminosity and kinematics of RR Lyrae - II. RR Lyrae and the distance to the LMC (Reid, I.N., Strugnell, P.R.), 221, 887
- The pulsating extreme helium star BD+13°3224 (V652 Her) - III. The radial velocity curve (Jeffery, C.S., Hill, P.W.), 221, 975
- Radial pulsations of V652 Her (BD+13 3224) (Saio, H.), 221, 1p
- Non-synchronous secondaries in cataclysmic variables (Czemy, M., King, A.R.), 221, 55p
- JHKL* observations of *IRAS* sources - III. The galactic bulge (Whitelock, P., Feast, M., Catchpole, R.), 222, 1
- Emission-line widths and stellar-wind flows in T Tauri stars (Sá, C., Penston, M.V., Lago, M.T.V.T.), 222, 213
- Polarization observations of DQ Her stars and other cataclysmic variables (Cropper, M.), 222, 225
- Cepheid radii and masses from the surface-brightness method (Gieren, W.P.), 222, 251
- g*-modes of non-radially pulsating relativistic stars: the slow-motion formalism (Finn, L.S.), 222, 393
- Infrared photometry of Magellanic Cloud Cepheids. Intrinsic properties of Cepheids and the spatial structure of the Clouds (Laney, C.D., Stobie, R.S.), 222, 449
- Variable stars in the South Galactic Cap (Stobie, R.S., Bishop, I.S., King, D.L.), 222, 473
- Evidence for pulsation in the hydrogen-deficient binary Upsilon Sgr Sagittarii (Malcolm, G.J., Bell, S.A.), 222, 543
- Observation of an iron *K* X-ray line from SS433 (Matsuoka, M., Takano, S., Makishima, K.), 222, 605
- An estimate of the system parameters in the dwarf nova IP Peg (Wood, J., Crawford, C.S.), 222, 645
- The variation of the 5200 feature in HD 34452 (Shylaja, B.S., Babu, G.S.D.), 222, 683 and on *microfiche*
- Polarimetry of ST LMi (CW1103+254) (Cropper, M.), 222, 853
- An infrared and visual study of the structure and variability of the cataclysmic binary V2051 Ophiuchi (Berriman, G., Kenyon, S., Bailey, J.), 222, 871
- The orbital period of the optical/X-ray burster X1735-444 (V926 Sco) (Corbet, R.H.D., Thorstensen, J.R., Charles, P.A., Menzies, J.W., Naylor, T., Smale, A.P.), 222, 15p
- A search for X-ray periodicities from 4U 1700-37 (Gottwald, M., White, N.E., Stella, L.), 222, 21p
- Mode identification of Beta Cephei stars in NGC 3293 (Engelbrecht, C.A.), 223, 189
- X-ray and optical variability in the low-mass burst source X1735-444 (Smale, A.P., Corbet, R.H.D., Charles, P.A., Menzies, J.W., Mack, P.), 223, 207
- Observations at 843 MHz of quiescent emission from the flare star AT Mic (Vaughan, A.E., Large, M.I.), 223, 399
- The origin of the visual and infrared pulsations in the intermediate polar FO Aqr H2215-086 (Berriman, G., Bailey, J., Axon, D.J., Hough, J.H.), 223, 449

Subject index

- Hilbert transform analysis of the Elatina varve record of solar activity (Bracewell, R.N., Williams, G.E.), 223, 457
- Model QPO power spectra: signatures of angular position and radial velocity of clumps in the boundary layer (Alpar, M.A.), 223, 469
- Angular momentum transport in the magnetospheres of cataclysmic variable accretion discs (Koen, C.), 223, 529
- An analysis of the $l = -1$ dipole oscillation in HR 3831 (HD 83368) (Kurtz, D.W., Shibahashi, H.), 223, 557
- HR 3562 and 3600: two short-period B-type variables (Balona, L.A., Laing, J.D.), 223, 621
- Pulsation masses and luminosities for the double mode RV Tauri star UU Her and the 89 Her star HD 161796 (Worrell, J.K.), 223, 787
- Simultaneous X-ray and optical monitoring of the flare star YZ CMi (Doyle, J.G., Butler, C.J., Haisch, B.M., Rodono, M.), 223, 1P
- Stars – velocities of**
- Photoelectric radial velocities, Paper XIII. 406 ninth-magnitude K0 stars in the Clube Selected Areas (Griffin, R.F.), 219, 95
- Radial velocities of blue horizontal branch field stars in the outer Galactic halo (Sommer-Larsen, J., Christensen, P.R.), 219, 37
- Velocities and radii of five Magellanic Cloud Cepheids (Caldwell, J.A.R., Coulson, I.M., Spencer Jones, J.H., Black, C.A., Feast, M.W.), 220, 671
- The luminosity and kinematics of RR Lyraes – II. RR Lyraes and the distance to the LMC (Reid, I.N., Strugnell, P.R.), 221, 887
- On the visual binary ν Carinae (Mandrini, C.H., Niemela, V.S.), 223, 79
- On the evolutionary status of the active chromosphere stars AB Doradus (HD 36705) and PZ Telescopium (HD 174429) (Innis, J.L., Thompson, K., Coates, D.W.), 223, 183
- Sun**
- Oscillatory motions in intense flux tubes (Hasan, S.S.), 219, 357
- An approximate calculation of the effect of opacity on Si III emission line ratios near the solar limb (Keenan, F.P., Kingston, A.E.), 220, 493
- Measurement of the oscillator strengths of very weak Fe I lines (Blackwell, D.E., Booth, A.J., Haddock, D.J., Petford, A.D., Leggett, S.K.), 220, 549
- Flares on dMe stars: *IUE* and optical observations of AT Mic, and comparison of far-ultraviolet stellar and solar flares (Bromage, G.E., Phillips, K.J.H., Dufton, P.L., Kingston, A.E.), 220, 1021

- Hilbert transform analysis of the Elatina varve record of solar activity (Bracewell, R.N., Williams, G.E.), 223, 457
- A new approach for predicting proton events from solar flares (Jain, R.), 223, 877

Supernovae and supernova remnants

- Discovery of a large mass of iron in a type I supernova (Graham, J.R., Meikle, W.P.S., Allen, D.A., Longmore, A.J., Williams, P.M.), 218, 93
- The supernova remnant W50 at 5 GHz (Downes, A.J.B., Pauls, T., Salter, C.J.), 218, 393
- Observations of 3C 58 at 151 and 2695 MHz (Green, D.A.), 218, 533
- Low-latitude radio continuum structure in the fourth galactic quadrant (Jonas, J.L.), 219, 1
- Secular changes within Cassiopeia A at 5 GHz – I (Tuffs, R.J.), 219, 13
- Neutral hydrogen towards 3C 10, the remnant of Tycho's supernova (Albinson, J.S., Tuffs, R.J., Swinbank, E., Gull, S.F.), 219, 427
- G291.0-0.1, a centrally bright supernova remnant, in Carina (Roger, R.S., Milne, D.K., Caswell, J.L., Little, The late A.G.), 219, 815
- The velocity structure of the core of the giant H II region NGC 3603 (Clayton, C.A.), 219, 895
- G70.68+1.20: a thermal source, not a supernova remnant (Green, D.A.), 219, 39P
- An X-ray study of the Monoceros supernova remnant (Leahy, D.A., Narayan, S., Singh, K.P.), 220, 501
- Extremely metal-deficient stars – II. Evolution of intermediate-mass stars to carbon ignition or core degeneracy (Tomambè, A., Chieffi, A.), 220, 529
- Peculiar infrared and optical behaviour in Type I supernovae and the origin of the 1.2 μm feature (Graham, J.R.), 220, 27P
- Observations of IC 443 at 151 and 1419 MHz (Green, D.A.), 221, 473
- Analysis of the infrared echo of supernova 1982e in NGC 1332 (Graham, J.R., Meikle, W.P.S.), 221, 789
- The supernova remnant OA 184 (G166.2+2.5) and associated H I (Routledge, D., Landecker, T.L., Vaneldik, J.F.), 221, 809
- Expanding shells in the filamentary edge of the young supernova remnant RCW 103 (Meaburn, J., Allan, P.M.), 222, 593
- Type I SNe from double degenerate CO dwarfs and their rate in the solar neighbourhood (Tomambè, A., Matteucci, F.), 223, 69
- Young-star formation in the Magellanic H I bridge (Meaburn, J.), 223, 317
- G7.7-3.7 – a supernova remnant with a high degree of radio polarization (Milne, D.K., Roger, R.S., Kesteven, M.J., Haynes, R.F., Wellington, K.J., Stewart, R.T.), 223, 487

Ultraviolet astronomy

- IUE* observations of the highly luminous Seyfert galaxy ESO 113 – 1G45 (Fairall 9) (Masegosa, J., Moles, M., Penston, M.V.), 218, 541
- An ultraviolet and optical study of the broad-line radio galaxy 3C 382 (Tadhunter, C.N., Pérez, E., Fosbury, R.A.E.), 219, 555
- The variation of interstellar extinction in the ultraviolet (Camochan, D.J.), 219, 903
- PKS 2005–489: a very bright BL Lac object in a nearby galaxy (Wall, J.V., Danziger, I.J., Pettini, M., Warwick, R.S., Wamsteker, W.), 219, 23p
- The properties of the nuclei of the two hot spot galaxies NGC 1097 and 2997 (Walsh, J.R., Nandy, K., Thompson, G.I., Meaburn, J.), 220, 453
- An approximate calculation of the effect of opacity on Si III emission line ratios near the solar limb (Keenan, F.P., Kingston, A.E.), 220, 493
- Flares on dMe stars: *IUE* and optical observations of AT Mic, and comparison of far-ultraviolet stellar and solar flares (Fromage, G.E., Phillips, K.J.H., Dufton, P.L., Kingston, A.E.), 220, 1021
- Constraints on the outer atmospheric structure of late-type giant stars with *IUE*: methods and application to Arcturus (α Boo K2III) (Judge, P.G.), 221, 119
- Dwarf novae in outburst: modelling the observations (Pringle, J.E., Verbunt, F., Wade, R.A.), 221, 169
- A multiwavelength study of the long-period AM Her system E2003+225 – I. The soft X-ray light curve and overall energy spectrum (Osborne, J.P., Bonnet-Bidaud, J.M., Bowyer, S., Charles, P.A., Chiappetti, L., Clarke, J.T., Henry, J.P., Hill, G.J., Kahn, S., Maraschi, L., Mukai, K., Treves, A., Vrčilek, S.), 221, 823
- Ne III charge-exchange lines in the planetary nebula NGC 3918 (Clegg, R.E.S., Harrington, J.P., Storey, P.J.), 221, 61p
- Optical and UV spectroscopy of blue horizontal branch stars in the globular cluster NGC 6752 (Caloi, V., Castellani, V., Danziger, J., Gilmozzi, R., Cannon, R.D., Hill, P.W., Boksenberg, A.), 222, 55
- Ultraviolet spectra of quasars in the redshift interval 0.3 to 2.0 (Gondhalekar, P.M., O'Brien, P., Wilson, R.), 222, 71
- Detection of broad ultraviolet Fe II lines in the spectrum of NGC 1068 (Snijders, M.A.J., Netzer, H., Boksenberg, A.), 222, 549
- The ultraviolet spectrum and interstellar environment of HD 50896 (Howarth, I.D., Phillips, A.P.), 222, 809
- Constraints on the outer atmospheric structure of late-type giant stars with *IUE*: application to α Tau (K5III) and β Gru (M5III) (Judge, P.G.), 223, 239
- Discrete absorption components in spectra of mass-losing stars: an analytical model for the

trajectories of gas parcels and streams (Bates, B., Halliwell, D.R.), 223, 673

X-ray astronomy

- A spectroscopic study of the X-ray binary V1727 Cygni (Horne, K., Verbunt, F., Schneider, D.P.), 218, 63
- A Study of the continuum and iron K line emission from low-mass X-ray binaries (White, N.E., Peacock, A., Hasinger, G., Mason, K.O., Manzo, G., Taylor, B.G., Branduardi-Raymont, G.), 218, 129
- Compton heating and cooling in thermal electron gases (Guilbert, P.W.), 218, 171
- Some implication of excess soft X-ray emission from Seyfert 1 galaxies (Fabian, A.C., Guilbert, P.W., Amdur, K.A., Shafer, R.A., Tennant, A.F., Ward, M.J.), 218, 457
- The outer atmosphere of Procyon (α CMi F5IV – V): evidence of supergranulation or active regions (Jordan, C., Brown, A., Walter, F.M., Linsky, J.L.), 218, 465
- EXOSAT* measurements of the quiescent X-ray spectrum of the burster 2S1636 – 536: evidence for Comptonization in a hot corona (Breedon, L.M., Turner, M.J.L., King, A.R., Courvoisier, T.J.-L.), 218, 487
- The soft X-ray spectrum of NGC 4151 (Pounds, K.A., Warwick, R.S., Culhane, J.L., de Korte, P.A.J.), 218, 685
- The X-ray spectrum and variability of Markarian 421 (Warwick, R.S., George, I.M., McHardy, I., Pounds, K.A.), 219, 39
- Study of quiescent state X-ray emission from flare stars (Agrawal, P.C., Rao, A.R., Sreekantan, B.V.), 219, 225
- The spectral shape and variability of the blazar 3C 446 (Brown, L.M.J., Robson, E.I., Gear, W.K., Crosthwaite, R.P., McHardy, I.M., Hanson, C.G., Geldzahler, B.J., Webb, J.R.), 219, 671
- Detection of an X-ray flare in the RS CVn binary Sigma Coronae Borealis (Agrawal, P.C., Rao, A.R., Riegler, G.R.), 219, 777
- The discovery of X-ray bursts from Cir X-1 (Tennant, A.F., Fabian, A.C., Shafer, R.A.), 219, 871
- PKS 2005–489: a very bright BL Lac object in a nearby galaxy (Wall, J.V., Danziger, I.J., Pettini, M., Warwick, R.S., Wamsteker, W.), 219, 23p
- X-ray and radio core emission in radio quasars (Kembhavi, A., Feigelson, E.D., Singh, K.P.), 220, 51
- Eddington luminosities and photospheric radius expansion during X-ray bursts from 4U/MXB 1820-30 (Vacca, W.D., Lewin, W.H.G., van Paradijs, J.), 220, 339
- High-resolution X-ray and radio observations of the giant elliptical galaxies NGC 4636 and 4649 (Stanger, V.J., Warwick, R.S.), 220, 363
- More about collapse of a radiating star (de Oliveira, A.K.G., Pacheco, J.A. de F., Santos, N.O.), 220, 405

Subject index

- A hot intergalactic medium? (Guilbert, P.W., Fabian, A.C.), 220, 439
- An X-ray study of the Monoceros supernova remnant (Leahy, D.A., Narayan, S., Singh, K.P.), 220, 501
- A cooling flow in the giant, elliptical galaxy NGC 4472 (Thomas, P.A.), 220 949
- The three types of high-mass X-ray pulsator (Corbet, R.H.D.), 220, 1047
- Triple star evolution and the formation of short-period, low-mass M-ray binaries (Eggleton, P.P., Verbunt, F.), 220, 13p
- X-ray and optical observations of a dMe flare star in the T Tauri field (Smale, A.P., Charles, P.A., Corbet, R.H.D., Jordan, C., Brown, A., Walter, F.), 221, 77
- Neutron star model atmospheres – a comparison with MXB 1728-34 (Foster, A.J., Ross, R.R., Fabian, A.C.), 221, 409
- A photometric study of AM Herculis in the normal and reversed soft X-ray modes (Mazeh, T., Kieboom, K., Heise, J.), 221, 513
- A unique triple-peaked type-I X-ray burst from 4U/MXB 1636-53 (van Paradijs, J., Szajno, M., Lewin, W.H.G., Trümper, J., Vacca, W.D., van der Klis, M.), 221, 617
- A multiwavelength study of the long-period AM Her system E2003+225 – I. The soft X-ray light curve and overall energy spectrum (Osborne, J.P., Bonnet-Bidaud, J.M., Bowyer, S., Charles, P.A., Chiappetti, L., Clarke, J.T., Henry, J.P., Hill, G.J., Kahn, S., Maraschi, L., Mukai, K., Treves, A., Vrilek, S.), 221, 823
- Pair-induced spectral changes and variability in compact X-ray sources (Fabian, A.C., Blandford, R.D., Guilbert, P.W., Phinney, E.S., Cuellar, L.), 221, 931
- Long-term and periodic variability of 4U 1258-61 (GX304-1) (Corbet, R.H.D., Smale, A.P., Menzies, J.W., Branduardi-Raymont, G., Charles, P.A., Mason, K.O., Booth, L.), 221, 961
- A lower limit to the binding mass of early-type galaxies (Fabian, A.C., Thomas, P.A., Fall, S.M., White III, R.E.), 221, 1049
- Rapid X-ray variability of the Seyfert galaxy MCG-6-30-15 (Pounds, K.A., Turner, T.J., Warwick, R.S.), 221, 7p
- Observations of type I X-ray bursts from Cir X-1 (Tennant, A.F., Fabian, A.C., Shafer, R.A.), 221, 27p
- The time-dependent collapse of a radiatively cooling corona (King, A.R., Smith, M.D.), 222, 201
- Doppler-shifted X-ray line emission from SS433 (Watson, M.G., Stewart, G.C., Brinkmann, W., King, A.R.), 222, 261
- Evolution and clustering of rich clusters (Kaiser, N.), 222, 323
- X-ray bursts from GX 17+2: a new approach (Szajno, M., van Paradijs, J., Lewin, W.H.G., Langmeier, A., Trümper, J., Pietsch, W.), 222, 499
- Observation of an iron K X-ray line from SS433 (Matsuoka, M., Takano, S., Makishima, K.), 222, 605
- A relationship between the X-ray luminosity and redshift of extragalactic objects (Giovannelli, F., Polcaro, V.F.), 222, 619
- The prevalence of cooling flows in early-type galaxies (Thomas, P.A., Fabian, A.C., Arnaud, K.A., Foman, W., Jones, C.), 222, 655
- The orbital period of the optical/X-ray burster X1735-444 (V926 Sco) (Corbet, R.H.D., Thorstensen, J.R., Charles, P.A., Menzies, J.W., Naylor, T., Smale, A.P.), 222, 15p
- A search for X-ray periodicities from 4U 1700-37 (Gottwald, M., White, N.E., Stella, L.), 222, 21p
- X-ray and optical variability in the low-mass burst source X1735-444 (Smale, A.P., Corbet, R.H.D., Charles, P.A., Menzies, J.W., Mack, P.), 223, 207
- EXAFS studies of interstellar dust (Evans, A.), 223, 219
- Twisted accretion discs – II. Variation in density distribution and application to interacting binaries (Kumar, S.), 223, 225
- Model QPO power spectra: signatures of angular position and radial velocity of clumps in the boundary layer (Alpar, M.A.), 223, 469
- Simultaneous X-ray and optical monitoring of the flare star YZ CMi (Doyle, J.G., Butler, C.J., Haisch, B.M., Rodono, M.), 223, 1p
- EXOSAT observations of the Seyfert galaxy NGC 7469: rapid hard X-ray variability and a soft X-ray excess (Barr, P.), 223, 29p

